





GALAXY LIGHTING is pleased to introduce our 2021 GALAXY CATALOGUE. Throughout the catalogue you will find some of your old favorites as well as our new introductions. Whether it's contemporary, traditional, understated or intricately detailed, you will find something for any décor or budget... great value without compromising design.

We would like to take this opportunity to thank all of our customers, staff and sales representatives for their continuous trust, dedication and hard work, allowing GALAXY LIGHTING to position itself as one of the leading manufacturers in our industry.

**Visit our website at
www.galaxy-lighting.com**

Warranty:


Galaxy products are covered by a limited warranty for one year from date of shipment.
LED components are covered by a limited warranty up to 5 years. See factory for complete details.

Contents

■ Collections	4
■ Chandeliers	47
■ Pendants	54
■ Mini-pendants	73
■ Semi-flush mounts	79
■ Flush mounts	83
■ Wall sconces	107
■ Bath & vanity	118
■ Recessed	153
■ Fixed track	171
■ Modular track	179
■ Outdoors	186
■ Undercabinet	218
■ Replacement parts	225

COLLECTIONS

Amelia 13



Ansley 20



Antena 7



Aritza 26



Astro 40



Barnsville 6



Circo 8



Contempra 18



Estella 14



Geo I 4



Geo II 5



Hadley 35



Harrison 11



Hilton 32



Huntington 27



Hudson 22



Julian 45



Julianne 23



Madeo 38



Madison 12



COLLECTIONS

Nora 36



Novia 17



Ofelia 42



Oriana 46




Prescott 44



Quentin 30



Revival 9



Rihanna 25



Silhouette 23



Sparkle 24



Villa 10



COLLECTIONS- GEO I

Black (BK) with Clear Glass Globe



924754BK
Includes 6", 12" 18"
Extension Rods

924744BK
Includes 6", 12" 18"
Extension Rods

924752BK

Item No.	Category	Dimensions	Details
924752BK	Pendant	23-5/8"L x 7-7/8"W x 24-1/4"H; 120"OAH	4 x 35W G9
924744BK	Pendant	11-3/4"L x 5-1/8"W x 11-3/4"H; 50"OAH	1 x 35W G9
924754BK	Mini-Pendant	6-5/8"L x 5-1/8"W x 15"H, 54"OAH	1 x 35W G9

COLLECTIONS- GEO II

Black (BK) with Clear Glass Globe



924764BK
Includes 6", 12" 18"
Extension Rods


924762BK

Item No.	Category	Dimensions	Details
924762BK	Pendant	23-5/8"L x 7-7/8"W x 24-1/4"H; 120"OAH	4 x 35W G9
924764BK	Mini-Pendant	6-5/8"L x 5-1/8"W x 15"H, 54"OAH	1 x 35W G9

• All fixtures are compatible with LED equivalent lamps

COLLECTIONS- BARNSVILLE

Espresso (ESP) with Clear Glass



924084ESP
Includes 6", 2 x 12", 18"
Extension Rods



924074ESP
Includes 6", 2 x 12", 18"
Extension Rods



224080ESP



224070ESP



624086ESP

Item No.	Category	Dimensions	Details
224070ESP	Indoor/ Outdoor Wall Lantern	8"W x 10-1/4"H x 7-1/8"E	1 x 60W Med. Base
224080ESP		7-7/8"W x 13-7/8"H x 9"E	1 x 60W Med. Base
624086ESP	Semi-Flush Mount	7-7/8"D x 12-1/4"H	1 x 60W Med. Base
924074ESP	Mini-Pendant	8"D x 8-3/8"H; 46-1/4"OAH	1 x 60W Med. Base
924084ESP		7-7/8"D x 10-3/4"H 49-3/8"OAH	1 x 60W Med. Base

COLLECTIONS- ANTENA

Black/ Gold (BK/GD)

924725BK/GD



924721BK/GD



624709BK/GD



Item No.	Category	Dimensions	Details
624709BK/GD	Semi-Flush Mount	22-1/2"D x 13"H	10 x 60W Med. Base
924721BK/GD	Pendant	29"D x 22-3/8"H; 48-3/8"OAH	12 x 60W Med. Base
924725BK/GD		38-1/8"D x 28-7/8"H x 52-1/8"OAH	18 x 60W Med. Base

• All fixtures are compatible with LED equivalent lamps

COLLECTIONS- CIRCO

Silver/ Black (SLV/BK)



924694SLV/BK



Convertible to Semi-Flush Mount

924690SLV/BK



Convertible to Semi-Flush Mount

924691SLV/BK

Item No.	Category	Dimensions	Details
924690SLV/BK	Pendant	16"D x 17-1/8"H	3 x 60W Med. Base
924691SLV/BK		21-1/4"D x 19"H	5 x 60W Med. Base
924694SLV/BK		10"D x 14"H	1 x 60W Med. Base

COLLECTIONS- REVIVAL

Black Frame with Faux Wood Feature (BK/WD)



622778BK/WD



922770BK/WD



922771BK/WD

Item No.	Category	Dimensions	Details
622778BK/WD	Semi-Flush Mount	15"D x 11-1/2"H	3 x 60W Med. Base
922770BK/WD	Pendant	12"D x 19"H	4 x 60W Med. Base
922771BK/WD		22"D x 21"H	6 x 60W Med. Base

• All fixtures are compatible with LED equivalent lamps

COLLECTIONS- VILLA

Black/ Faux Wood (BK/WD) with Clear Seeded Glass



920963BK/WD



920965BK/WD



620968BK/WD

Item No.	Category	Dimensions	Details
620968BK/WD	Semi- Flush Mount	14-1/8"D x 8-7/8"H	3 x 60W Med. Base
920963BK/WD	Island Light	32-1/8"L x 10-7/8"W x 29-3/4"H	3 x 60W Med. Base
920965BK/WD	Pendant	12"D x 23-5/8"H	4 x 60W Cand. Base

COLLECTIONS- HARRISON

Black Frame with Faux Wood Feature (BK/WD)



822783BK/WD



922781BK/WD



922784BK/WD



Item No.	Category	Dimensions	Details
822783BK/WD	Chandelier	25"D x 24-1/8"H	5 x 60W Med. Base
922781BK/WD	Pendant	15"D x 21-3/4"H	3 x 60W Med. Base
922784BK/WD	Mini-Pendant	8"D x 18"H	1 x 60W Med. Base

• All fixtures are compatible with LED equivalent lamps

COLLECTIONS- MADISON

Polished Chrome with Clear Glass (CH/CL) or White Glass (CH/WH)



Item No.	Category	Dimensions	Details	Finishes
724581	Wall Sconce	7-1/8"W x 11"H x 7-1/2"E	1 x 60W Med. Base	CH/CL- Polished Chrome with Clear Glass CH/WH- Polished Chrome with White Glass
924580	Pendant	10-1/2"D x 8"H		
924581	Pendant	13-1/2"D x 9"H		
924584	Mini Pendant	7"D x 8"H		

COLLECTIONS- AMELIA

Oil Rubbed Bronze (ORB) with Crystal Drops



919061ORB



919064ORB

Includes 6", 2 x 12", 18"
Extension Rods

Item No.	Category	Dimensions	Details
919061ORB	Pendant	18-1/2"D x 13-1/2"H; 51-3/4"OAH	6 x 60W G9
919064ORB	Mini-Pendant	5"D x 17-5/8"H; 55-3/4"OAH	1 x 60W G9

• All fixtures are compatible with LED equivalent lamps

COLLECTIONS- ESTELLA

Polished Chrome (CH) with K9 Crystal, 4000K, Dimmable



L923066CH



L923062CH



L923064CH



L923068CH

Item No.	Category	Dimensions	Details
L923062CH*	Mini-Pendant	2-7/8"D x 96"OAH	12W LED, TL:1200 lm/ DL:900 lm
L923064CH*	Multi-Light Pendant	9"D x 96"OAH	3 x 12W LED, TL:3 x 1200 lm/ DL:3 x 900 lm
L923066CH*		11-3/4"D x 96"OAH	5 x 12W LED, TL:5 x 1200 lm/ DL:5 x 900 lm
L923068CH*		13-3/4"D x 96"OAH	9 x 12W LED, TL:9 x 1200 lm/ DL:9 x 900 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

COLLECTIONS- ESTELLA

Polished Chrome (CH) with K9 Crystal, 4000K, Dimmable



L923065CH



L923063CH



L923061CH



L923067CH

Item No.	Category	Dimensions	Details
L923061CH*	Mini-Pendant	2-7/8"D x 96"OAH	6W LED, TL:600 lm/ DL:450 lm
L923063CH*	Multi-Light Pendant	9"D x 96"OAH	3 x 6W LED, TL:3 x 600 lm/ DL:3 x 450 lm
L923065CH*		11-3/4"D x 96"OAH	5 x 6W LED, TL:5 x 600 lm/ DL:5 x 450 lm
L923067CH*		13-3/4"D x 96"OAH	9 x 6W LED, TL:9 x 600 lm/ DL:9 x 450 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

COLLECTIONS- ESTELLA

Polished Chrome (CH) with K9 Crystal, 4000K, Dimmable



Item No.	Category	Dimensions	Details
L923093CH*	Multi-Light Pendant	20" L x 5-1/2" W x 96" OAH	3 x 6W LED, TL:3 x 600 lm/ DL:3 x 450 lm
L923094CH*		20" L x 5-1/2" W x 96" OAH	3 x 12W LED, TL:3 x 1200 lm/ DL:3 x 900 lm
L923095CH*		36" L x 5-1/2" W x 96" OAH	5 x 6W LED, TL:5 x 600 lm/ DL:5 x 450 lm
L923096CH*		36" L x 5-1/2" W x 96" OAH	5 x 12W LED, TL:5 x 1200 lm/ DL:5 x 900 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

COLLECTIONS- NOVIA

Polished Chrome (CH) with Clear Crystal Accents



622387CH



922381CH



922383CH



922382CH

Item No.	Category	Dimensions	Details
622387CH	Semi-Flush Mount	12-7/8"D x 9-1/2"H	2 x 100W Med. Base
922381CH	Pendant	19-1/8"D x 24-1/8"H	4 x 100W Med. Base
922382CH		18-1/4"D x 20-1/2"H	4 x 60W Cand. Base
922383CH		21-1/4"D x 23-1/4"H	6 x 60W Cand. Base

• All fixtures are compatible with LED equivalent lamps

COLLECTIONS- CONTEMPRA

Brushed Nickel (BN) with Thick Panes of Clear Acrylic



922756BN



922755BN

Item No.	Category	Dimensions	Details
922755BN	Pendant	22"D x 26-1/8"H	6 x 60W Cand. Base
922756BN		27-7/8"D x 33-1/8"H	6 x 60W Cand. Base

COLLECTIONS- CONTEMPRA

Brushed Nickel (BN) with Thick Panes of Clear Acrylic



922751BN



922752BN

Item No.	Category	Dimensions	Details
922751BN	Pendant	17"D x 32-1/4"H	3 x 60W Cand. Base
922752BN		19-7/8"D x 40"H	6 x 60W Cand. Base

• All fixtures are compatible with LED equivalent lamps

COLLECTIONS- ANSLEY

Brushed Nickel (BN) with Off-White Linen Shades


913041BN
Includes 6", 12", 18"
Extension Rods



613048BN



913044BN
Includes 6", 12", 18"
Extension Rods

Item No.	Category	Dimensions	Details	Lamp Included	
613048BN	Semi-Flush Mount	14"D x 8-1/2"H	3 x 60W Med. Base	-	-
L613048BN010A1			12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L613048BN016A1			16W LED, TL:1520 lm/ DL:1064 lm, 3000K		
L613048BN024A1			24W LED, TL:2280 lm/ DL:1596 lm, 3000K		
913041BN	Pendant	18"D x 7-1/4"H; 46-3/4"OAH	4 x 60W Med. Base	-	-
913044BN	Mini-Pendant	6-3/4"D x 7"H; 45-1/2"OAH	1 x 60W Med. Base	-	-

TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

COLLECTIONS- ANSLEY

Brushed Nickel (BN) with Off-White Linen Shades



652100WH-2LED



652102WH-3LED



213041BN



213040BN

Item No.	Category	Dimensions	Details
213040BN	Wall Sconce	6-3/4"W x 10-5/8"H x 9"E	1 x 60W Med. Base, A15
213041BN	Wall Sconce (swing arm)	6-3/4"W x 11"H x 14-3/8"E	1 x 60W Med. Base, A15
652100WH-2LED	Flush Mount	13"D x 4-1/2"H	2 x 15W Med. Base, LED Bulb
652102WH-3LED		16"D x 4-1/2"H	3 x 15W Med. Base, LED Bulb

COLLECTIONS- HUDSON

Polished Chrome (CH) Frame with Off-White Linen Shade



922471CH



822473CH

Item No.	Category	Glass	Dimensions	Details
822473CH	Chandelier	Clear Blown	26-3/4"D x 25-1/2"H	5 x 60W Cand. Base
922471CH	Pendant		20"D x 23-5/8"H	3 x 60W Med. Base

COLLECTIONS- JULIANNE

Polished Chrome (CH) Frame Highlighted by 14mm Crystals with Off-White Linen Shade



822451CH



822455CH

Item No.	Category	Dimensions	Details
822451CH	Chandelier	20"D x 25"H	3 x 60W Cand. Base
822455CH		29-5/8"D x 25-1/2"H	6 x 60W Cand. Base

COLLECTIONS- SILHOUETTE



822463BN

Brushed Nickel (BN) Frame with Clear Crystal Beads, Silver Organza Outer Shade, Off-White Linen Inner Shade



822465BN

Brushed Nickel (BN) with Clear Crystal Beads

Item No.	Category	Dimensions	Details
822463BN	Chandelier	22-1/4"D x 29-1/8"H	5 x 60W Cand. Base
822465BN		25"D x 25-7/8"H	5 x 60W Cand. Base

• All fixtures are compatible with LED equivalent lamps

COLLECTIONS- SPARKLE

Polished Chrome (CH), Clear Glass Shade Filled with Crystal Octagons



922324CH



922323CH



722327CH




722328CH

Item No.	Category	Dimensions	Details
722327CH	Vanity Light	11-3/8"W x 5-1/2"H x 5"E	2 x 50W G9
722328CH		17-3/4"W x 5-1/2"H x 5"E	3 x 50W G9
922323CH	Island Pendant	20"L x 4-1/4"W x 96"OAH	3 x 50W G9
922324CH	Mini-Pendant	4-1/2"D x 7-5/8"H; 96"H	1 x 50W G9

COLLECTIONS- RIHANNA

Polished Chrome (CH) with Clear Glass & Clear Crystal Jewels

916091CH



916095CH



916094CH

Item No.	Category	Dimensions	Details	Lamp Included
916091CH	Mini-Pendant	5-7/8"D x 11-5/8"H; 120"OAH	1 x 20W G4, 12V	✓
916094CH	Pendant	36"L x 5-7/8"W x 10-3/8"H; 120"OAH	3 x 20W G4, 12V	
916095CH	Pendant	15-3/4"D x 11-5/8"H; 120"OAH	5 x 20W G4, 12V	

• All fixtures are compatible with LED equivalent lamps

COLLECTIONS- ARITZA

Polished Chrome (CH) with Clear Crystal Bubble Glass and Linear Detail, 3000K, Dimmable



L914706CH



L914703CH



L914704CH



L914705CH



Item No.	Category	Dimensions	Details
L914703CH*	Multi-Light Pendant	19-5/8"W x 4-3/4"W x 12-1/2"H; 120"OAH	3 x 5W LED, TL:3 x 500lm/ DL:3 x 350 lm
L914704CH*	Mini-Pendant	4-3/4"L x 4-3/4"W x 12-1/2"H; 120"OAH	5W LED, TL:500lm/ DL:350 lm
L914705CH*	Multi-Light Pendant	11-3/4"D x 12-1/2"H; 120"OAH	5 x 5W LED, TL:5 x 500lm/ DL:5 x 350 lm
L914706CH*		13-3/4"D x 12-1/2"H; 120"OAH	9 x 5W LED, TL:9 x 500lm/ DL:9 x 350 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

COLLECTIONS- HUNTINGTON

Oil Rubbed Bronze (ORB) with
Clear Glass



612302ORB



612308ORB



912300ORB



912301ORB



Item No.	Category	Dimensions	Details
612302ORB	Flush Mount	10"D x 6-1/4"H	2 x 60W Med. Base
612308ORB	Semi-Flush Mount	10"D x 12-3/8"H	3 x 60W Cand. Base
912300ORB	Pendant	12"D x 24-1/4"H	4 x 60W Cand. Base
912301ORB		18"D x 19-1/2"H	5 x 60W Cand. Base
912302ORB		18"D x 34-1/4"H	8 x 60W Cand. Base

• All fixtures are compatible with LED equivalent lamps

COLLECTIONS- HUNTINGTON

Brushed Nickel (BN) with Clear Glass



912301BN



612302BN



912300BN



612308BN



912302BN

Item No.	Category	Dimensions	Details
612302BN	Flush Mount	10"D x 6-1/4"H	2 x 60W Med. Base
612308BN	Semi-Flush Mount	10"D x 12-3/8"H	3 x 60W Cand. Base
912300BN	Pendant	12"D x 24-1/4"H	4 x 60W Cand. Base
912301BN		18"D x 19-1/2"H	5 x 60W Cand. Base
912302BN		18"D x 34-1/4"H	8 x 60W Cand. Base

COLLECTIONS- HUNTINGTON

Polished Chrome (CH) with Clear Glass



912300CH



612302CH



612308CH



912301CH



912302CH

Item No.	Category	Dimensions	Details
612302CH	Flush Mount	10"D x 6-1/4"H	2 x 60W Med. Base
612308CH	Semi-Flush Mount	10"D x 12-3/8"H	3 x 60W Cand. Base
912300CH	Pendant	12"D x 24-1/4"H	4 x 60W Cand. Base
912301CH		18"D x 19-1/2"H	5 x 60W Cand. Base
912302CH		18"D x 34-1/4"H	8 x 60W Cand. Base

• All fixtures are compatible with LED equivalent lamps

COLLECTIONS- QUENTIN

Brushed Nickel (BN) with Clear Glass



919857BN



919853BN



Glass Size:
3-3/4"D x 5-7/8"H

919854BN



919855BN



919856BN



Item No.	Category	Dimensions	Details
919853BN	Pendant	36"L x 5"W x 72"OAH	3 x 40W Med. Base
919854BN	Mini-Pendant	5"D x 6-1/8"H; 72"OAH	1 x 40W Med. Base
919855BN	Pendant	10"D x 72"OAH	3 x 40W Med. Base
919856BN		13-1/2"D x 96"OAH	5 x 40W Med. Base
919857BN		15-1/4"D x 96"OAH	7 x 40W Med. Base

COLLECTIONS- QUENTIN

Oil Rubbed Bronze (ORB) with Clear Glass



919856ORB



919855ORB



Glass Size:
3-3/4"D x 5-7/8"H

919854ORB



919853ORB



919857ORB



Item No.	Category	Dimensions	Details
919853ORB	Pendant	36"L x 5"W x 72"OAH	3 x 40W Med. Base
919854ORB	Mini-Pendant	5"D x 6-1/8"H; 72"OAH	1 x 40W Med. Base
919855ORB	Pendant	10"D x 72"OAH	3 x 40W Med. Base
919856ORB		13-1/2"D x 96"OAH	5 x 40W Med. Base
919857ORB		15-1/4"D x 96"OAH	7 x 40W Med. Base

COLLECTIONS- HILTON

Polished Chrome (CH) with White Glass



612066CH



812061CH



812063CH

Item No.	Category	Dimensions	Details
612066CH	Semi-Flush Mount	13-3/8"D x 11-1/4"H	2 x 60W Med. Base
812061CH	Chandelier	19"D x 20"H	3 x 60W Med. Base, A15
812063CH		22-3/4"D x 21"H	5 x 60W Med. Base, A15

COLLECTIONS- HILTON

Polished Chrome (CH) with White Glass




612063CH



912065CH



912063CH



912064CH

Includes 6", 12", 18"
Extension Rods

Item No.	Category	Dimensions	Details
612063CH	Flush Mount	13-3/8"D x 7-7/8"H	2 x 60W Med. Base
912063CH	Pendant	36"L x 7-3/8"W x 9"H; 47-5/8"OAH	3 x 60W Med. Base
912064CH	Mini-Pendant	7-1/2"D x 9-1/8"H; 48-1/2"OAH	1 x 60W Med. Base
912065CH	Pendant	18"D x 23-3/4"H	3 x 60W Med. Base

COLLECTIONS- HILTON

Polished Chrome (CH) with White Glass



712061CH



712062CH



712063CH



712064CH

Item No.	Category	Dimensions	Details
712061CH	Vanity Light	5-3/8"W x 10"H x 7-1/4"E	1 x 60W Med. Base, A15
712062CH		13-1/2"W x 9-1/4"H x 7-1/4"E	2 x 60W Med. Base, A15
712063CH		22"W x 9-1/4"H x 7-1/4"E	3 x 60W Med. Base, A15
712064CH		29-1/2"W x 9-1/4"H x 7-1/4"E	4 x 60W Med. Base, A15

COLLECTIONS- HADLEY

Brushed Nickel (BN/WH) or Polished Chrome (CH/WH) with White Cylinder Glass



244021BN/WH



244021CH/WH



244023BN/WH



944024BN/WH
Includes 6", 2 x 12", 18"
Extension Rods



244023CH/WH



944024CH/WH
Includes 6", 2 x 12", 18"
Extension Rods

Item No.	Category	Dimensions	Details	Finishes
244021	Wall Sconce	4-1/2"W x 10-1/4"H x 4-3/8"E	1 x 60W T10 Med. Base	BN/WH, CH/WH
244023		4-1/2"W x 16-1/8"H x 4-3/8"E	2 x 60W T10 Med. Base	
944024	Mini-Pendant	2-5/8"D x 9-1/4"H; 47-1/2"OAH	1 x 60W T10 Med. Base	

• All fixtures are compatible with LED equivalent lamps

COLLECTIONS- NORA

Polished Chrome (CH) with White Opal/Clear Glass



714291CH



814293CH



714292CH




714293CH

Item No.	Category	Dimensions	Details
714291CH	Vanity Light	4-7/8"W x 9-1/4"H x 5-1/4"E	1 x 100W Med. Base
714292CH		16"W x 9-1/4"H x 5-1/4"E	2 x 100W Med. Base
714293CH		24"W x 9-1/4"H x 5-1/4"E	3 x 100W Med. Base
814293CH	Chandelier	22"D x 18"H	5 x 60W Med. Base

COLLECTIONS- NORA

Polished Chrome (CH) with White Opal/Clear Glass



914295CH
Includes 6", 12", 18"
Extension Rods




614298CH



914291CH
Includes 6", 12", 18"
Extension Rods



914294CH
Includes 6", 12", 18"
Extension Rods

Item No.	Category	Dimensions	Details	Lamp Included 	
614298CH	Semi-Flush Mount	14-3/8"D x 9"H	3 x 60W Med. Base	-	-
L614298CH016A1			16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L614298CH024A1			24W LED, TL:2280 lm/ DL:1596 lm, 3000K		
914291CH	Pendant	16-1/4"D x 5"H; 44"OAH	4 x 100W Med. Base	-	-
L914291CH016A1			16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L914291CH024A1			24W LED, TL:2280 lm/ DL:1596 lm, 3000K		
914294CH	Mini-Pendant	5"D x 8-3/8"H; 46-1/4"OAH	1 x 60W Med. Base	-	-
914295CH	Pendant	19-1/2"D x 5-1/4"H; 42-1/4"OAH	4 x 100W Med. Base	-	-
L914295CH016A1			16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L914295CH024A1			24W LED, TL:2280 lm/ DL:1596 lm, 3000K		

TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

COLLECTIONS- MADEO


Polished Chrome (CH) with Frosted Textured Glass



615043CH



615044CH

Item No.	Category	Dimensions	Details	Lamp Included	
615043CH	Flush Mount	17-7/8"D x 5"H	3 x 60W Med. Base	-	-
L615043CH016A1			16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L615043CH024A1			24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
L615043CH031A1			33W LED, TL:3135 lm/ DL:2195 lm, 3000K	✓	✓
L615043CH016AAC*			16W 120V AC LED, TL:1600 lm, 3000K	✓	-
L615043CH024AAC*			24W 120V AC LED, TL:2400 lm, 3000K	✓	-
L615043CH030AAC*			30W 120V AC LED, TL:3000 lm, 3000K	✓	-
615044CH	Flush Mount	22-1/4"D x 5-1/2"H	4 x 60W Med. Base	-	-
L615044CH024A1			24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
L615044CH031A1			33W LED, TL:3135 lm/ DL:2195 lm, 3000K	✓	✓
L615044CH24AAC*			24W 120V AC LED, TL:2400 lm, 3000K	✓	-
L615044CH30AAC*			30W 120V AC LED, TL:3000 lm, 3000K	✓	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens


- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

COLLECTIONS- MADEO


Polished Chrome (CH) with Frosted Textured Glass



215040CH



915043CH

Item No.	Category	Dimensions	Details	Lamp Included	
215040CH	Wall Sconce	9"W x 11"H x 5-1/8"E	1 x 100W Med. Base	-	-
L215040CH012A1			12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L215040CH012AAC*			12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L215040CH016AAC*			16W 120V AC LED, TL:1600 lm, 3000K	✓	-
915043CH	Pendant	18"D x 4-3/4"H; 77-3/8"OAH	3 x 60W Med. Base	-	-
L915043CH024A1			24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
L915043CH031A1			33W LED, TL:3135 lm/ DL:2195 lm, 3000K	✓	✓

TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

COLLECTIONS- ASTRO

Polished Chrome (CH) with White Glass



820953CH



620958CH



920951CH

Item No.	Category	Dimensions	Details
620958CH	Semi-Flush Mount	15-3/4"D x 11-1/2"H	3 x 60W Med. Base
820953CH	Chandelier	23-7/8"D x 24-1/4"H	5 x 60W Med. Base
920951CH	Pendant	15-3/4"D x 21-1/8"H	3 x 60W Med. Base

COLLECTIONS- ASTRO

Polished Chrome (CH) with White Glass



620953CH



720951CH



720952CH



720953CH



920954CH
Includes 6", 2 x 12", 18"
Extension Rods

Item No.	Category	Dimensions	Details
620953CH	Flush Mount	13-1/8"D x 6-1/4"H	2 x 60W Med. Base
720951CH	Vanity Light	5"W x 8-5/8"H x 6-1/2"E	1 x 100W Med. Base
720952CH		12-3/4"W x 9-1/8"H x 6-5/8"E	2 x 100W Med. Base
720953CH		20-5/8"W x 9"H x 6-3/4"E	3 x 100W Med. Base
920954CH		5"D x 44-7/8"OAH	1 x 60W Med. Base

COLLECTIONS- OFELIA

Marbled Glass



Finishes




Oil Rubbed Bronze (ORB)

Pewter (PT)

White (WH)



Item No.	Category	Dimensions	Details	Finishes	Lamp Included	
208612	Wall Sconce	12-1/8"W x 6-1/4"H x 3-1/4"E	1 x 100W Med. Base,	ORB, PT, WH	-	-
L208612XX012A1			12W LED, TL:1140 lm/ DL:798 lm, 3000K		✓	✓
L208612XX012AAC*			12W 120V AC LED, TL:1200 lm, 3000K		✓	-
208616	Wall Sconce	16-1/8"W x 8-1/4"H x 4-1/2"E	1 x 100W Med. Base,	ORB, PT	-	-
L208616XX012A1			12W LED, TL:1140 lm/ DL:798 lm, 3000K		✓	✓
L208616XX012AAC*			12W 120V AC LED, TL:1200 lm, 3000K		✓	-
L208616XX016AAC*			16W 120V AC LED, TL:1600 lm, 3000K		✓	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens



Item No.	Category	Dimensions	Details	Finishes
815116BN	Pendant	15-3/4"D x 22"H	3 x 60W Med. Base	Brushed Nickel
815120BN	Pendant	19-5/8"D x 21-1/4"H	3 x 100W Med. Base	


COLLECTIONS- OFELIA

Oil Rubbed Bronze (MB-ORB), Pewter (MB-PTR) or White (MB-WH) with Marbled Glass



680120MB-PT

Finishes



Oil Rubbed Bronze (ORB)

Pewter (PT)


White (WH)

680112MB-ORB



680116MB-WH



Item No.	Category	Dimensions	Details	Finishes	Lamp Included	
680112	Flush Mount	12-3/4"D x 4"H	2 x 60W Med. Base,	MB-ORB, MB-PT, MB-WH	-	-
L680112XX010A1			12W LED, TL:1140 lm/ DL:798 lm, 3000K		✓	✓
L680112XX016A1			16W LED, TL:1520 lm/ DL:1064 lm, 3000K			
L680112XX012AAC*			12W 120V AC LED, TL:1200 lm, 3000K		✓	-
L680112XX016AAC*			16W 120V AC LED, TL:1600 lm, 3000K			
680116	Flush Mount	16-1/8"D x 4-7/8"H	3 x 60W Med. Base,	MB-ORB, MB-PT, MB-WH	-	-
L680116XX016A1			16W LED, TL:1520 lm/ DL:1064 lm, 3000K		✓	✓
L680116XX024A1			24W LED, TL:2280 lm/ DL:1596 lm, 3000K			
L680116XX031A1			33W LED, TL:3135 lm/ DL:2195 lm, 3000K			
L680116XX016AAC*			16W 120V AC LED, TL:1600 lm, 3000K			
L680116XX024AAC*			24W 120V AC LED, TL:2400 lm, 3000K		✓	-
L680116XX030AAC*			30W 120V AC LED, TL:3000 lm, 3000K			
680120	Flush Mount	20"D x 5-3/4"H	4 x 60W Med. Base,	MB-ORB, MB-PT	-	-
L680120XX024A1			24W LED, TL:2280 lm/ DL:1596 lm, 3000K		✓	✓
L680120XX031A1			33W LED, TL:3135 lm/ DL:2195 lm, 3000K			
L680120XX024AAC*			24W 120V AC LED, TL:2400 lm, 3000K			
L680120XX030AAC*			30W 120V AC LED, TL:3000 lm, 3000K		✓	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

COLLECTIONS- PRESCOTT

Bordeaux (BDX) with White Glass



810391BDX



810393BDX



910391BDX



810396BDX


Item No.	Category	Dimensions	Details
810391BDX	Chandelier	21"D x 21-5/8"H	3 x 60W Med. Base
810393BDX		25-3/4"D x 23-3/8"H	5 x 60W Med. Base
810396BDX		30-1/2"D x 31-1/4"H	9 x 60W Med. Base
910391BDX	Pendant	21"D x 25"H	3 x 100W Med. Base

COLLECTIONS- JULIAN

Available in Oil Rubbed Bronze (ORB) or Pewter (PT) with Marbled Glass



Available Finishes



Oil Rubbed Bronze (ORB)

Pewter (PT)

Item No.	Category	Dimensions	Details	Finishes
250480	Wall Sconce	13-3/8"W x 5-1/8"H x 6-1/2"E	1 x 100W Med. Base	ORB, PT
660480	Semi-Flush Mount	14-3/4"D x 9-3/4"H	3 x 100W Med. Base	
811480	Pendant	14-3/4"D x 18"H	3 x 100W Med. Base ,	
811481	Pendant	18-7/8"D x 20-1/2"H	3 x 100W Med. Base ,	

COLLECTIONS- ORIANA

Platinum Gold (PG) with Round Iron Bands



Item No.	Category	Dimensions	Details
819565PG	Chandelier	20"D x 22-1/2"H	6 x 60W Cand. Base
819566PG		25"D x 27-3/8"H	8 x 60W Cand. Base



CHANDELIERS

Whether to make a bold statement in a foyer or stairway or to complement the décor of a cozy dining room, a chandelier will provide general light and is sure to be a wonderful focal point. We offer many sizes, styles and finishes.





CHANDELIERS



Item No.	Shade	Dimensions	Details	Finishes
822783BK/WD	Clear Seeded Glass	25"D x 24-1/8"H	5 x 60W Med. Base	Black/ Faux Wood
924691SLV/BK	-	21-1/4"D x 19"H	5 x 60W Med. Base	Silver/ Black
924752BK	Clear Glass Globe	23-5/8"L x 7-7/8"W x 24-1/4"H; 120" OAH	4 x 35W G9	Black
924762BK		23-5/8"L x 7-7/8"W x 24-1/4"H; 120" OAH	4 x 35W G9	




CHANDELIERS



Item No.	Dimensions	Details	Finishes
922755BN	22"D x 26-1/8"H	6 x 60W Cand. Base	Brushed Nickel
922756BN	27-7/8"D x 33-1/8"H	6 x 60W Cand. Base	
924721BK/GD	29"D x 22-3/8"H; 48-3/8"OAH	12 x 60W Med. Base	Black/ Gold
924725BK/GD	38-1/8"D x 28-7/8"H x 52-1/8"OAH	18 x 60W Med. Base	


• All fixtures are compatible with LED equivalent lamps

CHANDELIERS



Item No.	Description	Dimensions	Details	Finishes
819565PG	Round Iron Bands	20"D x 22-1/2"H	6 x 60W Cand. Base	Platinum Gold
819566PG		25"D x 27-3/8"H	8 x 60W Cand. Base	
822451CH	Crystal with Off-White Linen Shade	20"D x 25"H	3 x 60W Cand. Base	Polished Chrome
822455CH		29-5/8"D x 25-1/2"H	6 x 60W Cand. Base	
822463BN	Clear Crystal Beads/ Organza and Linen	22-1/4"D x 29-1/8"H	5 x 60W Cand. Base	Brushed Nickel
822465BN	Clear Crystal Beads	25"D x 25-7/8"H	5 x 60W Cand. Base	


CHANDELIERS



Item No.	Shade	Dimensions	Details	Finishes
810391BDX	White Glass	21"D x 21-5/8"H	3 x 60W Med. Base	Bordeaux
810393BDX		25-3/4"D x 23-3/8"H	5 x 60W Med. Base	
810396BDX		30-1/2"D x 31-1/4"H	9 x 60W Med. Base	
812061CH	White Glass	19"D x 20"H	3 x 60W Med. Base A15	Polished Chrome
812063CH		22-3/4"D x 21"H	5 x 60W Med. Base A15	
814293CH	White Opal/ Clear Glass	22"D x 18"H	5 x 60W Med. Base	Polished Chrome

• All fixtures are compatible with LED equivalent lamps

CHANDELIERS



Item No.	Shade	Dimensions	Details	Finishes
800393CH/BK	White Glass	24"D x 54-1/4"H	5 x 60W Med. Base	Chrome and Black
800413CH/BK		21-1/2"D x 22"H	5 x 60W Med. Base	
810451BDX		18-1/2"D x 22-1/8"H	3 x 60W Med. Base	Bordeaux
810453BDX		21"D x 23-1/4"H	5 x 60W Med. Base	
922382CH	-	18-1/4"D x 20-1/2"H	4 x 60W Cand. Base	Polished Chrome
922383CH	-	21-1/4"D x 23-1/4"H	6 x 60W Cand. Base	

CHANDELIERS

800421ACP



822473CH

Hudson



820953CH

Astro



Item No.	Shade	Dimensions	Details	Finishes
800421ACP	White Glass	15"D x 18"H	3 x 60W Med. Base	Antique Copper Patina
820953CH	White Glass	23-7/8"D x 24-1/4"H	5 x 60W Med. Base	Polished Chrome
822473CH	Clear Blown Glass/ Off-White Linen Shade	26-3/4"D x 25-1/2"H	5 x 60W Cand. Base	Polished Chrome



PENDANTS

Pendants are not only a good choice for a source of ambient light, but can provide great task lighting as well. Pendant lighting is perfect for use in a casual dining room or over a kitchen table. Our selection of sizes and styles offers something to suit every décor.



PENDANTS- GEO I/ GEO II

Black (BK) with Clear Glass Globe



924764BK
Includes 6", 12" 18"
Extension Rods

924754BK
Includes 6", 12" 18"
Extension Rods

924744BK
Includes 6", 12" 18"
Extension Rods

924762BK

924752BK

Item No.	Dimensions	Details
924752BK	23-5/8"L x 7-7/8"W x 24-1/4"H; 120"OAH	4 x 35W G9
924744BK	11-3/4"L x 5-1/8"W x 11-3/4"H; 50"OAH	1 x 35W G9
924754BK	6-5/8"L x 5-1/8"W x 15"H, 54"OAH	1 x 35W G9
924762BK	23-5/8"L x 7-7/8"W x 24-1/4"H; 120"OAH	4 x 35W G9
924764BK	6-5/8"L x 5-1/8"W x 15"H, 54"OAH	1 x 35W G9

PENDANTS- ESTELLA

Polished Chrome (CH) with K9 Crystal, 4000K, Dimmable



Item No.	Dimensions	Details
L923063CH*	9"D x 96"OAH	3 x 6W LED, TL:3 x 600 lm/ DL:3 x 450 lm
L923065CH*	11-3/4"D x 96"OAH	5 x 6W LED, TL:5 x 600 lm/ DL:5 x 450 lm
L923067CH*	13-3/4"D x 96"OAH	9 x 6W LED, TL:9 x 600 lm/ DL:9 x 450 lm
L923093CH*	20"L x 5-1/2"W x 96"OAH	3 x 6W LED, TL:3 x 600 lm/ DL:3 x 450 lm
L923095CH*	36"L x 5-1/2"W x 96"OAH	5 x 6W LED, TL:5 x 600 lm/ DL:5 x 450 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

PENDANTS- ESTELLA

Polished Chrome (CH) with K9 Crystal, 4000K, Dimmable



Item No.	Dimensions	Details
L923064CH*	9"D x 96"OAH	3 x 12W LED, TL:3 x 1200 lm/ DL:3 x 900 lm
L923066CH*	11-3/4"D x 96"OAH	5 x 12W LED, TL:5 x 1200 lm/ DL:5 x 900 lm
L923068CH*	13-3/4"D x 96"OAH	9 x 12W LED, TL:9 x 1200 lm/ DL:9 x 900 lm
L923094CH*	20"L x 5-1/2"W x 96"OAH	3 x 12W LED, TL:3 x 1200 lm/ DL:3 x 900 lm
L923096CH*	36"L x 5-1/2"W x 96"OAH	5 x 12W LED, TL:5 x 1200 lm/ DL:5 x 900 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

PENDANTS- CIRCO

Silver/ Black (SLV/BK)



924694SLV/BK



Convertible to
Semi-Flush Mount

924690SLV/BK





Convertible to
Semi-Flush Mount

924691SLV/BK

Item No.	Dimensions	Details
924690SLV/BK	16"D x 17-1/8"H	3 x 60W Med. Base
924691SLV/BK	21-1/4"D x 19"H	5 x 60W Med. Base
924694SLV/BK	10"D x 14"H	1 x 60W Med. Base

PENDANTS

ANTENA- Black/ Gold





Item No.	Dimensions	Details
924721BK/GD	29"D x 22-3/8"H; 48-3/8"OAH	12 x 60W Med. Base
924725BK/GD	38-1/8"D x 28-7/8"H x 52-1/8"OAH	18 x 60W Med. Base

VILLA- Black/ Faux Wood (BK/WD) with Clear Seeded Glass



Item No.	Dimensions	Details
920963BK/WD	32-1/8"L x 10-7/8"W x 29-3/4"H	3 x 60W Med. Base
920965BK/WD	12"D x 23-5/8"H	4 x 60W Cand. Base

PENDANTS



Item No.	Dimensions	Details	Finishes
922770BK/WD	12"D x 19"H	4 x 60W Med. Base	Black/ Faux Wood
922771BK/WD	22"D x 21"H	6 x 60W Med. Base	
922781BK/WD	15"D x 21-3/4"H	3 x 60W Med. Base	Black/ Faux Wood

• All fixtures are compatible with LED equivalent lamps

ARITZA Polished Chrome (CH) with Clear Crystal Bubble Glass and Linear Detail, 3000K, Dimmable




Item No.	Dimensions	Details
L914703CH*	19-5/8"L x 4-3/4"W x 12-1/2"H; 120"OAH	3 x 5W LED, TL:3 x 500lm/ DL:3 x 350 lm
L914705CH*	11-3/4"D x 12-1/2"H; 120"OAH	5 x 5W LED, TL:5 x 500lm/ DL:5 x 350 lm
L914706CH*	13-3/4"D x 12-1/2"H; 120"OAH	9 x 5W LED, TL:9 x 500lm/ DL:9 x 350 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

PENDANTS- CONTEMPRA

Brushed Nickel (BN) with Thick Panes of Clear Acrylic, 60W Candelabra Base



Item No.	Dimensions	Details
922751BN	17"D x 32-1/4"H	3 x 60W Cand. Base
922752BN	19-7/8"D x 40"H	6 x 60W Cand. Base
922755BN	22"D x 26-1/8"H	6 x 60W Cand. Base
922756BN	27-7/8"D x 33-1/8"H	6 x 60W Cand. Base

PENDANTS



922381CH
Novia



922382CH
Novia



922383CH
Novia



912065CH
Hilton



912063CH
Includes 6", 12", 18" Extension Rods
Hilton



910391BDX
Prescott

Item No.	Shade	Dimensions	Details	Finishes
910391BDX	White Glass	21"D x 25"H	3 x 100W Med. Base	Bordeaux
912063CH	White Glass	36"L x 7-3/8"W x 9"H, 47-5/8"OAH	3 x 60W Med. Base	Polished Chrome
912065CH		18"D x 23-3/4"H		
922381CH	Soft White Glass	19-1/8"D x 24-1/8"H	4 x 100W Med. Base	Polished Chrome
922382CH	-	18-1/4"D x 20-1/2"H	4 x 60W Cand. Base	
922383CH	-	21-1/4"D x 23-1/4"H	6 x 60W Cand. Base	

PENDANTS- QUENTIN

Brushed Nickel (BN) or Oil Rubbed Bronze (ORB) with Clear Glass



Brushed Nickel (BN)

Oil Rubbed Bronze (ORB)



919853ORB



919854ORB



919855BN



919856BN



919857ORB

Item No.	Dimensions	Details
919853	36"L x 5"W x 72"OAH	3 x 40W Med. Base
919854	5"D x 6-1/8"H; 72"OAH	1 x 40W Med. Base
919855	10"D x 72"OAH	3 x 40W Med. Base
919856	13-1/2"D x 96"OAH	5 x 40W Med. Base
919857	15-1/4"D x 96"OAH	7 x 40W Med. Base

• All fixtures are compatible with LED equivalent lamps

PENDANTS



922471CH
Hudson



919061ORB
Amelia

Item No.	Shade	Dimensions	Details	Finishes
919061ORB	-	18-1/2"D x 13-1/2"H; 51-3/4"OAH	6 x 60W G9	Oil Rubbed Bronze
922471CH	Clear Blown Glass/ Off-White Linen Shade	20"D x 23-5/8"H	3 x 60W Med. Base	Polished Chrome

JULIAN Oil Rubbed Bronze (ORB) or Pewter (PT) with Marbled Glass



811480PT




811481ORB

Finishes



Oil Rubbed Bronze
(ORB)



Pewter
(PT)

Item No.	Dimensions	Details	Finishes
811480	14-3/4"D x 18"H	3 x 100W Med. Base	ORB, PT
811481	18-7/8"D x 20-1/2"H	3 x 100W Med. Base	

PENDANTS

RIHANNA Polished Chrome (CH) with Clear Glass & Clear Crystal Beads



Item No.	Dimensions	Details	Lamp Included
916094CH	36"L x 5-7/8"W x 10-3/8"H; 120"OAH	3 x 20W G4, 12V	✓
916095CH	15-3/4"D x 11-5/8"H; 120"OAH	5 x 20W G4, 12V	

Brushed Nickel (BN) with Marbled Glass



Item No.	Dimensions	Details
815116BN	15-3/4"D x 22"H	3 x 60W Med. Base
815120BN	19-5/8"D x 21-1/4"H	3 x 100W Med. Base

PENDANTS - - PHOENIX

Iron (IRN) with Satin White Glass

Finish



Iron (IRN)

814018IRN



814024IRN



814030IRN



Item No.	Dimensions	Details
814018IRN	18"D x 24"H	3 x 100W Med. Base
814024IRN	27"D x 34-5/8"H	3 x 100W Med. Base
814030IRN	30"D x 40-1/2"H	4 x 100W Med. Base

PENDANTS- HUNTINGTON

Brushed Nickel (BN), Polished Chrome (CH) or Oil Rubbed Bronze (ORB) with Clear Glass




Item No.	Dimensions	Details
912300	12"D x 24-1/4"H	4 x 60W Cand. Base
912301	18"D x 19-1/2"H	5 x 60W Cand. Base
912302	18"D x 34-1/4"H	8 x 60W Cand. Base

• All fixtures are compatible with LED equivalent lamps

PENDANTS



Item No.	Shade	Dimensions	Details	Finishes	
813924PT	Marbled Glass	25-1/2"D x 28"H	3 x 100W Med. Base	Pewter	-
913041BN	Off-White Linen Shade	18"D x 7-1/4"H; 46-3/4"OAH	4 x 60W Med. Base	Brushed Nickel	-
915043CH	Frosted Textured Glass	18"D x 4-3/4"H; 77-3/8"OAH	3 x 60W Med. Base	Polished Chrome	-
L915043CH024A1			24W LED, TL:2280 lm/ DL:1596 lm, 3000K		✓
L915043CH031A1			33W LED, TL:3135 lm/ DL:2195 lm, 3000K		

NORA- Polished Chrome (CH) with White Opal/Clear Glass



Item No.	Dimensions	Details	Lamp Included	
914291CH	16-1/4"D x 5"H; 44"OAH	4 x 100W Med. Base	-	-
L914291CH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L914291CH024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K		
914295CH	19-1/2"D x 5-1/4"H; 42-1/4"OAH	4 x 100W Med. Base	-	-
L914295CH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L914295CH024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K		

TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps


PENDANTS



Item No.	Shade	Dimensions	Details	Finishes
800265ARB	Amber Scavo Glass	33-3/4"L x 25-3/4"W x 26"H	6 x 60W Med. Base	Aged Rubbed Bronze
800613ORB	Tea Stain Glass	16"D x 21"H	6 x 60W Med. Base	Oil Rubbed Bronze
900421ACP	White Glass	17"D x 21-1/8"H	3 x 60W Med. Base	Antique Copper Patina
900491ORB	White Glass	17-7/8"D x 21-1/4"H	3 x 100W Med. Base	ORB (Oil Rubbed Bronze)
910481PAB	Light Tea Stain Glass	16"D x 19"H	3 x 60W Med. Base	Parisian Antique Brass
920951CH	White Glass	15-3/4"D x 21-1/8"H	3 x 60W Med. Base	Polished Chrome




• All fixtures are compatible with LED equivalent lamps

PENDANTS



Item No.	Shade	Dimensions	Details	Finishes
805849WH	Metal	15-5/8"D x 8-1/2"H	1 x 100W Med. Base	White
811331	Frosted Ribbed Glass	18"D x 9-1/2"H	1 x 100W Med. Base	PT/FR (Pewter) WH/FR (White)
	Clear Ribbed Glass			PTR (Pewter) WH (White)
811335PT	Marbled Glass	17-3/8"D x 11-1/2"H	1 x 100W Med. Base	Pewter
811871PT	Marbled Glass	16"D x 11"H	1 x 100W Med. Base	Pewter

PENDANTS



Item No.	Shade	Dimensions	Details	Finishes
917870	Clear Glass	6"D x 10"H	1 x 60W Med. Base	BN (Brushed Nickel) BZ (Bronze)
917880		7"D x 7-7/8"H		
919051BN	-	6"D x 4-3/8"H	1 x 60W Cand. Base	Brushed Nickel
919052BN		16"D x 7-7/8"H	1 x 100W Med. Base	
924074ESP	Clear Glass	8"D x 8-1/4"H; 45-1/4"OAH	1 x 60W Med. Base	Espresso
924084ESP		8"D x 10-1/2"H; 48-1/2"OAH		

• All fixtures are compatible with LED equivalent lamps

PENDANTS- MADISON

Polished Chrome with Clear Glass (CH/CL) or White Glass (CH/WH) ,
Includes 6", 12", 18" Extension Rods



Item No.	Dimensions	Details	Finishes
924580	10-1/2"D x 8"H	1 x 60W Med. Base	CH/CL (Polished Chrome with Clear Glass) CH/WH (Polished Chrome with White Glass)
924581	13-1/2"D x 9"H		
924584	7"D x 8"H		



MINI-PENDANTS

Depending on the size of the area, a group of two or three mini pendants above a kitchen island or breakfast bar is a stylish and attractive way to provide both general and task light.



MINI-PENDANTS

Includes 6", 12", 18" Extension Rods



801321BN



Ansley

913044BN



Nora

914294CH



Amelia

919064ORB

Item No.	Shade	Dimensions	Details	Finishes
801321BN	Frosted White Glass	4-1/2"D x 10"H; 47-1/2"OAH	1 x 60W Med. Base	Brushed Nickel
913044BN	Off-White Linen Shade	6-3/4"D x 7"H; 45-1/2"OAH	1 x 60W Med. Base	Brushed Nickel
914294CH	White Opal/ Clear Glass	5"D x 8-3/8"H; 46-1/4"OAH	1 x 60W Med. Base	Polished Chrome
919064ORB	Crystal Drops	5"D x 17-5/8"H; 55-3/4"OAH	1 x 60W G9	Oil Rubbed Bronze



Quentin

919854BN



Quentin

919854ORB



922434BN



922434CH

Item No.	Shade	Dimensions	Details	Finishes
919854	Clear Glass	5"D x 6-1/8"H; 72"OAH	1 x 40W Med. Base	BN (Brushed Nickel) ORB (Oil Rubbed Bronze)
922434	Metal	6-1/4"D x 11-1/8"H; 96"OAH	1 x 60W Med. Base	BN (Brushed Nickel) CH (Polished Chrome)

MINI-PENDANTS



Item No.	Shade	Dimensions	Details	Lamp Included	Finishes
911574PT	Clear Glass	2-1/2"D x 3-1/8"H; 46"OAH	1 x 20W G4 12V	✓	Pewter
911584PT	Clear/ Frosted Glass	4"D x 4"H; 48"OAH	1 x 20W G4 12V	✓	Pewter
916091CH	Clear Glass & Clear Crystal Jewels	5-7/8"D x 11-5/8"H; 120"OAH	1 x 20W G4, 12V	✓	Polished Chrome
922324CH	Clear Glass Shade Filled with Crystal Jewels	4-1/4"D x 7-5/8"H; 96"OAH	1 x 50W G9	-	Polished Chrome



Item No.	Shade	Dimensions	Details	Lamp Included	Finishes
920954CH	White Glass	5"D x 45"OAH	1 x 60W Med. Base	-	Polished Chrome
L914704CH*	Clear Crystal Bubble Glass and Linear Detail	4-3/4"L x 4-3/4"W x 12-1/2"H; 120"OAH	5W LED, TL:500lm/ DL:350 lm, 3000K, Dimmable	✓	
L923061CH*	K9 Crystal	2-7/8"D x 96"OAH	6W LED, TL:600 lm/ DL:450 lm, 4000K, Dimmable	✓	
L923062CH*		2-7/8"D x 96"OAH	12W LED, TL:1200 lm/ DL:900 lm, 4000K, Dimmable		

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

MINI-PENDANTS

Includes 6", 12", 18" Extension Rods




Item No.	Shade	Dimensions	Details	Finishes
800161	Frosted White Glass	6"D x 7-5/8"H; 56-3/8"OAH	1 x 60W Med. Base, A15	BN (Brushed Nickel) ORB (Oil Rubbed Bronze)
944024	Satin White Glass	2-5/8"D x 9-1/4"H; 47-1/2"OAH	1 x 60W T10 Med. Base	BN/WH (Brushed Nickel) CH/WH (Polished Chrome)
812781BN	Marbled Glass	8"D x 6"H; 43-1/4"OAH	1 x 60W Med. Base	Brushed Nickel
912064CH	White Glass	7-1/2"D x 9-1/8"H; 48-1/2"OAH	1 x 60W Med. Base	Polished Chrome
913024BN	Satin White Glass	5-1/2"D x 6"H; 44-1/4"OAH	1 x 60W Med. Base, A15	Brushed Nickel
913164BN	Satin White Glass	6"D x 6-1/4"H; 44-3/4"OAH	1 x 60W Med. Base	Brushed Nickel

MINI-PENDANTS



Item No.	Shade	Dimensions	Details	Finishes
910920	Satin White Glass	3-1/2"D x 10"H; 120"OAH	1 x 100W Med. Base	BN (Brushed Nickel) CH (Polished Chrome)
910924	Satin White Glass	3-1/8"D x 12-1/4"H; 120"OAH	1 x 50W G9 Halogen	BN (Brushed Nickel) CH (Polished Chrome)
911964BN	White Glass	4-3/4"D x 8"H; 46-1/4"OAH Includes 6", 12", 18" Extension Rods	1 x 60W Med. Base	Brushed Nickel



Item No.	Shade	Dimensions	Details	Finishes
910754BN	White Glass	4-1/2"D x 7"H; 45"OAH Includes 6", 12", 18" Extension Rods	1 x 60W Med. Base	Brushed Nickel
915370BN/WH	White Inner Glass / Clear Outer Glass	3-1/8"D x 11-3/4"H; 120"OAH	1 x 50W G9	Brushed Nickel
922784BK/WD	-	8"D x 18"H	1 x 60W Med. Base	Black/ Faux Wood
983202BN	Satin White Glass	4"D x 15"H	1 x 100W Med. Base	Brushed Nickel

MINI-PENDANTS



811852BN
with Marbled
Glass Shade



811862OBZ
with Marbled
Glass Shade



811850BN-H
Holder only

Extension Rods:
6", 12", 18"



811851OBZ-H
Holder only

Chain Length: 36"
Wire Length: 72"

Mini-Pendant Holder only.
Accepts most glass designed for 2-1/4" fitters.
See Replacement Parts section for suitable
glass shades.

Finishes



Brushed Nickel (BN)



Old Bronze (OBZ)



Pewter (PT)



SEMI-FLUSH MOUNTS

Semi-flushmount fixtures are a great choice for general light in a foyer or hallway. When dimmed, they are also an excellent way to provide ambient light. We offer several different styles and sizes to suit your needs.



SEMI-FLUSH MOUNTS



612066CH
Hilton



622387CH
Novia



614298CH
Nora



624709BK/GD
Antena



Convertible to
Semi-Flush Mount



924694SLV/BK
Circo



Convertible to
Semi-Flush Mount



924690SLV/BK
Circo

Item No.	Shade	Dimensions	Details	Lamp Included	Finishes
612066CH	White Glass	13-3/8"D x 11-1/4"H	2 x 60W Med. Base	-	Polished Chrome
614298CH	White Opal/ Clear Glass	14-3/8"D x 9"H	3 x 60W Med. Base	-	
L614298CH016A1			16W LED TL:1520 lm/ DL:1064 lm 3000K	✓	
L614298CH028A1			24W LED TL:2280 lm/ DL:1596 lm 3000K		
622387CH	Clear Crystal Accents/ Soft White Glass	12-7/8"D x 9-1/2"H	2 x 100W Med. Base	-	Silver/ Black
624709BK/GD	-	22-1/2"D x 13"H	10 x 60W Med. Base	-	
924690SLV/BK	-	16"D	3 x 60W Med. Base	-	
924694SLV/BK	-	10"D	1 x 60W Med. Base	-	

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

TL: Total Lumens, DL: Delivered Lumens

SEMI-FLUSH MOUNTS



622778BK/WD
Revival



620968BK/WD
Villa



624086ESP
Espresso



613048BN
Ansley




811706PT



61010 CHR





61008 CHR

Item No.	Shade	Dimensions	Details	Lamp Included		Finishes
61008 CHR	White Glass	8"D x 13"H	1 x 100W Med. Base	-	-	Polished Chrome
61010 CHR	White Glass	10"D x 15"H	1 x 100W Med. Base	-	-	
613048BN	Off-White Linen	14"D x 8-1/2"H	3 x 60W Med. Base	-	-	Brushed Nickel
L613048BN010A1			12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L613048BN016A1			16W LED, TL:1520 lm/ DL:1064 lm, 3000K			
L613048BN024A1			24W LED, TL:2280 lm/ DL:1596 lm, 3000K			
620968BK/WD	Clear Seeded Glass	14-1/8"D x 8-7/8"H	3 x 60W Med. Base	-	-	Black/ Brown
622778BK/WD	-	15"D x 11-1/2"H	3 x 60W Med. Base	-	-	Black/ Faux Wood
624086ESP	Clear Glass	7-7/8"D x 12-1/4"H	1 x 60W Med. Base	-	-	Espresso
811706PT	Marbled Glass	13-1/4"D x 14-3/4"H	2 x 60W Med. Base	-	-	Pewter

TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

SEMI-FLUSH MOUNTS



Item No.	Shade	Dimensions	Details	Finishes
660480	Marbled Glass	14-3/4"D x 9-3/4"H	3 x 100W Med. Base	PT (Pewter) ORB (Oil Rubbed Bronze)
600498CH	White Glass	12-3/8"D x 10-1/4"H	2 x 60W Med. Base	Polished Chrome
601322BN	Frosted White Glass	13"D x 9-1/4"H	2 x 100W Med. Base	Brushed Nickel
612308	Clear Glass	10"D x 12-3/8"H	3 x 60W Cand. Base	BN (Brushed Nickel) CH (Polished Chrome) ORB (Oil Rubbed Bronze)
620958CH	White Glass	15-3/4"D x 11-1/2"H	3 x 60W Med. Base	Polished Chrome
660335PT	Marbled Glass	13"D x 9"H	2 x 60W Med. Base	Pewter



For good general illumination in hallways, bedrooms and other areas of the home, we offer halogen, incandescent, fluorescent and LED flush mount fixtures in many sizes and styles.

FLUSH MOUNTS



FLUSH MOUNTS

Polished Chrome (CH) with Crystal Accents



616050CH



616051CH

Item No.	Dimensions	Details	Lamp Included
616050CH	15"D x 5-1/4"H	7 x 20W G4, 12V	✓
616051CH	19-5/8"D x 6"H	9 x 20W G4, 12V	


MADEO- Polished Chrome (CH) with Frosted Textured Glass



615043CH



615044CH

Item No.	Dimensions	Details	Lamp Included	
615043CH	17-7/8"D x 5"H	3 x 60W Med. Base	-	-
L615043CH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	-	-
L615043CH024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
L615043CH031A1		33W LED, TL:3135 lm/ DL:2195 lm, 3000K	-	-
L615043CH016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	-	-
L615043CH024AAC*		24W 120V AC LED, TL:2400 lm, 3000K	✓	-
L615043CH030AAC*		30W 120V AC LED, TL:3000 lm, 3000K	-	-
615044CH	22-1/4"D x 5-1/2"H	4 x 60W Med. Base	-	-
L615044CH024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
L615044CH031A1		33W LED, TL:3135 lm/ DL:2195 lm, 3000K	-	-
L615044CH24AAC*		24W 120V AC LED, TL:2400 lm, 3000K	✓	-
L615044CH30AAC*		30W 120V AC LED, TL:3000 lm, 3000K	-	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS



620953CH
Astro



610753BN


Item No.	Shade	Dimensions	Details	Finishes
610753BN	White Glass	13"D x 6-1/2"H	2 x 60W Med. Base	Brushed Nickel
620953CH	White Glass	13-1/8"D x 6-1/4"H	2 x 60W Med. Base	Polished Chrome



610453BN



601321BN

Item No.	Shade	Dimensions	Details	Finishes	Lamp Included	
601321BN	Frosted White Glass	13"D x 4-1/2"H	2 x 60W Med. Base	Brushed Nickel	-	-
L601321BN010A1			12W LED, TL:1140 lm/ DL:798 lm, 3000K		✓	✓
L601321BN016A1			16W LED, TL:1520 lm/ DL:1064 lm, 3000K		✓	✓
L601321BN012AAC*			12W 120V AC LED, TL:1200 lm, 3000K		✓	-
L601321BN016AAC*			16W 120V AC LED, TL:1600 lm, 3000K		✓	-
610453BN	White Glass	14-1/2"D x 5-1/4"H	2 x 60W Med. Base	Brushed Nickel	-	-
L610453BN010A1			12W LED, TL:1140 lm/ DL:798 lm, 3000K		✓	✓
L610453BN016A1			16W LED, TL:1520 lm/ DL:1064 lm, 3000K		✓	✓
L610453BN024A1			24W LED, TL:2280 lm/ DL:1500 lm, 3000K		✓	✓


*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS

MICHIO I- Polished Chrome (CH) with White Glass and Clear Crystal Accents



Item No.	Dimensions	Details	Lamp Included	
619483CH	12-7/8"D x 4-3/8"H	2 x 40W Med. Base, A15	-	-
L619483CH010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L619483CH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L619483CH012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L619483CH016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-
619484CH	16-3/8"D x 4"H	3 x 40W Med. Base, A15	-	-
L619484CH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L619484CH024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
L619484CH016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-
L619484CH024AAC*		24W 120V AC LED, TL:2400 lm, 3000K	✓	-
619485CH	20-5/8"D x 5-3/8"H	4 x 40W Med. Base, A15	-	-
L619485CH024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
L619485CH031A1		33W LED, TL:3135 lm/ DL:2195 lm, 3000K	✓	✓
L619485CH024AAC*		24W 120V AC LED, TL:2400 lm, 3000K	✓	-
L619485CH030AAC*		30W 120V AC LED, TL:3000 lm, 3000K	✓	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

FLUSH MOUNTS

ALIA- Polished Chrome (CH) with White Patterned Sugar Glass




621573CH



621574CH



621575CH

Item No.	Dimensions	Details	Lamp Included	
621573CH	11-3/4"D x 3-3/4"H	2 x 60W Med. Base, A15	-	-
L621573CH010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L621573CH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	-
L621573CH012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L621573CH016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-
621574CH	15-5/8"D x 4"H	3 x 60W Med. Base, A15	-	-
L621574CH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L621574CH024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	-
L621574CH016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-
L621574CH024AAC*	24W 120V AC LED, TL:2400 lm, 3000K	✓	-	
621575CH	19-5/8"D x 3-7/8"H	4 x 60W Med. Base, A15	-	-
L621575CH024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
L621575CH031A1		33W LED, TL:3135 lm/ DL:2195 lm, 3000K	✓	-
L621575CH024AAC*		24W 120V AC LED, TL:2400 lm, 3000K	✓	-
L621575CH030AAC*		30W 120V AC LED, TL:3000 lm, 3000K	✓	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS

120V AC LED Flush Mount,
Brushed Nickel (BN) with White Acrylic Lens, 3000K Dimmable



L622031BN



L622032BN

Item No.	Dimensions	Details	Lamp Included
L622031BN	11"D x 2"H	20W 120V AC LED, TL:2000 lm/ DL:1300 lm, 3000K, Dimmable	✓
L622032BN	14"D x 2"H	30W 120V AC LED LED, TL: 3000 lm/ DL:1800 lm, 3000K, Dimmable	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens



L622022BN

Item No.	Dimensions	Details	Lamp Included
L622022BN	14"L X 14"W x 2"H	30W 120V AC LED LED, TL: 3000 lm/ DL:1800 lm, 3000K, Dimmable	✓

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens



L622052BN



L622061BN

Item No.	Dimensions	Details	Lamp Included
L622052BN	14-3/4"D x 2"H	30W 120V AC LED LED, TL: 3000 lm/ DL:1800 lm, 3000K, Dimmable	✓
L622061BN	11-1/2"L x 11-1/2"W x 2"H	20W 120V AC LED, TL:2000 lm/ DL:1300 lm, 3000K, Dimmable	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

FLUSH MOUNTS

Black (BK) or Brushed Nickel (BN) with Satin White Glass



Item No.	Dimensions	Details	Finishes	Lamp Included
625263BK-2LED	12"D x 4"H	2 x 9W Med. Base LED A19	Black	-
625263BN-2LED	12"D x 4"H	2 x 9W Med. Base LED A19	Brushed Nickel	
625265BK-3LED	14"D x 4"H	3 x 9W Med. Base LED A19	Black	
625265BN-3LED	14"D x 4"H	3 x 9W Med. Base LED A19	Brushed Nickel	

6" LED Slim Surface Mount Light with Motion Sensor Activated. Fixture Comes on Automatically When Motion is Detected and Turns off in 3 Minutes When No Motion is Detected.



L625680WH-MS

Item No.	Dimensions	Details	Lamps Included
L625680WH-MS	5-3/4"D x 1"H	15W 120V AC LED, TL:1350 lm/ 950 lm/ 3000K	✓

FLUSH MOUNTS

120V AC LED Simline Surface Mount,
Black (BK) or White (WH) with Polycarbonate Lens



L646030BK



L646130WH

Item No.	Dimensions	Details	Lamp Included		Finishes
L646030BK	6-1/8"D x 1-1/8"H	10W 120V AC LED, DL:550 lm, 3000K, Dimmable	✓	✓	BK
L646030WH	6-1/8"D x 1-1/8"H	10W 120V AC LED, DL:600 lm, 3000K, Dimmable			WH
L646130BK	7-3/8"D x 1-1/4"H	15W 120V AC LED, DL:900 lm, 3000K, Dimmable			BK
L646130WH	7-3/8"D x 1-1/4"H	15W 120V AC LED, DL:1000 lm, 3000K, Dimmable			WH

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

120V AC LED Simline Surface Mount with Polycarbonate Lens, 3000K Dimmable



L648130BK

L648130PBN



L648030BK

L648030WH



L648330WH



L648230WH

Item No.	Dimensions	Details	Lamp Included		Finishes
L648030BK	5-3/8"D x 5/8"H	10W 120V AC LED, TL:850 lm/ DL: 550 lm, 3000K, Dimmable	✓	✓	BK (Black)
L648030WH	5-3/8"D x 5/8"H	10W 120V AC LED, TL:850 lm/ DL: 650 lm, 3000K, Dimmable			WH (White)
L648130BK	7-7/8"D x 5/8"H	15W 120V AC LED, TL:1200 lm/ DL: 900 lm, 3000K, Dimmable			BK (Black)
L648130PBN	7-7/8"D x 5/8"H	15W 120V AC LED, TL:1200 lm/ DL: 950 lm, 3000K, Dimmable			PBN (Painted Brushed Nickel)
L648130WH	7-7/8"D x 5/8"H	15W 120V AC LED, TL:1200 lm/ DL: 1050 lm, 3000K, Dimmable			WH(White)
L648230WH	9"D x 5/8"H	18W 120V AC LED, TL:1600 lm/ DL: 1500 lm, 3000K, Dimmable			
L648330WH	11-7/8"D x 1/2"H	22W 120V AC LED, TL:2000 lm/ DL: 1750 lm, 3000K, Dimmable			

FLUSH MOUNTS

Ceiling or Wall Mount Fixture, White (WH) with White Acrylic Lens, 3000K, Dimmable



L650600WH015A1D



L650602WH025A1D



L622340WH015A1D



L622440WH025A1D

With Optional Fabric Shades in Off-White or Grey Finish



P-DIA13WH-SHADE (shade only)



P-DIA16GY-SHADE (shade only)

Item No.	Shade	Dimensions
P-DIA13GY-SHADE	Grey Fabric (shade only)	13"D x 4-1/2"H
P-DIA13WH-SHADE	White Fabric (shade only)	
P-DIA16GY-SHADE	Grey Fabric (shade only)	16"D x 4-1/2"H
P-DIA16WH-SHADE	White Fabric (shade only)	



Shades can be used as an accessory with:

Item No.	Dimensions	Details	Lamp Included	
			✓	✓
L622340WH015A1D*	11-1/2"D x 3-1/4"H	15W LED, TL:1400 lm/ DL:1100 lm		
L622440WH025A1D*	13-3/4"D x 3-3/4"H	25W LED, TL:2200 lm/ DL:1800 lm	✓	✓
L650600WH015A1D*	10-3/4"D x 4"H	15W LED, TL:1400 lm/ DL:1100 lm		
L650602WH025A1D*	13-3/4"D x 4-1/8"H	25W LED, TL:2200 lm/ DL:1800 lm		

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

• For other color temperatures, photometric data, dimming and voltage options, please consult factory

FLUSH MOUNTS

White (WH) or Grey (GY) Fabric Shade with White Acrylic Diffuser



652100WH-2LED



652102GY-3LED

Item No.	Shade	Dimensions	Lamping	Lamps Included
652100GY-2LED	Grey Fabric	13"D x 4-1/2"H	2 x 15W Med. Base, LED Bulb	-
652100WH-2LED	White Fabric			
652102GY-3LED	Grey Fabric	16"D x 4-1/2"H	3 x 15W Med. Base, LED Bulb	
652102WH-3LED	White Fabric			


White (WH) with White Glass



623531WH



623532WH

Item No.	Dimensions	Details	Lamps Included	
623531WH	8"D x 3-1/8"H	1 x 60W Med. Base, A15	-	-
L623531WH010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L623531WH012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
623532WH	11-5/8"D x 3-1/2"H	2 x 60W Med. Base, A15	-	-
L623532WH010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L623532WH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L623532WH012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L623532WH016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS

SOLA- Brushed Nickel (BN/WH), Polished Chrome (CH/WH), or Oil Rubbed Bronze (ORB/WH) with White Glass



680412BN/WH



680416BN/WH



680412CH/WH




680416CH/WH



680412ORB/WH



680416ORB/WH

Item No.	Dimensions	Details	Lamps Included 		Finishes
680412	12"D x 4-1/4"H	2 x 60W Med. Base	-	-	BN/WH, CH/WH, ORB/WH
L680412XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L680412XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K			
L680412XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-	
L680412XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K			
680416	16"D x 4-1/8"H	3 x 60W Med. Base	-	-	
L680416XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K			
L680416XX024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓	
L680416XX031A1		33W LED, TL:3135 lm/ DL:2195 lm, 3000K			
L680416XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K			
L680416XX024AAC*		24W 120V AC LED, TL:2400 lm, 3000K	✓	-	
L680416XX030AAC*		30W 120V AC LED, TL:3000 lm, 3000K			

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS

Brushed Nickel (BN) with White Acrylic Lens



L650902BN024A1



L650900BN010A1

L650901BN016A1

Item No.	Dimensions	Details	Lamp Included 	
L650900BN010A1	12"D x 3-1/2"H	12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L650901BN016A1	13"D x 3-1/2"H	16W LED, TL:1520 lm/ DL:1064 lm, 3000K		
L650901BN024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K		
L650902BN024A1	15-1/4"D x 4-1/4"H	24W LED, TL:2280 lm/ DL:1596 lm, 3000K		
L650902BN031A1		33W LED, TL:3135 lm/ DL:1881 lm, 3000K		


Brushed Nickel (BN) with Satin White Glass



612410BN



612413BN

Item No.	Dimensions	Details	Lamps Included 	
612410BN	12"D x 3-3/4"H	1 x 60W Med. Base	-	-
L612410BN010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L612410BN016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L612410BN012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L612410BN016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-
612413BN	16"D x 4"H	2 x 60W Med. Base	-	-
L612413BN016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L612413BN024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
L612413BN016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-
L612413BN024AAC*		24W 120V AC LED, TL:2400 lm, 3000K	✓	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS

Polished Chrome (CH) with Satin White Striped Glass




615295CH



615293CH

615294CH

Item No.	Dimensions	Details	Lamps Included	
615293CH	12"D x 3-3/4"H	2 x 60W Med. Base, A15	-	-
L615293CH010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L615293CH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K		
615294CH	16"D x 4-1/2"H	3 x 60W Med. Base, A15	-	-
L615294CH010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K		
L615294CH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L615294CH024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K		
615295CH	19-3/4"D x 4-1/2"H	4 x 60W Med. Base, A15	-	-
L615295CH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K		
L615295CH024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
L615295CH031A1		33W LED, TL:3135 lm/ DL:2195 lm, 3000K		

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens


Polished Chrome (CH) or Brushed Nickel (BN) with White Glass



613531BN



613532CH

Item No.	Dimensions	Details	Lamps Included		Finishes
613531	8"D x 3-1/4"H	1 x 60W Med. Base, A15	-	-	BN, CH
L613531XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L613531XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-	
613532	11-5/8"D x 3-1/2"H	2 x 60W Med. Base, A15	-	-	
L613532XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L613532XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K			
L613532XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-	
L613532XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K			

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS


Polished Chrome (CH) or Brushed Nickel (BN) with Satin White Glass



Item No.	Dimensions	Details	Lamps Included		Finishes
612310	6-1/4"D x 3"H	1 x 50W G9	-	-	BN, CH
L612310XX008AAC*		8W 120V AC LED, TL:800 lm, 3000K	✓	-	
612312	7-3/4"D x 3-1/4"H	2 x 50W G9	-	-	
L612312XX008AAC*		8W 120V AC LED, TL:800 lm, 3000K	✓	-	
L612312XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K			
612314	11"D x 3-1/4"H	3 x 40W G9	-	-	
L612314XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L612314XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K			
L612314XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-	
L612314XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K			
L612314XX020AAC*		20W 120V AC LED, TL:2000 lm, 3000K			

Brushed Nickel (BN) or Polished Chrome (CH) with Satin White Glass



Item No.	Dimensions	Details	Lamps Included		Finishes
612392	12"D x 3-1/2"H	2 x 40W Med. Base	-	-	BN, CH
L612392XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L612392XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K			
L612392XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-	
L612392XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K			
612394	15-1/4"D x 4-1/8"H	2 x 60W Med. Base	-	-	
L612394XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓	
L612394XX024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K			
L612394XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-	
L612394XX024AAC*		24W 120V AC LED, TL:2400 lm, 3000K			
L612394XX030AAC*		30W 120V AC LED, TL:3000 lm, 3000K			
L612394XX031A1		33W LED, TL:3135 lm/ DL:2195 lm, 3000K			

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS

Brushed Nickel (BN)/ Polished Chrome (CH) or Oil Rubbed Bronze (ORB) with Clear Glass



612302BN



612302CH



612302ORB

Item No.	Dimensions	Details	
612302	10"D x 6-1/4"H	2 x 60W Med. Base	<i>Huntington</i>

Brushed Nickel (BN) with White Glass




613335BN



613330BN



613333BN

Item No.	Dimensions	Details	Lamps Included	
613330BN	10-3/8"D x 3-3/4"H	1 x 60W Med. Base	-	-
L613330BN010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L613330BN012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
613333BN	12-3/8"D x 4-1/8"H	2 x 60W Med. Base	-	-
L613333BN010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L613333BN016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L613333BN012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L613333BN016AAC*		16W 120V AC LED, TL:1600 lm, 3000K		
613335BN	14"D x 4-7/8"H	3 x 60W Med. Base	-	-
L613335BN016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L613335BN024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
L613335BN016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-
L613335BN024AAC*		24W 120V AC LED, TL:2400 lm, 3000K	✓	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS

Ceiling or Wall Mount Fixture, White (WH) with White Acrylic Lens



L650200WH010A1



L650202WH010A1

Item No.	Dimensions	Details	Lamp Included 			
L650200WH010A1	11"D x 3-1/2"H	12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓		
L650200WH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K				
L650202WH010A1	13-3/4"D x 3-1/2"H	12W LED, TL:1140 lm/ DL:798 lm, 3000K			✓	✓
L650202WH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K				
L650202WH024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K				
L650202WH031A2		33W LED, TL:3135 lm/ DL:2508 lm, 3000K				

TL: Total Lumens, DL: Delivered Lumens


White (WH) with White Acrylic Lens



L650100WH010A1



L650102WH010A1

Item No.	Dimensions	Details	Lamp Included 	
650100-113EB	11"D x 3-3/8"H	1 x 13W CFL DTT 4PIN, G24	-	-
650100-213EB		2 x 13W CFL DTT 4PIN, G24		
L650100WH010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L650100WH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K		
650102-213EB	14"D x 3-3/8"H	2 x 13W CFL DTT 4PIN, G24	-	-
650102-218EB		2 x 18W CFL DTT 4PIN, G24		
650102-PL226EB		2 x 26W CFL DTT 4PIN, G24		
L650102WH010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L650102WH016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K		
L650102WH024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K		
L650102WH031A2	33W LED, TL:3135 lm/ DL:2508 lm, 3000K	-		

TL: Total Lumens, DL: Delivered Lumens

FLUSH MOUNTS

Brushed Nickel (BN) with White Acrylic Lens




L650302BN016A1



650300BN-G213



951054BN


Item No.	Dimensions	Details	Lamp Included 	
650300BN-G213	14"D x 3-3/4"H	2 x 13W GU24 Base, CFL	-	-
650300BN-G313		3 x 13W GU24 Base, CFL	-	-
L650300BN010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L650300BN016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L650300BN024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
650302BN-G213	12"D x 3-3/4"H	2 x 13W GU24 Base, CFL	-	-
L650302BN010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L650302BN016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
951054BN	17-3/4"D x 4"H	1 x 22W + 1 x 32W Circline	-	-
951054BN-G313		3 x 13W GU24 Base, CFL	-	-
951054BN-G413		4 x 13W GU24 Base, CFL	-	-
L951054BN016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L951054BN024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
L951054BN031A1		33W LED, TL:3135 lm/ DL:2508 lm, 3000K	✓	✓

TL: Total Lumens, DL: Delivered Lumens

Brushed Nickel (BN) Oval Ceiling Light with White Acrylic Lens



950064BN

Item No.	Dimensions	Details	Lamp Included 	
950064BN	32-1/2"L x 18-1/8"W x 4-1/4"H	2 x 32W T9 Circline. 120V MPF EB	-	-
950064BN-G413		4 x 13W GU24 Base, CFL	-	-
L950064BN033A1		3 x 12W LED, TL:3420 lm/ DL:2736 lm, 3000K	✓	✓
L950064BN044A1		4 x 12W LED, TL:4560 lm/ DL:3648 lm, 3000K	✓	✓

TL: Total Lumens, DL: Delivered Lumens

FLUSH MOUNTS

LED Flushmount Wraparound Light, White (WH) with Polycarbonate Lens, 3000K or 4000K, Dimmable. 30,000 Hours Life Span



Item No.	Dimensions	Details	Lamp Included
L925324WH020A2D*	23-5/8"L x 4-5/8"W x 1-3/8"H	20W 120V AC LED, DL:1500 lm, 3000K, Dimmable	✓
L925324WH020C2D*		20W 120V AC LED, DL:1700 lm, 4000K, Dimmable	
L925348WH040A2D*	47-1/4"L x 4-5/8"W x 1-3/8"H	40W 120V AC LED, DL:3250 lm, 3000K, Dimmable	
L925348WH040C2D*		40W 120V AC LED, DL:3550 lm, 4000K, Dimmable	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

Linkable LED Flushmount Wraparound Light, White (WH) with Polycarbonat Lens, 4000K, 50,000 Hours Life Span



Link Connectors

Item No.	Dimensions	Details	Lamp Included
L925448WH048C6	47-1/4"L x 5-1/4"W x 3-1/8"H	48W LED, DL:5000 lm, 4000K, 120V - 277V AC Input	✓



TL: Total Lumens, DL: Delivered Lumens

FLUSH MOUNTS

Polished Chrome (CH) with White Glass



600493CH
Kelsi



600492CH
Kelsi



612063CH
Hilton

Item No.	Dimensions	Details
600492CH	10-3/4"D x 4-1/2"H	2 x 40W Med. Base
600493CH	12-3/8"D x 4-7/8"H	2 x 60W Med. Base
612063CH	13-3/8"D x 7-7/8"H	2 x 60W Med. Base

TWIN PACK



635278AB/2



635278PT/2



635278WH/2


Item No.	Shade	Dimensions	Details	Finishes
635278AB/2	Frosted Swirl Glass	11-1/8"D x 4-1/2"H	1 x 100W Med. Base	Antique Brass
635278PT/2				Pewter
635278WH/2				White

• All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS

Oil Rubbed Bronze (ORB), Pewter (PT) or White (WH)
with Marbled Glass

Finishes



Oil Rubbed Bronze
(ORB)

Pewter
(PT)


White
(WH)



625031ORB




635032PT

Item No.	Dim.	Details	Lamp Included		Finishes
625031	11-1/8"D x 4-5/8"H	2 x 40W Med. Base,	-	-	ORB, PT, WH
L625031XX010A1		12W LED, TL:1140 lm/DL:798 lm, 3000K	✓	✓	
635032	13-1/8"D x 5"H	2 x 60W Med. Base,	-	-	
L635032XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L635032XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓	

TL: Total Lumens, DL: Delivered Lumens

Oil Rubbed Bronze (ORB), Pewter (PT) or White (WH)
with Frosted Melon Glass

Finishes



Oil Rubbed Bronze
(ORB)

Pewter
(PT)


White
(WH)



625021WH



635022ORB

Item No.	Dim.	Details	Lamp Included		Finishes
625021	11-1/8"D x 4-5/8"H	2 x 40W Med. Base,	-	-	ORB, PT, WH
L625021XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
635022	13-1/8"D x 5"H	2 x 60W Med. Base,	-	-	
L635022XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L635022XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓	

TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS

Oil Rubbed Bronze (MB-ORB), Pewter (MB-PTR) or White (MB-WH) with Marbled Glass



680120MB-PT

Finishes



Oil Rubbed Bronze (ORB)

Pewter (PT)


White (WH)

680112MB-ORB



680116MB-WH



Item No.	Dimensions	Details	Finishes	Lamp Included	
680112	12-3/4" D x 4" H	2 x 60W Med. Base,	MB-ORB, MB-PT, MB-WH	-	-
L680112XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K		✓	✓
L680112XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K		✓	-
L680112XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K		✓	-
L680112XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K		✓	-
680116	16-1/8" D x 4-7/8" H	3 x 60W Med. Base,	MB-ORB, MB-PT, MB-WH	-	-
L680116XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K		✓	✓
L680116XX024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K		✓	✓
L680116XX031A1		33W LED, TL:3135 lm/ DL:2195 lm, 3000K		✓	-
L680116XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K		✓	-
L680116XX024AAC*		24W 120V AC LED, TL:2400 lm, 3000K		✓	-
L680116XX030AAC*	30W 120V AC LED, TL:3000 lm, 3000K	✓	-		
680120	20" D x 5-3/4" H	4 x 60W Med. Base,	MB-ORB, MB-PT	-	-
L680120XX024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K		✓	✓
L680120XX031A1		33W LED, TL:3135 lm/ DL:2195 lm, 3000K		✓	✓
L680120XX024AAC*		24W 120V AC LED, TL:2400 lm, 3000K		✓	-
L680120XX030AAC*		30W 120V AC LED, TL:3000 lm, 3000K		✓	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS

Oil Rubbed Bronze (FR-ORB), Pewter (FR-PT) or White (FR-WH) with Frosted Glass



680112FR-WH



680116FR-PTR

Finishes



Oil Rubbed Bronze (FR-ORB)



Pewter (FR-PTR)



White (FR-WH)

Item No.	Dimensions	Details	Finishes	Lamp Included	
680112	12-3/4"D x 4"H	2 x 60W Med. Base,	FR-ORB, FR-PTR, FR-WH	-	-
L680112XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K		✓	✓
L680112XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K			
L680112XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K		✓	-
L680112XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K			
680116	16-1/8"D x 4-7/8"H	3 x 60W Med. Base,	FR-ORB, FR-PTR, FR-WH	-	-
L680116XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K		✓	✓
L680116XX024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K			
L680116XX031A1		33W LED, TL:3135 lm/ DL:2195 lm, 3000K			
L680116XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K			
L680116XX024AAC*		24W 120V AC LED, TL:2400 lm, 3000K		✓	-
L680116XX030AAC*		30W 120V AC LED, TL:3000 lm, 3000K			

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

Oil Rubbed Bronze (WH-ORB) or Pewter (WH-PTR) with White Glass



680112WH-ORB



680116WH-PTR

Finishes



Oil Rubbed Bronze (WH-ORB)



Pewter (WH-PTR)

Item No.	Dimensions	Details	Finishes	Lamp Included	
680112	12-3/4"D x 4"H	2 x 60W Med. Base,	WH-ORB, WH-PTR	-	-
L680112XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K		✓	✓
L680112XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K			
L680112XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K		✓	-
L680112XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K			
680116	16-1/8"D x 4-7/8"H	3 x 60W Med. Base,	WH-ORB, WH-PTR	-	-
L680116XX016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K		✓	✓
L680116XX024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K			
L680116XX031A1		33W LED, TL:3135 lm/ DL:2195 lm, 3000K			
L680116XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K			
L680116XX024AAC*		24W 120V AC LED, TL:2400 lm, 3000K		✓	-
L680116XX030AAC*		30W 120V AC LED, TL:3000 lm, 3000K			

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS


Oil Rubbed Bronze (ORB), Polished Brass (PB), Pewter (PT) or White (WH) with White Glass



810208PB



810210WH

Item No.	Dim.	Details	Lamp Included		Finishes
810208	7-3/8"D x 4-3/4"H	1 x 60W Med. Base	-	-	ORB, PB, PT, WH
810210	9-1/2"D x 5-1/8"H	1 x 100W Med. Base	-	-	
L810210XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	

TL: Total Lumens, DL: Delivered Lumens

Finishes



Oil Rubbed Bronze (ORB) Polished Brass (PB) Pewter (PT) White (WH)


Oil Rubbed Bronze (ORB), Polished Brass (PB), Pewter (PT) or White (WH) with Marbled Glass



810308PT



810310ORB

Item No.	Dim.	Details	Lamp Included		Finishes
810308	7-1/2"D x 4-3/4"H	1 x 60W Med. Base	-	-	ORB, PB, PT, WH
810310	9-1/2"D x 5-1/8"H	1 x 100W Med. Base	-	-	
L810310XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	

TL: Total Lumens, DL: Delivered Lumens

Finishes



Oil Rubbed Bronze (ORB) Polished Brass (PB) Pewter (PT) White (WH)

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

FLUSH MOUNTS



600634



600655

Item No.	Shade	Dimensions	Details	Finishes
600634	Square Glass	11-1/2"L x 11-1/2"W x 6-1/2"H	2 x 60W Med. Base	White
600655	Round Glass	13"D x 6-1/2"H	2 x 60W Med. Base	



860809H



860805PB



860825PB

Item No.	Shade	Dimensions	Details	Finishes
860805PB	Clear Glass	6"L x 6"W x 6-3/4"H	1 x 60W Med. Base	Polished Brass
860809H		9-1/2"D x 6"H	3 x 25W Cand. Base	
860825PB		9-3/4"D x 4-3/4"H	3 x 25W Cand. Base	




810212WH



61035W-W



61038 W-WH

Item No.	Shade	Dim.	Details	Lamp Included		Finish
61035W-W	White Glass	6"D x 7"H	1 x 60W Med. Base	-	-	White
61038 W-WH		8"D x 9"H	1 x 100W Med. Base	-	-	
810212WH		12"D x 6"H	2 x 60W Med. Base	-	-	
L810212WH010A1			12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L810212WH016A1			16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓	

TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps



WALL SCONCES

Wall sconces in a living room or dining room are a dramatic and elegant way of supplementing the illumination from a ceiling fixture or lamps. Choosing sconces to complement the ceiling fixture will lend a decorator's touch to the room.

WALL SCONCES

Indoor/ Outdoor Wall Lantern



224070ESP



224080ESP

Item No.	Shade	Dimensions	Details	Finishes
224070ESP	Clear Glass	8"W x 10-1/4"H x 7-1/8"E	1 x 60W Med. Base	Espresso
224080ESP		7-7/8"W x 13-7/8"H x 9"E	1 x 60W Med. Base	

Barnsville



724581CH/WH



724581CH/CL

Item No.	Shade	Dimensions	Details	Finishes
724581CH/CL	Clear Glass	7-1/8"W x 11"H x 7-1/2"E	1 x 60W Med. Base	Polished Chrome
724581CH/WH	White Glass			

Madison



700691SLV



213041BN



213040BN

Item No.	Shade	Dimensions	Details	Finishes
213040BN	Off-White Linen Shade	6-3/4"W x 10-5/8"H x 9"E	1 x 60W Med. Base, A15	Brushed Nickel
213041BN	Off-White Linen Shade, Swing Arm	6-3/4"W x 11"H x 14-3/8"E	1 x 60W Med. Base, A15	
700691SLV	Frosted Glass	10-1/2"W x 5"H x 3-3/8"E	2 x 50W G9	Silver

Ansley

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

WALL SCONCES

Brushed Nickel (BN) or Oil Rubbed Bronze (ORB) with Frosted White Glass



211690BN



211690ORB

Item No.	Dimensions	Details	Lamp Included	
211690	9"W x 12"H x 5-1/8"E	1 x 100W Med. Base	-	-
L211690XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L211690XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L211690XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens


Black (BK) or Bronze (BZ) with Satin White Glass



215640BK



215640BZ

Item No.	Dimensions	Details	Lamp Included		Note
215640	8"W x 11"H x 4"E	1 x 100W Med. Base	-	-	for interior or exterior use.
L215640XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L215640XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-	
L215640XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

WALL SCONCES

Black (BK), Bronze (BZ) or Brushed Nickel (BN) with Satin White Glass




215580BN



215580BK



215580BZ

Item No.	Dimensions	Details	Lamp Included 		Note
215580	7-1/2"W x 10-1/4"H x 4-1/8"E	1 x 100W Med. Base	-	-	BK, BZ for interior or exterior use. BN for interior use only.
L215580XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L215580XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-	
L215580XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens


Brushed Nickel (BN) or Oil Rubbed Bronze (ORB) with Frosted White Glass



212430BN



212430ORB

Item No.	Dimensions	Details	Lamp Included 	
212430	10-1/4"W x 11-1/4"H x 4"E	1 x 100W Med. Base	-	-
L212430XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L212430XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L212430XX016AAC*		16W L 120V AC ED, TL:1600 lm, 3000K	✓	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

WALL SCONCES


Brushed Nickel (BN) with Satin White Glass



200301BN



213140BN

Item No.	Dimensions	Details	Lamp Included 	
200301BN	9-1/2"W x 9-3/4"H x 4-1/4"E	1 x 100W Med. Base	-	-
L200301BN012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L200301BN012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L200301BN016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-
213140BN	5-3/4"W x 11-3/4"H x 4"E	1 x 100W Med. Base	-	-
L213140BN012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L213140BN012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

Brushed Nickel (BN) with Satin White Glass



215681BN



215680BN

Item No.	Dimensions	Details	Lamp Included 	
215680BN	7-1/8"W x 12-3/8"H x 4"E	2 x 60W Med. Base	-	-
L215680BN012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L215680BN012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L215680BN016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-
215681BN	12"W x 7-1/2"H x 4"E	2 x 60W Med. Base	-	-
L215681BN012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L215681BN012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L215681BN016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	✓	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

WALL SCONCES


Brushed Nickel (BN) with Satin White Glass



260331BN



260332BN

Item No.	Dimensions	Details	Lamp Included 	
260331BN	6"W x 8-7/8"H x 3-1/2"E	1 x 60W Med. Base	-	-
L260331BN012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L260331BN012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
260332BN	5-3/4"W x 13"H x 3-1/2"E	2 x 60W Med. Base	-	-
L260332BN012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L260332BN012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L260332BN016AAC*		16W 120V AC LED, TL:1600 lm, 3000K		-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens


Brushed Nickel (BN) with Satin White Glass



213151BN



213150BN

Item No.	Dimensions	Details	Lamp Included 	
213150BN	5"W x 13-1/2"H x 3-1/4"E	1 x 60W Med. Base A15	-	-
L213150BN012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L213150BN012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
213151BN	9-1/2"W x 12-3/4"H x 4"E	2 x 60W Med. Base	-	-
L213151BN012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L213151BN012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L213151BN016AAC*		16W 120V AC LED, TL:1600 lm, 3000K		-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens


- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

WALL SCONCES



213130BN

Brushed Nickel (BN) with Satin White Glass


Item No.	Dimensions	Details	Lamp Included	
213130BN	8"W x 12"H x 4"E	2 x 60W Med. Base	-	✓
L213130BN012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L213130BN031A2		31W LED, TL:2945 lm/ DL:2045 lm, 3000K	✓	-
L213130BN012AAC*		12W LED, 120V AC TL:1200 lm, 3000K	✓	-
L213130BN016AAC*		16W LED, 120V AC TL:1600 lm, 3000K		

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens



212480BN

Brushed Nickel (BN) with White Glass


Item No.	Dimensions	Details	Lamp Included	
212480BN	10-3/4"W x 11-1/8"H x 3-3/4"E	1 x 100W Med. Base	-	-
L212480BN012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L212480BN012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L212480BN016AAC*		16W 120V AC LED, TL:1600 lm, 3000K		
L212480BN024AAC*		24W 120V AC LED, TL:2400 lm, 3000K		

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens



L212140PT012A1

Brushed Nickel (BN) with Satin White Glass

Item No.	Dimensions	Details	Lamp Included	
212140PT	7"W x 11"H x 4"E	2 x 60W Med. Base	-	-
L212140PT012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L212140PT031A2		31W LED, TL:2945 lm/ DL:2045 lm, 3000K	✓	-
L212140PT012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L212140PT016AAC*		16W 120V AC LED, TL:1600 lm, 3000K		
L212140PT024AAC*		24W 120V AC LED, TL:2400 lm, 3000K		

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

WALL SCONCES



215040CH

Polished Chrome (CH) with Frosted Textured Glass

Item No.	Dimensions	Details	Lamp Included 	
215040CH	9"W x 11"H x 5-1/8"E	1 x 100W Med. Base	-	-
L215040CH012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L215040CH012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L215040CH016AAC*		16W 120V AC LED, TL:1600 lm, 3000K		


*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

Madeo



790800PTR

Pewter (PTR) with Marbled Glass


Item No.	Dimensions	Details	Lamp Included 	
790800PTR	7-7/8"W x 10"H x 3-3/8"E	2 x 60W Cand. Base	-	-
L790800PT012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L790800PT012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L790800PT016AAC*		16W 120V AC LED, TL:1600 lm, 3000K		

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens



212510BN/WH

Brushed Nickel (BN/WH) with Satin White Glass

Item No.	Dimensions	Details	Lamp Included 	
212510BN/WH	10"W x 12-1/2"H x 4"E	1 x 100W Med. Base	-	-
L212510BN012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L212510BN012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L212510BN016AAC*		16W 120V AC LED, TL:1600 lm, 3000K		

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

WALL SCONCES


Marbled Glass



208612ORB



208616PT

Item No.	Dimensions	Details	Finishes	Lamp Included		Ofelia
208612	12-1/8"W x 6-1/4"H x 3-3/4"E	1 x 100W Med. Base,	ORB, PT, WH	-	-	
L208612XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K		✓	✓	
L208612XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K		✓	-	
208616	16-1/8"W x 8-1/4"H x 4-1/2"E	1 x 100W Med. Base,	ORB, PT	-	-	
L208616XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K		✓	✓	
L208616XX012AAC*		12W 120V AC LED, TL:1200 lm, 3000K		✓	-	
L208616XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K		✓	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

Finishes



Oil Rubbed Bronze (ORB)

Pewter (PT)

White (WH)


Oil Rubbed Bronze (ORB/FR) or Pewter (PT/FR) with Frosted Glass



208612PT/FR



208612ORB/FR

Item No.	Dimensions	Details	Lamp Included		Finishes
208612	12-1/8"W x 6-1/4"H x 3-3/4"E	1 x 100W Med. Base	-	-	ORB/FR, PT/FR
L208612XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	

TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

WALL SCONCES

Black (BK), Bronze (BZ) or Brushed Nickel (BN) with Satin White Glass



215661BZ



215670BN



Black (BK)
for interior or exterior use



Bronze (BZ)
for interior or exterior use



Brushed Nickel (BN)
for interior use only

Item No.	Dimensions	Details	Finishes	Information
215661	4-3/8"W x 15-3/8"H x 3-3/4"E	2 x 60W Med. Base, A15	BK, BZ, BN	BK, BZ for interior or exterior use. BN for interior use only.
215670	4-3/8"W x 9-3/4"H x 3-3/4"E	1 x 60W Med. Base, A15		

HADLEY- Brushed Nickel (BN/WH) or Polished Chrome (CH/WH) with White Cylinder Glass



244021BN/WH



244021CH/WH



244023BN/WH



244023CH/WH

Item No.	Dimensions	Details	Finishes
244021	4-1/2"W x 10-1/4"H x 4-3/8"E	1 x 60W T10 Med. Base	BN/WH, CH/WH
244023	4-1/2"W x 16-1/8"H x 4-3/8"E	2 x 60W T10 Med. Base	

WALL SCONCES


Pewter (PT)



790501PT
790502PT



790511PT
790512PT

Item No.	Shade	Dimensions	Details	Lamp Included	
790501PTR	Frosted Checkered Glass	15-3/4"W x 6-7/8"H x 4-3/8"E	1 x 100W T3 Halogen	-	-
L790501PT012A1			12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L790501PT012AAC*			12W LED, TL:1200 lm, 3000K	✓	-
L790501PT016AAC*			16W LED, TL:1600 lm, 3000K	✓	-
790502PT			1 x 100W Med. Base	-	-
790511PTR	Frosted Linen Glass	15-3/4"W x 6-7/8"H x 4-3/8"E	1 x 100W T3 Halogen	-	-
L790511PT012A1			12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L790511PT012AAC*			12W LED, TL:1200 lm, 3000K	✓	-
L790511PT016AAC*			16W LED, TL:1600 lm, 3000K	✓	-
790512PTR			1 x 100W Med. Base	-	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

Oil Rubbed Bronze (ORB) or Pewter (PT) with Marbled Glass



250480PT



250480ORB

Item No.	Dimensions	Details
250480	13-3/8"W x 5-1/8"H x 6-1/2"E	1 x 100W Med. Base <i>Julian</i>



12302PB/FR

Item No.	Shade	Dimensions	Details	Finishes
12302PB/FR	Clear/ Frosted Glass	4-1/2"W x 7-3/4"H x 4-3/4"E	1 x 60W Med. Base	Polished Brass



BATH & VANITY

From first thing in the morning to last thing at night, good lighting in the bathroom is essential. Attractive and functional, a row of vanity lights across the top of the mirror with coordinating wall sconces will provide even illumination.



BATH & VANITY

Brushed Nickel (BN) or Polished Chrome (CH) with Satin White Glass, 100W Med. Base



Item No.	Dimensions	Details	Finishes
724001	5"W x 9"H x 6"E	1 x 100W Med. Base	BN, CH
724002	12-5/8"W x 9"H x 6"E	2 x 100W Med. Base	
724003	20-1/4"W x 9"H x 6"E	3 x 100W Med. Base	
724004	28"W x 9"H x 6"E	4 x 100W Med. Base	

BATH & VANITY

Polished Chrome (CH) Finish with Frosted /Clear Glass, Dimmable, 3000K



L724596CH



L724597CH



L724598CH



L724599CH

Item No.	Dimensions	Details
L724596CH*	6"W x 4-1/2"H x 3"E	7W LED, TL:600 lm/ DL:360 lm
L724597CH*	13-3/4"W x 4-1/2"H x 3"E	2 x 7W LED, TL:2 x 600 lm/ DL:2 x 360 lm
L724598CH*	21-5/8"W x 4-1/2"H x 3"E	3 x 7W LED, TL:3 x 600 lm/ DL:3 x 360 lm
L724599CH*	29-1/2"W x 4-1/2"H x 3"E	4 x 7W LED, TL:4 x 600 lm/ DL:4 x 360 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

BATH & VANITY- TRITON II

Polished Chrome (CH) or Brushed Nickel (BN) with Satin White Glass



723307BN



723307CH



723308BN




723309CH



723300CH



Item No.	Dimensions	Details	Finishes	Lamp Included	
723300	42-1/2"W x 5"H x 3"E	5 x 100W T3	BN, CH	-	-
L723300XX040AAC*		40W 120V AC LED, TL:4000 lm, 3000K		✓	-
L723300XX060AAC*		60W 120V AC LED, TL:6000 lm, 3000K		-	-
723307	15-3/4"W x 5"H x 3"E	2 x 100W T3		-	-
L723307XX016AAC*		16W 120V AC LED, TL:1600 lm, 3000K		✓	-
L723307XX024AAC*		24W 120V AC LED, TL:2400 lm, 3000K		-	-
723308	24-1/2"W x 5"H x 3"E	3 x 100W T3		-	-
L723308XX024AAC*		24W 120V AC LED, TL:2400 lm, 3000K		✓	-
L723308XX0364AAC*		36W 120V AC LED, TL:3600 lm, 3000K		-	-
723309	32-1/2"W x 5"H x 3"E	4 x 100W T3		-	-
L723309XX032AAC*		32W 120V AC LED, TL:3200 lm, 3000K	✓	-	
L723309XX048AAC*		48W 120V AC LED, TL:4800 lm, 3000K	-	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

BATH & VANITY

Brushed Nickel (BN/WH) with Satin White Glass



723963BN/WH



723964BN/WH



Item No.	Dimensions	Details
723961BN/WH	8-1/4"W x 8-3/8"H x 6-1/2"E	1 x 100W Med. Base
723962BN/WH	18"W x 8-3/8"H x 6-1/2"E	2 x 100W Med. Base
723963BN/WH	24"W x 8-3/8"H x 7"E	3 x 100W Med. Base
723964BN/WH	32"W x 8-3/8"H x 7"E	4 x 100W Med. Base

BATH & VANITY- RIPPLE

Polished Chrome (CH), Clear Glass Shade Filled with Crystal Octagons



722327CH



722328CH

Item No.	Dimensions	Details
722327CH	11-3/8"W x 5-1/2"H x 5"E	2 x 50W G9
722328CH	17-3/4"W x 5-1/2"H x 5"E	3 x 50W G9

Polished Chrome (CH) with Inside Frosted Glass, 50W G9 Bulbs



721417CH



721418CH



721419CH

Item No.	Dimensions	Details
721417CH	12-1/2"W x 5"H x 4-1/4"E	2 x 50W G9
721418CH	20"W x 5"H x 4-1/4"E	3 x 50W G9
721419CH	27-1/2"W x 5"H x 4-1/4"E	4 x 50W G9


• All fixtures are compatible with LED equivalent lamps

BATH & VANITY- MASON

Polished Chrome (CH) with Frosted Square Bubble Glass, 50W G9 Bulbs



721426CH



721427CH



721428CH



721429CH

Item No.	Dimensions	Details
721426CH	4-1/2"W x 4-1/2"H x 4-1/4"E	1 x 50W G9
721427CH	12-1/2"W x 4-1/2"H x 4-1/4"E	2 x 50W G9
721428CH	20-3/8"W x 4-1/2"H x 4-1/4"E	3 x 50W G9
721429CH	28-1/4"W x 4-1/2"H x 4-1/4"E	4 x 50W G9

BATH & VANITY- CUBIS

Brushed Nickel (BN) or Polished Chrome (CH) with White Square Glass



Item No.	Dimensions	Details	Finishes
722376	4-3/4"W x 4-3/4"H x 3-7/8"E	1 x 50W G9	BN, CH
722377	11-3/8"W x 4-3/4"H x 3-7/8"E	2 x 50W G9	
722378	18-1/2"W x 4-3/4"H x 3-7/8"E	3 x 50W G9	
722379	25-5/8"W x 4-3/4"H x 3-7/8"E	4 x 50W G9	

• All fixtures are compatible with LED equivalent lamps

BATH & VANITY- MODERNO

Polished Chrome (CH) with Frosted Acrylic Lens, 3000K, Dimmable,
Vertical or Horizontal Mounting



L722362CH



L722364CH

Item No.	Dimensions	Details
L722362CH*	18"W x 4-5/8"H x 1-5/8"E	12W LED, TL:1000 lm
L722364CH*	32"W x 4-5/8"H x 1-5/8"E	22W LED, TL:1800 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

BATH & VANITY

EASTLAKE- Polished Chrome (CH) with Frosted Seeded Glass, 50W G9 Bulbs



720996CH

720997CH



720998CH



720999CH

Item No.	Dimensions	Details
720996CH	5-1/2"W x 6-1/4"H x 3"E	1 x 50W G9
720997CH	14-1/2"W x 6"H x 3"E	2 x 50W G9
720998CH	22"W x 6"H x 3"E	3 x 50W G9
720999CH	29-1/2"W x 6"H x 3"E	4 x 50W G9

ASTRO- Polished Chrome (CH) with White Glass, 100W Med. Base



720951CH



720953CH



720952CH

Item No.	Dimensions	Details
720951CH	5"W x 8-5/8"H x 6-1/2"E	1 x 100W Med. Base
720952CH	12-3/4"W x 9-1/8"H x 6-5/8"E	2 x 100W Med. Base
720953CH	20-5/8"W x 9"H x 6-3/4"E	3 x 100W Med. Base

BATH & VANITY- KADEN

Brushed Nickel (BN) or Polished Chrome (CH) with Satin White Glass



721262CH



721262BN



721263CH



721263BN



721264CH



721264BN

Item No.	Dimensions	Details	Finishes
721262	13-3/4"W x 7-3/4"H x 6-1/4"E	2 x 100W Med. Base	BN, CH
721263	20-1/4"W x 7-3/4"H x 6-1/4"E	3 x 100W Med. Base	
721264	28-1/4"W x 7-3/4"H x 6-1/4"E	4 x 100W Med. Base	

BATH & VANITY- JUNCTION

Brushed Nickel (BN) or Polished Chrome (CH) with White Cylinder Glass



722276BN



722276CH



722277BN



722278CH



722279CH

Item No.	Dimensions	Details	Finishes
722276	5-1/8"W x 5-1/8"H x 5"E	1 x 50W G9	BN, CH
722277	12-1/2"W x 5-1/8"H x 5"E	2 x 50W G9	
722278	20"W x 5-1/8"H x 5"E	3 x 50W G9	
722279	27-1/2"W x 5-1/8"H x 5"E	4 x 50W G9	

BATH & VANITY- PALMER

Brushed Nickel (BN) or Polished Chrome (CH) with White Glass



722291BN



722291CH



722292CH



722293BN



722294CH

Item No.	Dimensions	Details	Finishes
722291	4-3/4"W x 5-3/4"H x 4-1/8"E	1 x 100W Med. Base	BN, CH
722292	12-3/8"W x 5-3/4"H x 4-1/8"E	2 x 100W Med. Base	
722293	20-1/8"W x 5-3/4"H x 4-1/8"E	3 x 100W Med. Base	
722294	28"W x 5-3/4"H x 4-1/8"E	4 x 100W Med. Base	

BATH & VANITY- DILLON


Polished Chrome (CH) with Satin White Blown Glass



721096CH



721097CH



721098CH



721099CH

Item No.	Dimensions	Details
721096CH	4-3/4"W x 5-7/8"H x 5-1/4"E	1 x 50W G9
721097CH	12"W x 5-7/8"H x 5-1/4"E	2 x 50W G9
721098CH	20"W x 5-7/8"H x 5-1/4"E	3 x 50W G9
721099CH	30"W x 5-7/8"H x 5-1/4"E	4 x 50W G9

BATH & VANITY

ROYCE- 120V AC LED, Polished Chrome (CH) with White Acrylic, 3000K, Dimmable



SPECIAL ORDER
please consult factory



Item No.	Dimensions	Details
L722861CH*	20-3/4"W x 4-1/2"H x 2-1/8"E	20W AC LED, TL:1600 lm
L722862CH*	24-5/8"W x 4-1/2"H x 2-1/8"E	26.5W AC LED, TL: 2400 lm
L722863CH*	36-3/4"W x 4-1/2"H x 2-1/8"E	39W AC LED, TL: 3600 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

GENEVA II- Brushed Nickel (BN) with Frosted Glass, 3000K



SPECIAL ORDER
please consult factory



L710737BN022A1



L710738BN033A1

Item No.	Dimensions	Details	Lamp Included	
L710737BN022A1	24-1/2"W x 2-3/4"H x 4"E	2 x 12W LED, TL:2280 lm/ DL:1596 lm	✓	✓
L710738BN033A1	36-1/2"W x 2-3/4"H x 4"E	3 x 12W LED, TL:3420lm/ DL:2394 lm	✓	✓

TL: Total Lumens, DL: Delivered Lumens

BATH & VANITY

RIVERSIDE- 120V AC LED, Polished Chrome (CH) with White Acrylic Lens, 3000K, Dimmable


LED



Item No.	Dimensions	Details
L722842CH*	24-5/8"W x 4-1/2"H x 2"E	26.5W AC LED, TL:2400 lm
L722843CH*	36-3/4"W x 4-1/2"H x 2"E	29W AC LED, TL:3600 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

NOLAN- 120V AC LED, Polished Chrome (CH) with White Acrylic, 3000K, Dimmable



Item No.	Dimensions	Details
L722852CH*	24-5/8"W x 4-1/2"H x 2"E	26.5W AC LED, TL:2400 lm
L722853CH*	36-3/4"W x 4-1/2"H x 2"E	39W AC LED, TL:3600 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

BATH & VANITY

KELLER- 120V AC LED, Polished Chrome (CH) with Painted White Glass, 3000K, Dimmable



Item No.	Dimensions	Details
L722882CH*	26"W x 4"H x 2-3/4"E	30W AC LED, TL:2400 lm
L722883CH*	35"W x 4"H x 2-3/4"E	40W AC LED, TL:3200 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

PITTMAN- Polished Chrome (CH) or Brushed Nickel (BN) with Satin White Glass



Item No.	Dimensions	Details	Finishes
718732	14"W x 7-3/4"H x 6-1/2"E	2 x 100W Med. Base	BN, CH
718733	22"W x 7-3/4"H x 6-1/2"E	3 x 100W Med. Base	

BATH & VANITY- KONA

Brushed Nickel (BN), Polished Chrome (CH) or Painted Restoration Bronze (PRB)
with Satin White Glass



710691BN



710691CH



710691PRB



710692BN



710693BN



710692CH



710693CH



710692PRB



710693PRB


Item No.	Dimensions	Details	Finishes
710691	4-1/4"W x 11-3/8"H x 5"E	1 x 100W Med. Base	BN (Brushed Nickel) CH (Polished Chrome) PRB (Painted Restoration Bronze)
710692	22"W x 4-3/8"H x 4-7/8"E	2 x 100W Med. Base	
710693	32-1/2"W x 4-1/4"H x 4-7/8"E	3 x 100W Med. Base	

• All fixtures are compatible with LED equivalent lamps

BATH & VANITY

CYRUS- 120V AC LED, Brushed Nickel (BN) with White Acrylic Lens, 3000K, Dimmable

LED



L719451BN-A

L719453BN-A



L719454BN-A



Item No.	Dimensions	Details
L719451BN-A*	10-1/4"W x 5-1/8"H x 2-1/4"E	10W 120V AC LED, TL: 1000 lm/ DL: 800 lm
L719453BN-A*	25-1/4"W x 5-1/8"H x 2-1/4"E	38W 120V AC LED, TL: 3500 lm/ DL: 2800 lm
L719454BN-A*	32-1/2"W x 5-1/8"H x 2-1/4"E	48W 120V AC LED, TL: 4500 lm/ DL: 3500 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

PENCE- 120V AC LED, Polished Chrome (CH) with White Glass, 3000K, Dimmable

LED



L721683CH




L721684CH

Item No.	Dimensions	Details
L721683CH*	24-3/4"W x 5"H x 3-1/4"E	28W 120V AC LED, TL:2800 lm/ DL:1960 lm
L721684CH*	35"W x 5"H x 3-1/4"E	42W 120V AC LED, TL:4200 lm/ DL:2940 lm

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

BATH & VANITY

120V AC LED, Polished Chrome (CH) with Satin White Glass, 3000K, Dimmable



L219460CH



L719463CH

Item No.	Dimensions	Details	Notes
L219460CH*	5"W x 13-1/8"H x 3-5/8"E	9W 120V AC LED, TL:800 lm/ DL:560 lm	Vertical or Up Mounting only
L719463CH*	33-1/2"W x 4-1/2"H x 3-5/8"E	44W 120V AC LED, TL:3800 lm/ DL:2660	Vertical or Horizontal Mounting

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens



712624PT/MB
Blanda



712636PT/MB
Blanda



700923CBK
Madison

Item No.	Shade	Dimensions	Details	Finish
700923CBK	Light Mocha Seeded Glass	20-1/4"W x 5-7/8"H x 5"E	3 x 100W Med. Base	Charcoal Black
712624PT/MB	Marbled Glass	24"W x 4-3/4"H x 5-3/4"E	2 x 100W T3 Halogen	Pewter
712636PT/MB		24"W x 4-3/4"H x 5-3/4"E	3 x 100W T3 Halogen	

• All fixtures are compatible with LED equivalent lamps

BATH & VANITY- CYL

Brushed Nickel (BN) or Polished Chrome (CH) with Satin Glass



710232BN



710233BN



710234BN



710232CH



710233CH




710234CH

Item No.	Dimensions	Details	Finishes
710232	11-3/4"W x 6-1/4"H x 5-1/2"E	2 x 100W Med. Base	BN, CH
710233	18-3/4"W x 6-1/4"H x 5-1/2"E	3 x 100W Med. Base	
710234	25-1/2"W x 6-1/4"H x 5-1/2"E	4 x 100W Med. Base	

BATH & VANITY- AUBREE

Polished Chrome (CH) with Clear Crystal Accents, 3000K, non-Dimmable

LED



L719542CH



L719541CH



L719543CH

Item No.	Dimensions	Details
L719541CH	12-1/4"W x 4-1/2"H x 2-7/8"E	10W LED, TL:600 lm/ DL:420 lm
L719542CH	18-3/4"W x 4-1/2"H x 2-7/8"E	15W LED, TL:900 lm/ DL:630 lm
L719543CH	22-3/4"W x 4-1/2"H x 3-1/4"E	22W LED, TL:1320 lm/ DL:924 lm

TL: Total Lumens, DL: Delivered Lumens

BATH & VANITY- CUBIC

Brushed Nickel (BN) or Polished Chrome (CH) with White Opal Glass



710281BN



710281CH



710282BN



710282CH



710283BN



710283CH



710284BN



710284CH

Item No.	Dimensions	Details	Finishes
710281	4-3/4"W x 6-1/4"H x 6"E	1 x 60W Med. Base, A15	BN, CH
710282	11"W x 6-1/4"H x 6"E	2 x 60W Med. Base, A15	
710283	17-1/4"W x 6-1/4"H x 6"E	3 x 60W Med. Base, A15	
710284	23-1/4"W x 6-1/4"H x 6"E	4 x 60W Med. Base, A15	

BATH & VANITY

HILTON- Polished Chrome (CH) with White Glass



712061CH



712062CH



712063CH



712064CH

Item No.	Dimensions	Details
712061CH	5-1/2"W x 10"H x 7-1/4"E	1 x 60W Med. Base, A15
712062CH	13-1/2"W x 9-1/4"H x 7-1/4"E	2 x 60W Med. Base, A15
712063CH	22"W x 9-1/4"H x 7-1/4"E	3 x 60W Med. Base, A15
712064CH	29-1/2"W x 9-1/4"H x 7-1/4"E	4 x 60W Med. Base, A15

NORA- Polished Chrome (CH) with White Opal/ Clear Glass



714291CH



714292CH



714293CH

Item No.	Dimensions	Details
714291CH	4-7/8"W x 9-1/4"H x 5-1/4"E	1 x 100W Med. Base
714292CH	16"W x 9-1/4"H x 5-1/4"E	2 x 100W Med. Base
714293CH	24"W x 9-1/4"H x 5-1/4"E	3 x 100W Med. Base

• All fixtures are compatible with LED equivalent lamps

BATH & VANITY- DELTA

Brushed Nickel (BN) or Oil Rubbed Bronze (ORB) with White Glass



710152BN



710153BN



710154BN



710152ORB



710153ORB



710154ORB

Item No.	Dimensions	Details	Finishes
710152	16-1/4"W x 9-1/4"H x 5-1/2"E	2 x 100W Med. Base	BN, ORB
710153	24-1/4"W x 9-1/4"H x 5-1/2"E	3 x 100W Med. Base	
710154	36-1/2"W x 9-1/4"H x 5-1/2"E	4 x 100W Med. Base	

BATH & VANITY

BELFAST- Brushed Nickel (BN) or Polished Chrome (CH) with Marbled Glass



702606BN



702606CH



703606BN



703606CH

Item No.	Dimensions	Details	Finishes
702606	14"W x 7"H x 7"E	2 x 100W Med. Base	BN, CH
703606	24"W x 7"H x 7"E	3 x 100W Med. Base	

ADELAIDE- Pewter (PT) with Marbled Glass



783002PT



783003PT

Item No.	Dimensions	Details
783002PT	18"W x 9-1/8"H x 8-3/4"E	2 x 100W Med. Base
783003PT	24"W x 9-1/8"H x 8-3/4"E	3 x 100W Med. Base

• All fixtures are compatible with LED equivalent lamps

BATH & VANITY- BRIGHTON

Brushed Nickel (BN), Polished Chrome (CH) or Oil Rubbed Bronze (ORB)
with Satin White Glass



Item No.	Dimensions	Details	Finishes
710651	5"W x 9-1/4"H x 5-1/4"E	1 x 100W Med. Base	BN, CH, ORB
710652	16"W x 9-1/4"H x 5-1/4"E	2 x 100W Med. Base	
710653	24"W x 9-1/4"H x 5-1/4"E	3 x 100W Med. Base	
710654	32"W x 9-1/4"H x 5-1/4"E	4 x 100W Med. Base	

BATH & VANITY- BARCLAY

Brushed Nickel (BN), Polished Chrome (CH) or Oil Rubbed Bronze (ORB) with Satin White Glass



724131BN



724131CH



724131ORB



724132BN



724133ORB




724134CH


Item No.	Dimensions	Details	Finishes
724131	4-1/2"W x 8"H x 6-1/2"E	1 x 100W Med. Base	BN, CH, ORB
724132	14"W x 6-3/4"H x 6-1/2"E	2 x 100W Med. Base	
724133	24"W x 6-3/4"H x 6-1/2"E	3 x 100W Med. Base	
724134	30"W x 6-3/4"H x 6-1/2"E	4 x 100W Med. Base	

• All fixtures are compatible with LED equivalent lamps

BATH & VANITY- OMNI

Pewter (PT) with Frosted Checkered Glass



Item No.	Dimensions	Details	Lamp Included 	
790501PTR	15-3/4"W x 6-7/8"H x 4-3/8"E	1 x 100W T3 Halogen	-	-
L790501PT012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L790501PT012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L790501PT016AAC*		16W 120V AC LED, TL:1600 lm, 3000K		
790502PT		1 x 100W Med. Base	-	-
790505PTR	24"W x 6-3/4"H x 4-3/8"E	2 x 100W T3 Halogen	-	-
L790505PT024A1		2 x 12W LED, TL:2 x 1140 lm/ DL:2 x 798 lm, 3000K	✓	✓
790506PTR		2 x 100W Med. Base	-	-
790507PTR	32-5/8"W x 6-3/4"H x 4-3/8"E	3 x 100W T3 Halogen	-	-
L790507PT036A1		3 x 12W LED, TL:3 x 1140 lm/ DL:3 x 798 lm, 3000K	✓	✓
790508PTR		3 x 100W Med. Base	-	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens


- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

BATH & VANITY- OMNI


Pewter (PT) with Frosted Linen Glass




790511PTR
790512PTR



790515PTR
790516PTR



790517PTR
790518PTR

Item No.	Dimensions	Details	Lamp Included	
790511PTR	15-3/4"W x 6-7/8"H x 4-3/8"E	1 x 100W T3 Halogen	-	-
L790511PT012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L790511PT012AAC*		12W 120V AC LED, TL:1200 lm, 3000K	✓	-
L790511PT016AAC*		16W 120V AC LED, TL:1600 lm, 3000K	-	-
790512PTR	24"W x 6-3/4"H x 4-3/8"E	1 x 100W Med. Base	-	-
790515PTR		2 x 100W T3 Halogen	-	-
L790515PT024A1		2 x 12W LED, TL:2 x 1140 lm/ DL:2 x 798 lm, 3000K	✓	✓
790516PTR		2 x 100W Med. Base	-	-
790517PTR	32-5/8"W x 6-3/4"H x 4-3/8"E	3 x 100W T3 Halogen	-	-
L790517PT036A1		3 x 12W LED, TL:3 x 1140 lm/ DL:3 x 798 lm, 3000K	✓	✓
790518PTR		3 x 100W Med. Base	-	-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

BATH & VANITY- HARMONY

Brushed Nickel (BN) with White Acrylic Lens




921224BN-HPF



921236BN-HPF



921248BN-HPF

Item No.	Dimensions	Details	Lamp Included	
921224BN-HPF	24-1/2"W x 6"H x 4-1/4"E	2 x 17W T8	-	-
L921224BN022A1		2 x 12W LED, TL:2280 lm/ DL:1596 lm, 3000K	✓	✓
921236BN-HPF	36-1/4"W x 6"H x 4-1/2"E	2 x 25W T8	-	-
L921236BN033A1		3 x 12W LED, TL:3420lm/ DL:2394 lm, 3000K	✓	✓
921248BN-HPF	49-1/4"W x 6"H x 4-1/2"E	2 x 32W T8	-	-
L921248BN044A1		4 x 12W LED, TL:4560lm/ DL:3192 lm, 3000K	✓	✓

BATH & VANITY

Polished Chrome (CH)



713618CH



714624CH



716636CH



718648CH

Item No.	Dimensions	Details
713618CH	18"W x 4-1/4"H x 2"E	3 x 60W Med. Base
714624CH	24"W x 4-1/4"H x 2"E	4 x 60W Med. Base
716636CH	36"W x 4-1/4"H x 2"E	6 x 60W Med. Base
718648CH	48"W x 4-1/4"H x 2"E	8 x 60W Med. Base

Polished Chrome (CH)



710524CH



710536CH

Item No.	Dimensions	Details
710524CH	24"W x 2-7/8"H x 1-3/8"E	4 x 60W Cand. Base
710536CH	36"W x 2-7/8"H x 1-3/8"E	6 x 60W Cand. Base

Polished Brass (PB)



713518PB



716536PB

Item No.	Dimensions	Details
713518PB	18"W x 4-1/4"H x 2"E	3 x 60W Med. Base
716536PB	36"W x 4-1/4"H x 2"E	6 x 60W Med. Base

BATH & VANITY

White (WH)



713200WH



714200WH



716200WH



718200WH

Item No.	Dimensions	Details
713200WH	18"W x 4-1/4"H x 2"E	3 x 60W Med. Base
714200WH	24"W x 4-1/4"H x 2"E	4 x 60W Med. Base
716200WH	36"W x 4-1/4"H x 2"E	6 x 60W Med. Base
718200WH	48"W x 4-1/4"H x 2"E	8 x 60W Med. Base

White (WH)




730224WH

Item No.	Dimensions	Details
730224WH	24"W x 4-1/2"H x 2"E	4 x 60W Med. Base

BATH & VANITY

Pewter (PT)



713318PTR



714324PTR



716336PTR



718348PTR

Item No.	Dimensions	Details
713318PTR	18"W x 4-1/4"H x 2"E	3 x 60W Med. Base
714324PTR	24"W x 4-1/4"H x 2"E	4 x 60W Med. Base
716336PTR	36"W x 4-1/4"H x 2"E	6 x 60W Med. Base
718348PTR	48"W x 4-1/4"H x 2"E	8 x 60W Med. Base

Polished Chrome (CH)



730624CH




730636CH


Item No.	Dimensions	Details
730624CH	24"W x 4-1/2"H x 2"E	4 x 60W Med. Base
730636CH	36"W x 4-1/2"H x 2"E	6 x 60W Med. Base

BATH & VANITY

White/Polished Chrome (WH/CH)




700224WH/CH



700236WH/CH

Item No.	Dimensions	Details
700224WH/CH	24"W x 4-7/8"H x 2-3/4"E	4 x 60W Med. Base
700236WH/CH	36"W x 4-7/8"H x 2-3/4"E	6 x 60W Med. Base

Polished Brass (PB)



730524PB



730536PB



730548PB

Item No.	Dimensions	Details
730524PB	24"W x 4-1/2"H x 2"E	4 x 60W Med. Base
730536PB	36"W x 4-1/4"H x 2"E	6 x 60W Med. Base
730548PB	48"W x 4-1/2"H x 2"E	8 x 60W Med. Base

White (WH)



600907

Item No.	Glass	Dimensions	Details
600907	Curve/Outlet	11-1/2"W x 6"H x 5"E	2 x 60W Med. Base



RECESSED

Recessed lighting blends comfortably into any decor just by its unobtrusive nature. Its effects can be bold or subtle, dramatic, or subdued. Galaxy's recessed lighting in a variety of sizes and trim styles can provide dramatic, low-profile illumination for every room in your home.




RECESSED

4" LED HOUSING



RL-RT2000AT

4" LED dedicated IC housing, RL-RT2000AT is designed for new construction installations and suitable for use in non-insulated or insulated ceiling applications. Air tight construction reduces energy costs by reducing the amount of air leakage through the ceiling.



Plaster Frame	Galvanized steel construction. The housing can be removed from plaster frame to provide access to the junction box.
Junction Box	Listed for through branch circuit wiring.
	Contains one 1-1/8", six 7/8" knockouts and four Romex pryouts with strain relief. Quick connect wire connectors.
Bar Hanger	Pre-installed real nail easily installs in regular lumber or engineered lumber.
	Hanger bars are adjustable from 13-5/8" to 25" and can be repositioned 90° on plaster frame.
Listings	cULus Listed for damp location/ cULus Listed for feed through
	Certified under ASTM-E283 for air tight construction
	Meets state of California Title 24 requirements

Available LED Downlight



RL-RT200WH



RL-RT200BN



RL-R202WH



RL-RT419CW


RECESSED

5" LED HOUSING



RL-RT3000SAT

5" LED dedicated IC shallow housing, RL-RT3000SAT is designed for new construction installations and suitable for use in non-insulated or insulated ceiling applications. For use in shallow ceiling which have tighter clearances.



Plaster Frame	Galvanized steel construction. The housing can be removed from plaster frame to provide access to the junction box.
Junction Box	Listed for through branch circuit wiring.
	Contains one 1-1/8", six 7/8" knockouts and four Romex pryouts with strain relief. Quick connect wire connectors.
Bar Hanger	Pre-installed real nail easily installs in regular lumber or engineered lumber.
	Hanger bars are adjustable from 13-5/8" to 25" and can be repositioned 90° on plaster frame.
Listings	cULus Listed for damp location/ cULus Listed for feed through
	Certified under ASTM-E283 for air tight construction
	Meets state of California Title 24 requirements

Available LED Downlight



RL-RT560WH



RL-RT560BN



RL-R562WH




RL-RT569CH

RECESSED

4" LED DOWNLIGHT



RL-RT200WH or RL-RT200BN LED retrofit trims are designed for use in 4" LED housings and are compatible with most 4" recessed standard incandescent housings.




LED Driver	Built-in/ 10W LED, 712 lumens (delivered)
	Dimmable down to 5% with standard incandescent or low voltage dimmers
	High efficiency driver with a power factor ≥ 0.90 and input power of 120V, 60Hz
Features	Long life LEDs, up to 50,000 hours at 70% lumen maintenance
	Includes medium base socket adaptor for retrofit applications
	Tested in accordance with IESNA LM79 & LM80
Electrical	Voltage: 120VAC/ Current: 350mA
	Operation Temperature: $-30^{\circ}\text{C} \sim 40^{\circ}\text{C}$ ($-22^{\circ}\text{F} \sim 140^{\circ}\text{F}$)
	Warranty: 5 year limited
Color Temp.	3000K
Listings	cULus classified/ ENERGY STAR certified
	Damp & wet location approved, Meets state of California Title 24 requirements



RL-RT200WH




RL-RT200BN



5" 6" LED DOWNLIGHT



RL-RT560WH or RL-RT560BN LED retrofit trims are designed for use in 5" and 6" LED housings and are compatible with most 5" and 6" recessed standard incandescent housings.




LED Driver	Built-in/ 16W LED, 1145 lumens (delivered)
	Dimmable down to 5% with standard incandescent or low voltage dimmers
	High efficiency driver with a power factor ≥ 0.90 and input power of 120V, 60Hz
Features	Long life LEDs, up to 50,000 hours at 70% lumen maintenance
	Includes medium base socket adaptor for retrofit applications
	Tested in accordance with IESNA LM79 & LM80
Electrical	Voltage: 120VAC/ Current: 350mA
	Operation Temperature: $-30^{\circ}\text{C} \sim 40^{\circ}\text{C}$ ($-22^{\circ}\text{F} \sim 104^{\circ}\text{F}$)
	Warranty: 5 year limited
Color Temp.	3000K
Listings	cULus classified/ ENERGY STAR certified
	Damp & wet location approved, Meets state of California Title 24 requirements



RL-RT560WH



RL-RT560BN




RECESSED

4" AC LED DOWNLIGHT




RL-R202WH



5"/6" AC LED DOWNLIGHT



RL-R562WH



Specifications:

Item No.	Input Voltage	LED Power	CRI	Lumens (lm)	Beam Angle	Color Temp. (K)
RL-R202WH	AC 120	13W	90+	900	120°	3000
	Dimmable 4" LED Trim with Medium Base Socket Adaptor. Use with RL-RT2000AT Housing for New Construction, Compatible with Most 4" Standard Recessed Incandescent Housings.					
RL-R562WH	AC 120	15W	90+	1000	120°	3000
	This driverless LED downlight is designed to replace the existing incandescent downlight and is suitable for most existing 5" or 6" remodel or new construction housings. Mounting Hardware and Medium Base Socket Adaptor Included.					



Features & Benefits:

- Driverless LED technology has the additional benefits of being dimmable as standard and contains less components for an even longer product life.
- Samsung high quality LED chips
- Aluminum construction with satin white finish
- Suitable for indoor and damp locations
- No tools required for installation
- Reduce energy consumption up to 86%
- 10%~100% dimmable with most LED compatible dimmers
- Product includes with E26 socket adaptor
- 5 years limited warranty
- ENERGY STAR certified.


RECESSED

Recessed Trims- 4" & 5"6" LED

4" LED DOWNLIGHT




RL-RT419CW



5"6" LED DOWNLIGHT



RL-RT569CH



Specifications:

Item No.	LED Power	CRI	Lumens (lm)	Color Temp. (K)
RL-RT419CW	13W	90	800	3000
	Dimmable 4" LED Trim with Medium Base Socket Adaptor, Clear Reflector. Use with RL-RT2000AT Housing for New Construction, Compatible with Most 4" Standard Recessed Incandescent Housings			
RL-RT569CH	17W	90	1100	3000
	Dimmable 5"6" LED Trim with Medium Base Socket Adaptor, Clear Reflector. Use with RL-RT3000SAT Housing for New Construction, Compatible with Most 5" or 6" Standard Recessed Incandescent Housings.			

Features & Benefits:

- For new construction or retrofit applications
- Aluminum construction with clear reflector
- Suitable for indoor and damp locations
- No tools required for installation
- Reduce energy consumption up to 86%
- 10%~100% dimmable with most LED compatible dimmers
- Product includes E26 medium base socket adaptor
- 5 year limited warranty



RECESSED


4" AC LED DISK LIGHT

5"/6" AC LED DISK LIGHT


Can be mounted on 4" junction box or most recessed housings.



RL-C200WH




RL-C561WH



Specifications:

Item No.	Input Voltage	LED Power	CRI	Lumens (lm)	Beam Angle	Color Temp (K)
RL-C200WH	120V AC	10W	90+	690	110°	3000
	Dimmable 120V AC 4" LED Downlight for Most 4" Recessed Housings or Direct Install into 4" Standard Junction Boxes. Mounting Hardware and Medium Base Socket Adaptor Included. Suitable for Damp Location & Shower Lighting. ENERGY STAR certified.					
RL-C561WH	120V AC	16W	90	950	110°	3000
	Dimmable 120V AC LED Downlight for Most 5" or 6" Recessed Housings or Direct Install into 4" Standard Junction Boxes. Mounting Hardware and Medium Base Socket Adaptor Included. Suitable for Damp Location & Shower Lighting.					



Compatible Dimmers:

RL-C200WH

LEVITON: 6161/ 6672/ 6615-P/ IPI06/ VPI06

LUTRON: CT-600P/ CTCL-153PD/ DV-603PS-600P/ S-600P/ SCL-153PR -WH/ SELVB-300P/ SELV-300P

RL-C561WH

LEVITON: 6672/ 6674

LUTRON: CTCL-153P/ DSL06/ DVCL-153P/ MAC2-153M/ PD-6WCL/ TGCL-153P

RECESSED

4" DIMMABLE AC LED DISK LIGHT

Can be directly mounted on 4" junction box.



RL-C210WH

Specifications:

Item No.	Input Voltage	LED Power	CRI	Lumens (lm)	Beam Angle	Color Temp (K)
RL-C210WH	120V AC	8W	80	500	100°	3000
Dimmable 120V AC 4" LED Downlight Can be Directly Mounted on 4" Standard Junction Boxes. Suitable for Wet Location (Covered Ceiling Mount only).						


IC Rated LED Slim Profile Panel Light with Junction Box.



RL-RP209WH




RL-RP509WH



Item No.	Input Voltage	LED Power	CRI	Lumens (lm)	Beam Angle	Color Temp (K)
RL-RP209WH	120V AC	9W	80	550	100°	3000
Dimmable 120V AC 4" LED Slim Profile Panel Light. Suitable for Wet Location (Covered Ceiling Mount only). FT6 Wire. ENERGY STAR certified.						
RL-RP509WH	120V AC	14W	80	900	110°	3000
Dimmable 120V AC 6" LED Slim Profile Panel Light. Suitable for Wet Location (Covered Ceiling Mount only). FT6 Wire. ENERGY STAR certified.						

RECESSED

6" LED Downlight & Housing



RL-C6P-28

6" Commercial or Residential
Plaster Frame with Hanger Bars
Designed for RL-C6CL-28 LED
Downlight

Length: 12-1/8"

Width: 7-7/8"


Height: 3-5/8"

RL-C6CL-28

6" Dimmable LED Downlight with Clear
Reflector and White Trim Ring,
Accommodates 120V~277V Inputs
Diameter: 7-7/8"
Height: 7-1/4"
Lamp: 28W LED, 3000K
Delivered Lumens: 2440 lm
Dimming: 0~10V, most Triac Dimmers
Finish: Chrome/ White




LED



RECESSED

4" LED Downlight & Housing



RL-C4P-21


4" Commercial or Residential Plaster Frame with Hanger Bars Designed for RL-C4CL-21 LED Clear Reflector Trim
Length: 12-1/8"
Width: 7-3/4"
Height: 3-5/8"

RL-C4CL-21

4" Dimmable LED Downlight with Clear Reflector and White Trim Ring, Accommodates 120V~277V Inputs
Diameter: 5-7/8"
Height: 6-1/4"
Lamp: 21W LED, 3000K
Delivered Lumens: 1540 lm
Dimming: 0~10V, most Triac Dimmers
Finish: Chrome/ White




LED



RECESSED

RS2000AT-LED - 4" AIRTIGHT IC HOUSING/ MED. BASE)



RS2000AT-LED

Ceiling Opening: 4"

Mounting Plate:

9-5/8" L x 6" W

Height: 6-1/4"

Lamp:

9W Max. LED, Med. Base (Lamp not included)

Features:

- Meets CSA/UL standards
- Certified under ASTM-E283 for Airtight Construction
- Adjustable socket bracket
- Mounting bars extend from 14" to 24"
- Accommodates new ceiling up to 1-1/2" thick
- Suitable for damp location
- Approved for insulated or non insulated ceilings

INTERCHANGEABLE TRIMS - 5"D



201WH



202BZ



202CH



202PTR



202WH



204BK





207PT



207WH





216WH



Item No.	Trim	Wattage	Finishes
201WH	Step Baffle	9W PAR20/ R20 Med. Base LED	White
202BZ	Reflector		Bronze
202CH			Chrome
202PTR			Pewter
202WH			White
204BK	Wall Wash		Black
207PT	Gimbal Ring		Pewter
207WH			White
216WH	Shower		White

RECESSED

RS2000GAT-LED - 4" AIRTIGHT IC HOUSING/ GU10 BASE



RS2000GAT-LED

Ceiling Opening: 4"

Mounting Plate:

8-1/2" L x 5-1/2" W

Height: 5-1/2"

Lamp:

7W Max. LED, GU10 Base (Lamp not included)

Features:

- Meets CSA/UL standards
- Certified under ASTM-E283 for Airtight Construction
- Adjustable socket bracket
- Mounting bars extend from 14" to 24"
- Accommodates new ceiling up to 1-1/2" thick
- Suitable for damp location
- Approved for insulated or non insulated ceilings

INTERCHANGEABLE TRIMS



401WH



402BLK



402CH



407WH



416WH



432BN/AM




433AC



433BZ




437BZ



Item No.	Trim	Wattage	Dim.	Finishes
401WH	Step Baffle	7W MR16 GU10 Base LED	5" D	White
402BLK	Reflector			Black
402CH				Chrome
407WH	Gimble Ring			White
416WH	Shower		White	
432BN/AM	Decorative		5" D x 1-3/4" H	Brushed Nickel
433AC	Gimbal Ring	5" D	Antique Copper	
433BZ			Bronze	
437BZ	Regressed Gimbal Ring		Bronze	

RECESSED

RS3000AT-LED - 5" AIRTIGHT IC HOUSING/ MED. BASE




RS3000AT-LED
 Ceiling Opening: 5-3/8"
 Mounting Plate:
 9-3/8" L x 6-5/8" W
 Height: 7-5/8"

Lamp:
 15W Max. LED, Med. Base (Lamp not included)

Features:

- Meets CSA/UL standards
- Certified under ASTM-E283 for Airtight Construction
- Adjustable socket bracket
- Mounting bars extend from 14" to 24"
- Accommodates new ceiling up to 1-1/2" thick
- Suitable for damp location
- Approved for insulated or non insulated ceilings

INTERCHANGEABLE TRIMS - 6-1/2"D



302PT



308PT



309WH



310BZ



310CL



310PT



316WH

Item No.	Trim	Wattage	Finishes
302PT	Open	15W LED Med. Base, PAR20	Pewter
308	Gimbal Ring	15W LED Med. Base, PAR20	WH- White
309	Step Baffle	15W LED Med. Base, PAR30/ BR30	WH- White
310	Reflector	15W LED Med. Base, PAR30/ BR30	BZ- Bronze CL- Chrome PT- Pewter
316WH	Shower Trim with Frosted Glass	15W LED Med. Base, A19	White

• All fixtures are compatible with LED equivalent lamps


RECESSED

RS5000AT-LED - 6" AIRTIGHT IC HOUSING/ MED. BASE



RS5000AT-LED


Ceiling Opening: 6-1/4"
 Mounting Plate:
 10-3/4" L x 7-1/4" W
 Height: 7-1/2"
 Lamp: 18W Max. LED, Med. Base
 (Lamp not included)



Features:

- Meets CSA/UL standards
- Certified under ASTM-E283 for Airtight Construction
- Adjustable socket bracket
- Mounting bars extend from 14" to 24"
- 7-1/2" height allows for use in 2" x 8" joist construction or higher
- Accommodates new ceiling up to 1-1/2" thick
- Suitable for damp location
- Approved for insulated or non insulated ceilings

INTERCHANGEABLE TRIMS - 7-3/4" D



Item No.	Trim	Wattage	Finishes
502WH	Open	18W PAR30/ BR30	White
505WH	Shower Trim with Plastic Lens	18W A19	White
508BLK	2 pcs Step Baffle	18W PAR38	Black
508BLK-1	1 pc Step Baffle		
508WH	2 pcs Step Baffle		White
508WH-1	1 pc Step Baffle		
509BLK	2 pcs Step Baffle	18W PAR30/ BR30	Black
509BLK-1	1 pc Step Baffle		
509BZ	Step Baffle		Bronze
509PT			
509WH	2 pcs Step Baffle	White	
509WH-1	1 pc Step Baffle		
510BZ	Reflector	18W PAR30/ BR30	Bronze
510CH			Chrome
514BLK	Step Baffle	18W PAR30/ BR30	Black
516WH	Shower Trim with Frosted Glass	18W A19	White
519PT	Gimbal Ring	18W PAR30	Pewter
522CL	Deep Reflector	18W A19	Clear

RECESSED

4" HOUSINGS 50W PAR20/R20 or LED Equivalent

4" LINE VOLTAGE NON IC RETROFIT SHALLOW HOUSING



RS2000R-S




RS2000R-PLATE

RS2000R-S

Ceiling Opening: 4-1/8"
 Height: 4-5/8"
 Lamp:
 50W Max. Med. Base PAR20

Features:

- Meets CSA/UL standards
- Thermally protected
- Adjustable socket bracket
- Accommodates ceiling up to 1" thick
- Suitable for damp location
- Optional premounting plate available for new constructions (RS2000R-PLATE)



Optional Plate for 4" RS2000R-G

New construction premounting plate for 4" Retrofit Housing.

1. Slot size offers flexibility
2. Slot Length 4-5/8" x 3/16"
3. Plate Size: 13-1/4"L x 6-1/2"W

4" LINE VOLTAGE NON IC HOUSING




RS2000

RS2000

Ceiling Opening: 4-1/4"
 Mounting Plate:
 8"L x 5-3/4"W
 Height: 5-3/4"
 Lamp:
 50W Max. Med. Base PAR20/ R20

Features:


- Meets CSA/UL standards
- Thermally protected
- Adjustable socket bracket
- Mounting bars extend from 14" to 24"
- Housing adjusts 1-1/2", vertically in mounting band and may be removed to access junction box after installation
- Accommodates new ceiling up to 1-1/2" thick
- Suitable for damp location



INTERCHANGEABLE TRIMS - 5"D



201WH



204BK



202BZ



202WH



202CH



202PTR





207PT



207WH



216WH



Item No.	Trim	Wattage	Finishes
201WH	Step Baffle	9W PAR20/ R20 Med. Base LED	White
202BZ	Reflector		Bronze
202CH			Chrome
202PTR			Pewter
202WH	Wall Wash		White
204BK			Black
207PT			Pewter
207WH	Gimbal Ring		White
216WH	Shower		White

• All fixtures are compatible with LED equivalent lamps

RECESSED

5" HOUSINGS PAR20/30, BR30 or LED Equivalent

5" LINE VOLTAGE NON IC HOUSING




RS3000B

RS3000B

Ceiling Opening: 5-1/2"
Mounting Plate:
10-1/2" L X 6-3/4" W
Height: 7-1/2"
Lamp: 75W Max. Med. Base
PAR30 / 65W BR30

Features:

- Meets CSA/UL standards
- Thermally protected
- Adjustable socket bracket
- Mounting bars extend from 14" to 24"
- Accommodates new ceiling up to 1-1/2" thick
- Suitable for damp location



5" LINE VOLTAGE NON IC RETROFIT HOUSING




RS3000R

RS3000R

Ceiling Opening: 5-1/2"
Height: 8"
Lamp: 75W Max. Med. Base
PAR30 / 65W BR30

Features:

- Meets CSA/UL standards
- Thermally protected
- Adjustable socket bracket
- Accommodates ceiling up to 1" thick
- Suitable for damp location



5" LINE VOLTAGE AIRTIGHT IC RETROFIT HOUSING




RS3000R-AT

RS3000R-AT

Ceiling Opening: 5-1/2"
Height: 8"
Lamp:
50W Max. Med. Base PAR30

Features:

- Meets CSA/UL standards
- Thermally protected
- Adjustable socket bracket
- Meets Washington State energy code standards
- Accommodates ceiling up to 1" thick
- Suitable for damp location
- Approved for insulated ceilings



RECESSED

5" HOUSINGS & TRIMS PAR30

5" LINE VOLTAGE AIRTIGHT IC HOUSING




RS3000B-S

RS3000B-S


Ceiling Opening: 5-1/2"
 Mounting Plate:
 10-1/4" L x 6-3/4" W
 Height: 5-1/2"
 Lamp:
 50W Max. Med. Base PAR30

Features:

- Meets CSA/UL standards
- Thermally protected
- Adjustable socket bracket
- Mounting bars extend from 14" to 24"
- Meets Washington State energy code standards
- Accommodates new ceiling up to 1-1/2" thick
- Suitable for damp location
- Approved for insulated ceilings



INTERCHANGEABLE TRIMS - 6-1/2"D



302PT



308PT




309WH



310BZ



310CL



310PT





316WH

Item No.	Trim	Wattage	Finishes
302PT	Open	15W LED Med. Base, PAR20	Pewter
308	Gimbal Ring	15W LED Med. Base, PAR20	WH- White
309	Step Baffle	15W LED Med. Base, PAR30/ BR30	WH- White
310	Reflector	15W LED Med. Base, PAR30/ BR30	BZ- Bronze CL- Chrome PT- Pewter
316WH	Shower Trim with Frosted Glass	15W LED Med. Base, A19	White

RECESSED

6" COMPACT FLUORESCENT HORIZONTAL LAMPING

6" COMPACT FLUORESCENT NON IC HORIZONTAL



Item No.	RH5000-213E (2 x 13W DTT) RH5000-226E (2 x 26W TTT)
Ceiling Opening	6-3/8"
Mounting Plate	12-1/2" L x 9" W
Height	3-1/2"
Features	Mounting bars extend from 14" to 24"
	Meets CSA/UL standards
	Program start, HPF thermally protected ballast fused, dual voltage 120-277V
	Accommodates new ceiling up to 1-1/2" thick
	Suitable for damp location
	Listed for through branch circuit wiring.


INTERCHANGEABLE TRIMS



600CH



622WH



Item No.	Trim	Dim.	Finishes
600CH	Open Reflector	7"D x 5"H	Chrome
604CH	Cross Baffle	7"D x 5"H	Chrome
622WH	Regressed Lens Approved for Showers	7"D x 5"H	White



FIXED TRACK

One of the most common uses for track lighting is to emphasize a design element such as a fireplace or to showcase a work of art. Available in a wide range of styles, finishes and sizes, our track lighting selection offers many choices.



FIXED TRACK


Brushed Nickel (BN) Finish with Frosted/ Clear Edges Glass



Item No.	Dimensions	Details
753242BN	14-3/4"L x 5-1/2"W x 6"H	2 x 50W GU10 Base Shielded
753243BN	22-3/8"L x 5-1/2"W x 6"H	3 x 50W GU10 Base Shielded
753244BN	29-1/2"L x 5-1/2"W x 6"H	4 x 50W GU10 Base Shielded

FIXED TRACK

Brushed Nickel (BN)



Item No.	Shade	Dimensions	Details
755592BN	Metal	15" L x 4-3/4" W x 6-1/4" H	2 x 50W GU10 Base Shielded
755593BN		25" L x 4-3/4" W x 6-1/4" H	3 x 50W GU10 Base Shielded
755594BN		35" L x 4-3/4" W x 6-1/4" H	4 x 50W GU10 Base Shielded
755596BN		Metal with Flexible Arms	61" L x 4-3/4" W x 6-1/4" H
755597BN	Metal	4-3/4" D x 5" H	1 x 50W GU10 Base Shielded
755598BN		7" D x 5" H	2 x 50W GU10 Base Shielded
755599BN		10-1/8" D x 5" H	3 x 50W GU10 Base Shielded

• All fixtures are compatible with LED equivalent lamps

FIXED TRACK- LUNA

Brushed Nickel with Frosted Glass (BN/FR)



753601BN/FR



753602BN/FR



753603BN/FR



753612BN/FR



753613BN/FR



753614BN/FR

Item No.	Dimensions	Details
753601BN/FR	5"D x 6-1/2"H	1 x 50W GU10 Base Shielded
753602BN/FR	5"D x 6-3/4"H	2 x 50W GU10 Base Shielded
753603BN/FR	10"D x 6-1/2"H	3 x 50W GU10 Base Shielded
753612BN/FR	19"L x 4-3/4"W x 8-1/4"H	2 x 50W GU10 Base Shielded
753613BN/FR	31-1/2"L x 4-3/4"W x 8-1/4"H	3 x 50W GU10 Base Shielded
753614BN/FR	34"L x 4-3/4"W x 8-1/4"H	4 x 50W GU10 Base Shielded

FIXED TRACK- LUNA

Old Bronze with Marbled Glass (OBZ/MB)



753701OBZ/MB



753702OBZ/MB



753703OBZ/MB



753712OBZ/MB



753713OBZ/MB



753714OBZ/MB

Item No.	Dimensions	Details
753701OBZ/MB	5"D x 6-1/2"H	1 x 50W GU10 Base Shielded
753702OBZ/MB	5"D x 6-3/4"H	2 x 50W GU10 Base Shielded
753703OBZ/MB	10"D x 6-1/2"H	3 x 50W GU10 Base Shielded
753712OBZ/MB	19"L x 4-3/4"W x 8-1/4"H	2 x 50W GU10 Base Shielded
753713OBZ/MB	31-1/2"L x 4-3/4"W x 8-1/4"H	3 x 50W GU10 Base Shielded
753714OBZ/MB	34"L x 4-3/4"W x 8-1/4"H	4 x 50W GU10 Base Shielded

• All fixtures are compatible with LED equivalent lamps

FIXED TRACK- LUNA III

Brushed Nickel with Frosted Glass (BN/FR)



754181BN/FR



754182BN/FR



754183BN/FR



754172BN/FR



754173BN/FR



754174BN/FR

Item No.	Dimensions	Details
754172BN/FR	15-1/4"L x 5-1/8"W x 6-3/4"H	2 x 60W Med. Base, A15 or R20
754173BN/FR	23"L x 5-1/8"W x 6-3/4"H	3 x 60W Med. Base, A15 or R20
754174BN/FR	26-1/2"L x 5-1/8"W x 6-3/4"H	4 x 60W Med. Base, A15 or R20
754181BN/FR	5-1/8"D x 7-3/8"H	1 x 60W Med. Base, A15 or R20
754182BN/FR	5-1/8"D x 7-3/8"H	2 x 60W Med. Base, A15 or R20
754183BN/FR	10"D x 7-1/4"H	3 x 60W Med. Base, A15 or R20

FIXED TRACK- LUNA III

Old Bronze with Frosted Glass (OBZ/FR)



754181OBZ/FR



754182OBZ/FR



754183OBZ/FR



754172OBZ/FR



754173OBZ/FR



754174OBZ/FR

Item No.	Dimensions	Details
754172OBZ/FR	15-1/4"L x 5-1/8"W x 6-3/4"H	2 x 60W Med. Base, A15 or R20
754173OBZ/FR	23"L x 5-1/8"W x 6-3/4"H	3 x 60W Med. Base, A15 or R20
754174OBZ/FR	26-1/2"L x 5-1/8"W x 6-3/4"H	4 x 60W Med. Base, A15 or R20
754181OBZ/FR	5-1/8"D x 7-1/8"H	1 x 60W Med. Base, A15 or R20
754182OBZ/FR	5-1/8"D x 7-3/8"H	2 x 60W Med. Base, A15 or R20
754183OBZ/FR	10"D x 7-1/4"H	3 x 60W Med. Base, A15 or R20

• All fixtures are compatible with LED equivalent lamps

FIXED TRACK- JAYDEN


Polished Chrome (CH) with Chrome Mirrored Glass



753237CH



753232CH



753234CH

Item No.	Dimensions	Details
753232CH	15"L x 4-3/4"W x 7-1/8"H	2 x 50W GU10 Base Shielded
753234CH	34"L x 4-3/4"W x 7-1/8"H	4 x 50W GU10 Base Shielded
753237CH	4-3/4"D x 5-7/8"H	1 x 50W GU10 Base Shielded



MODULAR TRACK

If traditional lighting is a problem, modular track lighting may be the answer. It is a perfect option to recessed lighting. You can add interest to your room by focusing track lighting on artwork, architectural features or specific areas.



MODULAR TRACK



70318-1C BK



70318-1C WH

Item No.	Dimensions	Details	Finishes
70318-1C	4-3/4"D x 5-1/2"H	Halogen GU10 Base Shielded Lamp, 50W	Black, White

Halogen GU10 Base Shielded Lamps , 50W



70320BZ



70325BN



70326BN



70329BN

Item No.	Dimensions	Finishes
70320BZ	3-1/2"L x 3"W x 5-7/8"H	Bronze
70325BN	2-3/4"L x 2-1/8"W x 5-1/2"H	Brushed Nickel
70326BN	3-1/8"L x 2-3/8"W x 5-1/8"H	Brushed Nickel
70329BN	4-3/8"L x 4-3/8"W x 6"H	Brushed Nickel

MODULAR TRACK



70318BK-HEAD



70318BZ



70318PTR-HEAD



70318WH-HEAD

Item No.	Dimensions	Details	Finishes
70318	2-1/4"L x 2-1/4"W x 6-1/2"H	Halogen GU10 Base Shielded Lamp, 50W	Black, Bronze, Pewter, White



70123BZ



70123PT



70347BK



70347WH

Item No.	Glass	Dimensions	Details	Finishes
70123	-	4-1/8"L x 3-3/4"W x 7-1/2"H	Medium Base, PAR20 Lamp, 50W	Bronze, Pewter
70347	-	2-3/8"D x 6-1/2"H	Halogen GU10 Base Shielded Lamp, 50W	Black, White



70335BN/WH



70315WH/WH



70317BK



70317WH

Item No.	Glass	Dimensions	Details	Finishes
70314BN/WH	White	5-1/2"L x 2-3/4"W x 5-1/2"H	Halogen GU10 Base Shielded Lamp, 50W	Brushed Nickel
70317BK	Black	2-1/4"D x 6-1/2"H	Halogen GU10 Base Shielded Lamp, 50W	Black
70317WH	White	2-1/4"D x 6-1/2"H	Halogen GU10 Base Shielded Lamp, 50W	White
70335BN/WH	White	2-7/8"L x 2-1/2"W x 5-1/2"H	Halogen GU10 Base Shielded Lamp, 50W	Brushed Nickel

• All fixtures are compatible with LED equivalent lamps

MODULAR TRACK

Medium Base PAR 20 Lamp, 50W



70220BLK-HEAD



70220PTR-HEAD



70220WH-HEAD

Item No.	Dimensions	Finishes
70220	4-3/8"L x 3-7/8"W x 7-1/2"H	Black, Pewter, White

Medium Base PAR 30 Lamp, 50W



70221BLK-HEAD



70221PTR-HEAD



70221WH-HEAD

Item No.	Dimensions	Finishes
70221	4-3/4"L x 5-1/4"W x 9"H	Black, Pewter, White

Medium Base PAR20/ PAR30/ PAR38 Lamp, 150W Max.



70701BK



70701BN



70701WH

Item No.	Dimensions	Finishes
70701	4-3/8"L x 3-7/8"W x 7-1/2"H	Black, Brushed Nickel, White

MODULAR TRACK

Halogen MR16 12V Shielded Lamps, 50W



70118-1C BZ



70135BN/WH



70135BZ/WH

Item No.	Glass	Dimensions	Finishes
70118-1C BZ	Clear Lens	4-3/4"D x 6-1/4"H	Bronze
70135BN/WH	White	3-5/8"L x 2-1/2"W x 6-3/8"H	Brushed Nickel
70135BZ/WH	White		Bronze

Halogen MR16 12V Shielded Lamp, 50W



70113BZ



70114AC/WH



70119BZ



70120BZ

Item No.	Dimensions	Finishes
70113BZ	3-5/8"L x 3-1/8"W x 6"H	Bronze
70114AC/WH	5-1/2"L x 2-3/4"W x 5-3/8"H	Antique Copper
70119BZ	3-5/8"L x 3-1/8"W x 6"H	Bronze
70120BZ	4"L x 3"W x 6"H	Bronze

• All fixtures are compatible with LED equivalent lamps

MODULAR TRACK

Track Accessories

Select from a wide assortment of track sizes, finishes, connectors and power feeds to create your own custom system.

Finishes: Black (BLK), Bronze (BZ), Pewter (PTR), White (WH)


Floating Canopy - Allows for power anywhere along the length of track



A-12 BLK



A-12 BZ



A-12 PTR




A-12 WH

Mono-Point - Feeds power to single track head



6-MONO POINT-BK



6-MONO POINT-BZ



6-MONO POINT-PT



6-MONO POINT-WH

Track Hook - For attaching pendants to track



A-HOOK BLK



A-HOOK BZ



A-HOOK PTR



A-HOOK-2 WH

All Tracks Available in 2', 4', 6' and 8'



Black (BLK)



Bronze (BZ)



Pewter (PTR)



White (WH)

Item No.	Dimensions	Finishes
TK2	2' length	Black, Bronze, Pewter, White
TK4	4' length	
TK6	6' length	
TK8	8' length	

MODULAR TRACK

Track Accessories

Select from a wide assortment of track sizes, finishes, connectors and power feeds to create your own custom system.

Finishes: Black (BK), Bronze (BZ), Pewter (PT), White (WH)

Mini Joiner - Joins two track sections end to end




A-1 BLK



A-1 BZ



A-1 PTR



A-1 WH

L-Connector - Joins track sections end to end at 90°



A-2 BLK



A-2 BZ



A-2 PTR



A-2 WH

T - Connector - Joins three track sections at 90°



A-3 BLK



A-3 BZ



A-3 PT



A-3 WHITE

Live End Conduit Connector



A-4 BK



A-4 BZ



A-4 PT



A-4 WH

Flex Connector - Joins two track sections at varying angles up to 90° or allows wall and ceiling installations from same power feed.



A-5 BLK



A-5 BZ



A-5 PT



A-5 WHT

Live End - Feed power at end of track section.



A-8 BLK



A-8 BZ



A-8 PTR



A-8 WH




OUTDOOR

Outdoor lighting creates the first impression of your home during the evening. Our outdoor hanging fixtures, wall lanterns and post lanterns are available in many styles to complement the architecture of your home and provide safety and security after the sun goes down.



OUTDOOR

Black or Grey Step Lights - Integral LED, 3000K



Cast-aluminum housing with corrosion-resistant paint in Black or Grey finish. ADA compliant. Horizontal Louver Recessed Step Light adds additional diffusion to its energy efficient LED light source. The horizontal louvers help guide the light towards your steps and walkways, preventing any glaring hotspots while illuminating your path.

Housings:

L223480BK-HSG
L223480GY-HSG

Finish Kit:


L223480BK0830 (8W/ 3000K)
L223480BK0840 (8W/ 4000K)
L223480GY0830 (8W/ 3000K)
L223480GY0840 (8W/ 4000K)
L223480BK1230 (12W/ 3000K)
L223480BK1240 (12W/ 4000K)
L223480GY1230 (12W/ 3000K)
L223480GY1240 (12W/ 4000K)

Details:

- Material: Cast-Aluminum
- IP65 rated, suitable for interior or exterior
- Built-in enclosed driver
- 8Watt/ Total Lumens: 1107 lm/ Delivered Lumens: 107 lm
- 12Watt/ Total Lumens: 1600 lm/ Delivered Lumens: 192 lm
- Color Temp.: 3000K, 4000K optional
- CSA or Equivalent



• All fixtures are compatible with LED



OUTDOOR

Black Recessed Step Light



Housings:

L223480BK-HSG

Finish Kit:



L223481BK0830 (8W/ 3000K)
L223481BK0840 (8W/ 4000K)
L223481BK1230 (12W/ 3000K)
L223481BK1240 (12W/ 4000K)

Cast-aluminum housing with corrosion-resistant paint in black finish. ADA compliant. Ribbed interior design adds additional diffusion to its energy efficient LED light source, and help guide the light towards your steps and walkways, preventing any glaring hotspots while illuminating your path.

Details:


- Material: Cast-Aluminum
- IP66 rated, suitable for interior or exterior
- Built-in enclosed driver
- 8Watt/ Total Lumens: 1107 lm (3000K, 4000K)
Delivered Lumens: 188 lm (3000K), 198 lm (4000K)
- 12Watt/ Total Lumens: 1600 lm/ Delivered Lumens: 296 lm
- CSA or Equivalent

Photometrics available upon request



OUTDOOR

Dimmable LED Outdoor Aluminum Recessed Step Light - Mounts to Standard Switch Box



L225570BK



L225560BK

Item No.	Dimensions	Details	Finishes
L225560BK	4-3/4"W x 2-7/8"H	3W Integral LED, IP44 Rated/ TL:300 lm/ DL:100 lm, 3000K	BK (Black)
L225570BK	2-7/8"W x 4-3/4"H	3W Integral LED, IP44 Rated/ TL:300 lm/ DL:70 lm, 3000K	

TL: Total Lumens, DL: Delivered Lumens

Dimmable LED Outdoor Aluminum Directional Light.



L725551BK



with stem (included)

Item No.	Dimensions	Details	Finishes
L725551BK	4-3/8"D x 7-1/4"H	10W Integral LED, TL:1000 lm/ DL:900 lm, 3000K	Black

TL: Total Lumens, DL: Delivered Lumens

OUTDOOR

Black Bollard Lights - Integral LED, 3000K

High strength diecast aluminum constructions with electro static powder-coated



L324673BK



L324643BK



L324663BK



L324863BK

Item No.	Dimensions	Details	Finishes
L324643BK	4-3/4"L x 3-1/8"W x 31-1/2"H	10W Integral LED, TL:1000 lm/ DL:170 lm, 3000K	BK (Black)
L324663BK	4-3/4"L x 3-1/8"W x 31-1/2"H	10W Integral LED, TL:850 lm/ DL:600 lm, 3000K	
L324673BK	6-1/4"D x 40"H	20W Integral LED, TL:2600 lm/ DL:1162 lm, 3000K	
L324863BK	4-3/4"L x 3-1/8"W x 31-1/2"H	10W Integral LED, TL:850 lm/ DL:400 lm, 3000K	

TL: Total Lumens, DL: Delivered Lumens

OUTDOOR


Black Bollard Lights - 18W Integral LED/ 12W Med. Base LED Bulb (included)



Round Top



Flat Top

Top Cap	Round or Flat top die cast aluminum, secured with 4 allen head set screws. Inside surface painted white for improved reflectance.
Louvres	Shock resistant diecast aluminum, no glare assembly.
Shaft	0.125 inches nominal walled, 6063 extruded alluminum secured to base with 3 pieces 4 mm allen screws.
Base	High strength diecast aluminum, comes with 3 hot galvanized 0.375 x 12 inches anchor bolts, nuts and washers.
Finish	Electro static powdercoat.
Approval	
Warranty	5 years limited warranty.

Item No.	Dimensions	Details	Lamp Included	Finishes
322823BK	6"D x 31-1/2"H	Flat Top/ 11W LED A19 Bulb, TL:1100 lm/ DL:160 lm, 3000K	✓	BK (Black)
322823BK-27K	6"D x 31-1/2"H	Flat Top/ 11W LED A19 Bulb, TL:1100 lm/ DL:160 lm, 2700K	✓	
L323383BK	6"D x 31-1/2"H	Flat Top/ 18W Integral LED, TL:1710 lm/ DL:432 lm, 3000K, Dimmable	✓	
322923BK	6"D x 32"H	Round Top/ 11W LED A19 Bulb, TL:1100 lm/ DL:160 lm, 3000K	✓	
322923BK-27K	6"D x 32"H	Round Top/ 11W LED A19 Bulb, TL:1100 lm/ DL:160 lm, 2700K	✓	
L323393BK	6"D x 32"H	Round Top/ 18W Integral LED, TL:1710 lm/ DL:432 lm, 3000K, Dimmable	✓	


TL: Total Lumens, DL: Delivered Lumens

OUTDOOR

Polycarbonate Lens




312730BK



312730MS



312733BK

Item No.	Dimensions	Details	Lamp Included		Finishes
312730	9-3/4"W x 9-1/2"H x 5-1/2"E	1 x 60W Med. Base	-	-	BK (Black) MS (Matte Silver)
L312730XX009AAC*		9W 120V AC LED, TL:800 lm/ DL:560 lm, 3000K	-	-	
L312730XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L312730XX014AAC*		14W 120V AC LED, TL:1200 lm/ DL:840 lm, 3000K	-	-	
312733BK	9"D x 30"H	1 x 100W Med. Base	-	-	Black

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

OUTDOOR

Black (BK) with Clear Glass



324990BK



324980BK



324993BK



324994BK

Item No.	Category	Dimensions	Lamp Included	Details
324980BK	Wall Lantern	7"W x 15-1/2"H x 8"E	-	1 x 100W Med. Base
324990BK	Wall Lantern	8-1/4"W x 18"H x 9-3/8"E		
324993BK	Post Lantern	8-1/4"D x 20-1/2"H		
324994BK	Pendant Light	8-1/4"D x 20"H		

• All fixtures are compatible with LED equivalent lamps

OUTDOOR

Black (BK) with Clear Seeded Glass



324830BK



324820BK



324833BK



324844BK

Item No.	Category	Dimensions	Lamp Included	Details
324820BK	Wall Lantern	7"W x 12-7/8"H x 8-1/4"E	-	1 x 100W Med. Base
324830BK	Wall Lantern	9"W x 16-1/8"H x 10-1/4"E		
324833BK	Post Lantern	9"L x 9"W x 18"H		
324844BK	Pendant Light	9"L x 9"W x 18-1/8"H		

OUTDOOR

Espresso (ESP) with Clear Glass



924084ESP
Includes 6", 2 x 12", 18"
Extension Rods

924074ESP
Includes 6", 2 x 12", 18"
Extension Rods

Item No.	Category	Dimensions	Details
224070ESP	Wall Lantern	8"W x 10-1/4"H x 7-1/8"E	1 x 60W Med. Base
224080ESP		7-7/8"W x 13-7/8"H x 9"E	1 x 60W Med. Base
624086ESP	Semi-Flush Mount	7-7/8"D x 12-1/4"H	1 x 60W Med. Base
924074ESP	Mini-Pendant	8"D x 8-3/8"H; 46-1/4"OAH	1 x 60W Med. Base
924084ESP		7-7/8"D x 10-3/4"H 49-3/8"OAH	1 x 60W Med. Base

OUTDOOR

Outdoor Wall Fixture - Black (BK) Finish, 3000K



324040BK



324050BK



324270BK

324280BK



324310BK

324320BK

Item No.	Shade	Dimensions	Details	Finishes
324040BK	Clear Glass	4-7/8"W x 10-3/4"H x 6-1/4"E	1 x 100W Med. Base	Black
324050BK		6"W x 13-1/4"H x 7-1/4"E		
324270BK	Clear Glass	6-3/4"W x 7-3/4"H x 7-5/8"E	1 x 100W Med. Base	
324280BK		6-3/4"W x 9-5/8"H x 7-5/8"E		
324310BK	Frosted Glass	5"W x 8-3/4"H x 7"E	1 x 60W Med. Base	
324320BK		5"W x 10-5/8"H x 7"E		



324180BK



324190BK



324200BK



324210BK

Item No.	Shade	Dimensions	Details	Finishes
324180BK	Clear Water Glass	6-1/2"W x 12-7/8"H x 8-1/4"E	1 x 100W Med. Base	Black
324190BK		9"W x 15-3/8"H x 10-3/4"E		
324200BK	Clear Water Glass	6-1/8"W x 8-1/8"H x 7-3/8"E	1 x 100W Med. Base	
324210BK		7-7/8"W x 10-1/8"H x 8-3/4"E		

OUTDOOR



324010BK



324250BK



322950BK



322970BK

Item No.	Shade	Dimensions	Details	Lamp included	Finishes
322950BK	Polycarbonate Lens	7-1/4"W x 10-1/4"H x 4"E	1 x 60W Med. Base	-	Black
L322950BK012AAC*			12W 120V AC LED, TL:1200 lm, 3000K	✓	
322970BK	Polycarbonate Lens	5-1/8"W x 8-5/8"H x 4"E	1 x 60W Med. Base, A15	-	
L322970BK008AAC*			8W 120V AC LED, TL:800 lm, 3000K	✓	
324010BK	Clear Glass	6-3/4"W x 10-1/2"H x 7-3/4"E	1 x 100W Med. Base	-	
324250BK			1 x 100W Med. Base	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

OUTDOOR

Black (BK) with Frosted Seeded Glass




320690BK



320590BK



320490BK

Item No.	Dimensions	Details	Lamp Included	
320490BK		1 x 60W Med. Base, A15	-	-
L320490BK009AAC*	6-1/2"W x 9-1/2"H x 4-1/2"E	9W 120V AC LED, TL:800 lm/ DL:560 lm, 3000K		-
L320490BK012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L320490BK014AAC*		14W 120V AC LED, TL:1200 lm/ DL:840 lm, 3000K		-
320590BK		1 x 100W Med. Base	-	-
L320590BK009AAC*	8-1/2"W x 12-3/4"H x 5-7/8"E	9W 120V AC LED, TL:800 lm/ DL:560 lm, 3000K		-
L320590BK012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓
L320590BK014AAC*		14W 120V AC LED, TL:1200 lm/ DL:840 lm, 3000K		-
320690BK		1 x 100W Med. Base	-	-
L320690BK012A1	10-1/2"W x 16"H x 7"E	12W LED, TL:1140 lm/ DL:798 lm, 3000K		✓
L320690BK014AAC*		14W 120V AC LED, TL:1200 lm/ DL:840 lm, 3000K		-
L320690BK016A1		16W LED, TL:1520 lm/ DL:1064 lm, 3000K	✓	✓
L320690BK018AAC*		18W 120V AC LED, TL:1600 lm/ DL:1120 lm, 3000K		-
L320690BK024A1		24W LED, TL:2280 lm/ DL:1596 lm, 3000K		✓
L320690BK028AAC*		28W 120V AC LED, TL:2400 lm/ DL:1680 lm 3000K		-

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

OUTDOOR

Aluminum, Black (BK) with Clear Seeded Glass



319730BK



319740BK

Item No.	Dimensions	Details	Finishes
319730BK	6-1/8"W x 10-1/4"H x 7-1/2"E	1 x 100W Med. Base	Black
319740BK	8"W x 13-1/4"H x 9-3/4"E		

Cast Aluminum



320389BK



320440BK



320440BZ

Item No.	Shade	Dimensions	Details	Finishes
320389BK	Clear Water Glass	10-7/8"L x 10-7/8"W x 7-7/8"H	1 x 100W Med. Base	Black
320440	Frosted Seeded Glass	6-1/4"W x 14-1/2"H x 8-5/8"E	1 x 100W Med. Base	BK (Black) BZ (Bronze)

OUTDOOR

Black (BK) or Bronze (BZ) with Frosted Seeded Glass



314480BZ



314480BK


Item No.	Dimensions	Details	Finishes
314480	6-1/4"W x 10-1/2"H x 7"E	1 x 100W Med. Base	BK, BZ



312490BK



312491BK

Item No.	Shade	Dimensions	Details	Lamp Included		Finishes
312490BK	White Acrylic Lens	8-1/4"W x 9"H x 5"E	1 x 60W Med. Base, A15	-	-	BK (Black)
L312490BK009AAC*			9W 120V AC LED, TL:800 lm/ DL:560 lm, 3000K	-	-	
L312490BK012A1			12W LED, TL:1140 lm/ DL:798 lm 3000K	✓	✓	
L312490BK014AAC*			14W 120V AC LED, TL:1200 lm/ DL:840 lm 3000K	-	-	
312491BK		9-1/2"W x 11-1/2"H x 4-1/2"E	1 x 60W Med. Base, A15	-	-	
L312491BK009AAC*			9W 120V AC LED, TL:800 lm/ DL:560 lm, 3000K	-	-	
L312491BK012A1			12W LED, TL:1140 lm/ DL:798 lm 3000K	✓	✓	
L312491BK014AAC*			14W 120V AC LED, TL:1200 lm/ DL:840 lm 3000K	-	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

OUTDOOR

Oil Rubbed Bronze (ORB/FA) with Frosted Amber Seeded Glass



312030ORB/FA



312031ORB/FA

Item No.	Dimensions	Details	Finishes
312030ORB/FA	6-1/2"W x 9-1/4"H x 7-1/2"E	1 x 100W Med. Base	Oil Rubbed Bronze
312031ORB/FA	8-1/8"W x 11-3/8"H x 9-1/4"E		

Cast Aluminum Lantern



334020ORB/PA

334020BK/WL



334021BK/WL

334021ORB/PA

Item No.	Shade	Dimensions	Details	Finishes
334020BK/WL	Clear Seeded Glass	5"W x 9"H x 6-5/8"E	1 x 100W Med. Base	Black
334020ORB/PA	Peach Amber Linen			Oil Rubbed Bronze
334021BK/WL	Clear Seeded Glass	6-3/4"W x 11-5/8"H x 9"E		Black
334021ORB/PA	Peach Amber Linen			Oil Rubbed Bronze

OUTDOOR

Cast Aluminum Lantern, Black (BK) with Clear Seeded Glass



Item No.	Dimensions	Details	Finishes
311370BK	8"W x 14-1/4"H x 10-1/8"E	1 x 100W Med. Base	Black
311373BK	8"L x 8"W x 18"H		
311374BK	8"L x 8"W x 15-1/8"H		

Cast Aluminum Lantern, Black (BK) or Royal Bronze (RBZ) with Marbled Glass



Item No.	Dimensions	Details	Finishes
310796	6-3/4"W x 14-1/2"H x 8-3/4"	1 x 100W Med. Base	BLK (Black) RBZ (Royal Bronze)

OUTDOOR



312680BK



312010BK/WH

Item No.	Shade	Dimensions	Details	Finishes
312010BK/WH	White Glass	7-1/8"W x 10-1/4"H x 8"E	1 x 100W Med. Base	Black
312680BK	Marbled White Glass	6-1/2"W x 9"H x 8-1/8"E		

Cast Aluminum Lantern, Black (BK) or White (WHT) with Clear Beveled Glass



305611BLK



305611WHT

Item No.	Dimensions	Details	Finishes
305611	4-1/2"W x 8"H x 5-7/8"E	1 x 60W Med. Base	BLK, WHT

OUTDOOR

Cast Aluminum Lantern



Item No.	Shade	Dimensions	Details	Finishes
301130	Clear Glass	6-1/2"W x 15"H x 7-1/2"E	1 x 100W Med. Base	BLK (Black) WH (White)
	Frosted Glass			BK/FR (Black) WH/FR (White)
301131	Clear Glass	6-1/2"W x 15"H x 7-1/2"E	1 x 100W Med. Base	BLK (Black) WH (White)

• All fixtures are compatible with LED equivalent lamps

OUTDOOR

Cast Aluminum Lantern with Clear Glass



Item No.	Dimensions	Details	Finishes
301090	6-1/4"W x 12-1/2"H x 7-1/4"E	1 x 100W Med. Base	BLK (Black) WH (White)
301091	6-1/4"W x 17-1/2"H x 7-1/4"E		BLK (Black) WH (White)
301093	6-5/8"D x 18-1/4"H		

OUTDOOR

Cast Aluminum, All fixtures available in Antique Silver (AS), Black (BK) or White (WH) with Clear Beveled Glass



301830AS



301830BLK



301830WH

Item No.	Dimensions	Details
301830	6-1/4"W x 11-1/2"H x 7-1/2"E	1 x 100W Med. Base

Cast Aluminum with Clear Beveled Glass



301020 BLK



301020 WH



301021 WH



301021 BLK



302023BK



Item No.	Dimensions	Details	Finishes
301020	6"W x 15-3/8"H x 6-3/4"E	1 x 100W Med. Base	BLK (Black) WH (White)
301021	6"W x 15-3/8"H x 6-3/4"E		
302023 BLK	7-1/4"L x 7-1/4"W x 17-1/4"		Black

• All fixtures are compatible with LED equivalent lamps

OUTDOOR

Black (BK) or Old Bronze (OBZ) with White Marbled Glass



306100BK



306100OBZ



306120BK



306101BK



306101OBZ



306120OBZ

Item No.	Dimensions	Details	Lamp Included		Finishes
306100	6-1/4"W x 7-1/2"H x 6-1/4"E	1 x 60W Med. Base	-	-	BK, OBZ
L306100XX009AAC*		9W 120V AC LED, TL:800 lm/ DL:560 lm, 3000K	-	-	
L306100XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L306100XX014AAC*		14W 120V AC LED, TL:1200 lm/ DL:840 lm, 3000K	-	-	
306101	9"W x 10"H x 4-1/4"E	2 x 60W Med. Base	-	-	
L306101XX009AAC*		9W 120V AC LED, TL:800 lm/ DL:560 lm, 3000K	-	-	
L306101XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L306101XX014AAC*		14W 120V AC LED, TL:1200 lm/ DL:840 lm, 3000K	-	-	
306120	9"L x 9"W x 5-1/2"H	2 x 40W Med. Base	-	-	
L306120XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L306120XX014AAC*		14W 120V AC LED, TL:1200 lm/ DL:840 lm, 3000K	-	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

OUTDOOR



320107BLK



320107WH



320111BL



320111WH



313218BK



313218WH

Item No.	Shade	Dimensions	Details	Finishes
320107BLK	Clear Jam Jar Glass	4-1/2"W x 7-1/2"H x 5-1/2"E	1 x 60W Med. Base	Black
320107WH				White
320111BL	Opal White Glass	6"W x 8-1/2"H x 6-1/4"E		Black
320111WH				White
313218BK	White Glass	4-1/2"W x 6-5/8"H x 5-7/8"E		Black
313218WH				White

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

OUTDOOR

Black (BK) or White (WH)



301401 BLK



301401WH



303045 BLK




303045 WH



303218BLK



303218WH

Item No.	Shade	Dimensions	Details	Lamp Included		Finishes
301401	Frosted	9-1/8"D x 4-1/8"H	1 x 60W Med. Base, Type B	-	-	BK, WH
303045	Frosted	6"W x 9"H x 7"E	1 x 60W Med. Base	-	-	
303218	Frosted Acrylic Diffuser	7-1/2"W x 9-3/4"H x 4-1/4"E	1 x 60W Med. Base	-	-	
L303218XX009AAC*			14W 120V AC LED, TL:1200 lm/ DL:840 lm, 3000K	✓	-	
L303218XX012A1			12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L303218XX014AAC*			14W 120V AC LED, TL:1200 lm/ DL:840 lm, 3000K	✓	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens


- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

OUTDOOR


Cast Aluminum




301001BK



301000 BLK



301000 WH



Item No.	Category	Dimensions	Finishes
301000	Column Adapter	5-7/8"L x 5-7/8"W x 3-1/2"H	BK (Black) WH (White)
301001BK	Post	10"D x 71-1/4"H	Black

• All fixtures are compatible with LED equivalent lamps

OUTDOOR

Aluminum construction, All fixtures available in Black, Dimmable, 3000K

Weather Proof Lens



L325531BK




L325532BK



L325521BK



L325522BK



Item No.	Dimensions	Details	Cylinder
L325521BK	4-3/8"W x 8-1/8"H x 5-3/4"E	1 x 15W 120V AC LED, TL:1500 lm/ DL:1100 lm	4"D
L325522BK	4-3/8"W x 12-1/4"H x 5-3/4"E	2 x 15W 120V AC LED, TL:2 x 1500 lm/ DL:2 x 1050 lm	4"D
L325531BK	4-3/8"W x 6"H x 4-1/4"E	1 x 10W LED, TL:1000 lm/ DL:800 lm	2-3/4"D
L325532BK	4-3/8"W x 8"H x 4-1/4"E	2 x 10W LED, TL:2 x 1000 lm/ DL:2 x 750 lm	2-3/4"D

TL: Total Lumens, DL: Delivered Lumens

OUTDOOR

LED Outdoor Wall Light with Clear Seeded Glass, 4000K, Non-Dimmable



L325622BK



L325541BK




L325542BK

Item No.	Shade	Dimensions	Details	Finishes
L325541BK	Clear Seeded Glass	4-3/4"W x 10"H x 2-1/2"E	11W Integral LED, DL:550 lm, 4000K	Black
L325542BK	Clear Seeded Glass	6-1/2"W x 13-3/4"H x 2-1/2"E	11W Integral LED, DL:500 lm, 4000K	
L325622BK	Aluminum Shade	6"W x 6"H x 4"E	2W Integral LED, DL: 200 lm, 3000K	Matte Black

Aluminum construction, All fixtures available in Black (BK) or Matte Silver (MS), 3000K

5"D Cylinder



L323044BK



L323041BK



L323042BK



Item No.	Dimensions	Details	Lamp included
323041BK	5"W x 7-1/4"H x 7-3/4"E	1 x 75W Med. Base, BR 30/ PAR 30	-
L323041BK*		15W 120V AC LED, TL:1000 lm/ DL:800 lm, 3000K, Dimmable	✓
323042BK	5"W x 14-1/4"H x 7-3/4"E	2 x 75W Med. Base, BR 30/ PAR 30	-
L323042BK*		2 x 15W 120V AC LED, TL:2 x 1000 lm/ DL:2 x 800 lm, 3000K, Dimmable	✓
323044BK	5"D x 6-3/4"H	1 x 75W Med. Base, BR 30/ PAR 30	-
L323044BK*		15W 120V AC LED, TL:1000 lm/ DL:800 lm, 3000K, Dimmable	✓

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

• All fixtures are compatible with LED equivalent lamps

OUTDOOR

Black (BK), Satin Aluminum (SA) or White (WH), Aluminum construction with Frosted Glass, Wall or Ceiling Mount



305011 BLK



305012SA


Finishes



Black (BK)

Satin Aluminum (SA)

White (WH)

Item No.	Dimensions	Details	Lamp Included		Finishes
305011	10-1/4"D x 5-1/2"E	1 x 100W Med. Base	-	-	BK, SA, WH
L305011XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L305011XX014AAC*		14W 120V AC LED, TL:1200 lm/ DL:840 lm, 3000K	✓	-	
305012	7"D x 3-3/4"E	1 x 60W Med. Base	-	-	
L305012XX007A2		8W LED, TL:640 lm/ DL:448 lm, 3000K	✓	-	
L305012XX009AAC*		9W 120V AC LED, TL:800 lm/ DL:560 lm, 3000K	✓	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

Black (BK), Satin Aluminum (SA) or White (WH), Aluminum construction with Frosted Glass, Wall or Ceiling Mount



305111SA



305112 WH


Finishes



Black (BK)

Satin Aluminum (SA)

White (WH)

Item No.	Dimensions	Details	Lamp Included		Finishes
305111	10-1/4"D x 5-1/4"E	1 x 100W Med. Base	-	-	BK, SA, WH
L305111XX010A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L305111XX014AAC*		14W 120V AC LED, TL:1200 lm/ DL:840 lm, 3000K	✓	-	
305112	7-1/8"D x 4-1/4"E	1 x 60W Med. Base	-	-	
L305112XX007A2		8W LED, TL:640 lm/ DL:448 lm, 3000K	✓	-	
L305112XX009AAC*		9W 120V AC LED, TL:800 lm/ DL:560 lm, 3000K	✓	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

OUTDOOR

Black (BK), Satin Aluminum (SA) or White (WH), Aluminum construction with with Frosted Glass




305013SA



305014 BLK



Vertical or Horizontal Mounting




Finishes



Black (BK)

Satin Aluminum (SA)

White (WH)

Item No.	Dimensions	Details	Lamp Included		Finishes
305013	6-1/2"W x 11-1/8"H x 5"E	1 x 100W Med. Base	-	-	BK, SA, WH
L305013XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L305013XX014AAC*		14W 120V AC LED, TL:1200 lm/ DL:840 lm, 3000K	✓	-	
305014	4-1/4"W x 8-3/8"H x 4-1/2"E	1 x 60W Med. Base	-	-	
L305014XX007A2		8W LED, TL:640 lm/ DL:448 lm, 3000K	✓	-	
L305014XX009AAC*		9W 120V AC LED, TL:800 lm/ DL:560 lm, 3000K	✓	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

Black (BK), Satin Aluminum (SA) or White (WH), Aluminum construction with with Frosted Glass



305113 WH



305114SA



Vertical or Horizontal Mounting




Finishes



Black (BK)

Satin Aluminum (SA)

White (WH)

Item No.	Dimensions	Details	Lamp Included		Finishes
305113	6-1/2"W x 11-1/8"H x 4-3/4"E	1 x 100W Med. Base	-	-	BK, SA, WH
L305113XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L305113XX014AAC*		14W 120V AC LED, TL:1200 lm/ DL:840 lm, 3000K	✓	-	
305114	4-1/4"W x 8-3/8"H x 4-1/4"E	1 x 60W Med. Base	-	-	
L305114XX007A2		8W LED, TL:640 lm/ DL:448 lm, 3000K	✓	-	
L305114XX009AAC*		9W 120V AC LED, TL:800 lm/ DL:560 lm, 3000K	✓	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps

OUTDOOR

Black (BK) or Matte Silver (MS), Aluminum construction with Polycarbonate Lens, 3000K, Dimmable



L323331MS



L323332BK



L323333BK

Item No.	Dimensions	Details	Finishes
L323331*	8-3/4"D x 2-7/8"E	15W 120V AC LED, TL:1200 lm/ DL:360 lm	BK, MS
L323332*	10-7/8"D x 3-1/4"E	17W 120V AC LED, TL:1360 lm/ DL:250 lm	
L323333*	14"D x 5-5/8"E	30W 120V AC LED, TL:2500 lm/ DL:750 lm	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

Black (BK) or Matte Silver (MS), Aluminum construction with Polycarbonate Lens, 3000K, Dimmable, Wall or Ceiling Mount



L323311MS



L323312BK



L323313MS

Item No.	Dimensions	Details	Finishes
L323311*	8-3/4"D x 2-5/8"E	15W 120V AC LED, TL:1200 lm/ DL:400 lm	BK, MS
L323312*	10-7/8"D x 3"E	17W 120V AC LED, TL:1360 lm/ DL:450 lm	
L323313*	14"D x 5"E	30W 120V AC LED, TL:2500 lm/ DL:825 lm	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

OUTDOOR

Black (BK), Satin Aluminum (SA) or White (WH), Aluminum construction with with Frosted Glass




305561 BLK



305561SA



305561WHT

Item No.	Dimensions	Details	Lamp Included		Finishes
305561	10-1/4"D x 5-1/2"E	1 x 100W Med. Base,	-	-	BK, SA, WH
L305561XX010A1		12W LED, TL:1140 lm/ DL:684 lm, 3000K	✓	✓	
L305561XX014AAC*		14W 120V AC LED, TL:1200 lm/ DL:720 lm, 3000K	✓	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

Black (BK), Satin Aluminum (SA) or White (WH), Aluminum construction with with Frosted Glass




305562BLK



305562SA



305562WH

Item No.	Dimensions	Details	Lamp Included		Finishes
305562	11-1/8"W x 6-1/2"H x 5-1/2"E	1 x 100W Med. Base,	-	-	BK, SA, WH
L305562XX012A1		12W LED, TL:1140 lm/ DL:798 lm, 3000K	✓	✓	
L305562XX014AAC*		14W 120V AC LED, TL:1200 lm/ DL:720 lm, 3000K	✓	-	

*Dimmable (please check our website for dimmer list) / TL: Total Lumens, DL: Delivered Lumens

- For other color temperatures, photometric data, dimming and voltage options, please consult factory
- All fixtures are compatible with LED equivalent lamps




UNDERCABINET

Whether to showcase your fine china and collectibles in a cabinet or to provide task lighting above a kitchen counter, our undercabinet lights are available in slim-line energy efficient fluorescent or LED systems.



UNDERCABINET

White LED Mini Strip Light, with On/Off Switch



Item No.	Dimensions	CRI	Details	Finishes
L420809WH	9\"/>			

Features & Benefits	LED undercabinet mini strip light.
	Comes with on/ off switch except L420809WH
	Aluminum construction with polycarbonate shatter-guard lens.
	Strip lights are finished in white and can be linked together.
	Suitable for portable or hardwire installations.
	Link up to 10 fixtures.
	Dimmable with compatible LED dimmers.
	Quick and easy installation.
Applications	Shelving units.
	Kitchen cupboards and counters.
	Hobby/ work spaces.
	Backlighting for signs.
	Retail showcases.

Available accessories
(sold separately)



Link Connector (included)



Hardwire Box with On/Off Switch
(sold separately)



Flexible Connector (sold separately)



UNDERCABINET

Fluorescent T5 Mini Strip Lights, 3200K, White Finish



Item No.	Description	Dimensions	Details	Finishes
420014WH	On/Off Switch	22-1/2"L x 1"W x 1-3/4"H	1 x 14W T5 (Included)	White
420021WH	On/Off Switch	34-1/2"L x 1"W x 1-3/4"H	1 x 21W T5 (Included)	
420035WH	On/Off Switch	58"L x 1"W x 1-3/4"H	1 x 35W T5 (Included)	




Kit Includes	Aluminum fixture
	Energy-saving T5 fluorescent triphosphor lamp
	Mounting hardware
	Plastic end cap
	Link connector
	Polycarbonate shatter-guard lens
Features	Can be hardwired or connected to 6-ft. grounded power cord (hardwire box, power cord sold separately)
	No hum, no flicker with instant-start built-in electronic ballast
	Convenient on/off rocker switch (except 6W)
	Quick and easy installation with snap-in mounting brackets
	Link up to 10 fixtures
	Small lamp sockets provide more continuous illumination when fixtures are linked
	Shatter-guard lens is easily removed and replaced during lamp changing
Applications	Shelving units
	Kitchen cupboards and counters
	Hobby/ work spaces
	Backlighting for signs
	Retail showcases

UNDERCABINET

FLUORESCENT T5 MINI STRIP LIGHTS, 4100K, WHITE FINISH



Available Accessories



Item No.	Description	Dimensions	Details	Finishes
4200WH-CON-B	Connector Box	4-3/8" L x 2-3/8" W x 1-1/2" H	-	White
4200WH-CORD-6	6-Foot Cord	72" L	-	
4200WH-CW	Connector Cord	6" or 12" or 24" L	-	
420106WH	-	9-3/8" L x 1" W x 1-3/4" H	1 x 6W T5 (Included)	
420121WH	On/Off Switch	34-1/2" L x 1" W x 1-3/4" H	1 x 21W T5 (Included)	
420128WH	On/Off Switch	46-1/4" L x 1" W x 1-3/4" H	1 x 28W T5 (Included)	
420135WH	On/Off Switch	58" L x 1" W x 1-3/4" H	1 x 35W T5 (Included)	

• All fixtures are compatible with LED equivalent lamps

LED LIGHT BULBS

LED Light Bulb/ Med. Base(E26), Type A19/ ENERGY STAR Certified
3-Year Warranty/ 15,000 Hours Life.



Item No.	Description	Dimensions	Details	CRI	Beam Angle
LED-A19-9A1	Non Dimmable/ Non Enclosed	2-3/8"D x 4-1/8"H	9W 3000K/ 800 lm	80	230°
LED-A19-9A1D	Dimmable/ Enclosed	2-3/8"D x 4-1/8"H	9W 3000K/ 800 lm	80	230°
LED-A19-9C1D	Dimmable/ Enclosed	2-3/8"D x 4-1/8"H	9W 4000K/ 800 lm	80	230°
LED-A19-9D1D	Dimmable/ Enclosed	2-3/8"D x 4-1/8"H	9W 2700K/ 800 lm	80	230°
LED-A19-11A1D	Dimmable/ Enclosed	2-3/8"D x 4-1/2"H	11W 3000K/ 1100 lm	80	230°
LED-A19-11D1D	Dimmable/ Enclosed	2-3/8"D x 4-1/2"H	11W 2700K/ 1100 lm	80	230°

LED Light Bulb/ ENERGY STAR Certified/ 3-Year Warranty/ 15,000 Hours Life.



LED-FST20-5D1D



LED-FA19-7A1D



LED-FB11-4A1D

Item No.	Description	Dimensions	Details	CRI	Base	Shape	Beam Angle
LED-FA19-7A1D	Dimmable/ Enclosed	2-3/8"D x 4"H	7W 3000K/ 800 lm	80	E26	A19	330°
LED-FB11-4A1D	Dimmable/ Enclosed	1-3/8"D x 3-7/8"H	4W 3000K/ 330 lm	80	E12	B11	300°
LED-FST20-5D1D	Dimmable/ Enclosed	2-1/2"D x 5-1/2"H	5W 2700K/ 450 lm	80	E26	ST20	300°

LED LIGHT BULBS


LED Light Bulb/ 3-Year Warranty/ 15,000 Hours Life.



LED-GU10-5A1D
LED-GU10-6.5A1D



LED-G9-5A2D
LED-G9-5C2D

Item No.	Description	Dimensions	Details	CRI	Beam Angle	
LED-G9-5A2D	Dimmable/ Enclosed	5/8"D x 2-5/8"H	5W 3000K/ 450 lm	80	260°	-
LED-G9-5C2D	Dimmable/ Enclosed	5/8"D x 2-5/8"H	5W 4000K/ 450 lm	80	260°	-
LED-GU10-5A1D	Dimmable/ Enclosed	2"D x 2"H	5W 3000K/ 350 lm	80	40°	✓
LED-GU10-6.5A1D	Dimmable/ Enclosed	2"D x 2"H	6.5W 3000K/ 500 lm	80	40°	✓

LED Light Bulb/ ENERGY STAR Certified/ 3-Year Warranty/ 15,000 Hours Life.



LED-PAR30S10A1D



LED-PAR20-7A1D







Item No.	Description	Dimensions	Details	CRI	Base	Shape	Beam Angle
LED-PAR20-7A1D	Dimmable/ Enclosed	2-1/2"D x 3-1/4"H	7W 3000K/ 500 lm	80	E26	PAR20	40°
LED-PAR30S10A1D	Dimmable/ Enclosed	3-5/8"D x 3-1/4"H	10W 3000K/ 800 lm	80	E26	PAR30	40°

SMART SWITCH

Single Pole and 3-Way Wi-Fi Smart Dimmer Switch



DIM-WIFISMARTU

-  Timer Setting
-  Voice Control (Google Home/ Alexa)
-  Wi-Fi Connection
-  Remote Control
-  Dimming Function
-  Night Light

Item No.	Dimensions	Incandescent LED Max. Load
DIM-WIFISMARTU	1-3/4"W x 4-1/8"W x 1-3/8"H	300W/ 300W

180° PIR Wall Switch Occupancy & Vacancy Sensor.



YM2108

120/277V, Time Delay: 15s-1min-5min-15min-30min, Rated 5VA, Temperature Rating 0°C~55°C

Single Pole and 3-Way Dimmer Switch



DIM-SMARTU



DIM-TRIAC/A



DIM-TRIAC/B

Item No.	Description	Dimensions	Incandescent/ LED Max. Load	Night Light
DIM-SMARTU	3-Way Smart Dimmer	1-3/4"W x 4-1/8"W x 1-3/8"H	300W/ 300W	Yes
DIM-TRIAC/A	3-Way Dimmer	1-3/4"W x 4-1/8"W x 1-3/8"H	600W/ 200W	No
DIM-TRIAC/B	3-Way Dimmer	1-3/4"W x 4-1/8"W x 1-3/8"H	600W/ 200W	No



REPLACEMENT PARTS

Keeping the lights on can be a job in and of itself, as components and parts can suddenly stop working, requiring replacement. Galaxy Lighting offers a variety of replacement bulbs, holders, glass shades and other lighting accessories to help keep things working.



REPLACEMENT PARTS

			
FCL-22CW (22W) FCL-32CW (32W) FCL-40CW (40W)	G9-20W/2 (20W)	G9-40W (40W)	JC-20W-XENON (20W)
2700K or 3500K	Twin Pack, Compact Size, Higher Brightness, Energy Saving, Gentle Beam	Compact Size, Higher Brightness, Energy Saving, Gentle Beam	Compact Size, Bright White Light, Energy Saving, Long Life, Fully Dimmable

				
GU10-S 35	GU10-S 50/FR	T5 (3200K)	T5 (3500K)	T5 (4100K)
35W MR16-GU10 120Volt with Clear Lens	50W MR16-GU10 120Volt with Frosted Glass and Clear Lens	Wattage available: 8W, 14W, 28W Energy Saving, Long Life, Flicker Free, Slim Design	Wattage available: 13W Energy Saving, Long Life, Flicker Free, Slim Design	Wattage available: 6W, 21W, 28W or 35W Energy Saving, Long Life, Flicker Free, Slim Design

REPLACEMENT PARTS

All shades fit holders (2-1/4"), (RING-851904-PB and RING-851904-WH fit to G851904 or G851904-FR)

					
GSG-019	GSG-127 FROST	GSG-495 FROST	GSG-81	GSG-126	GSG-126FR
Frosted Glass 5-1/8"D x 4-1/8"H	Frosted Glass 6"D x 4-5/8"H	Frosted Glass 6"D x 5-3/8"H	Floral Glass 5-3/8"D x 5"H	Square Clear Glass 5"L x 5"W x 4-5/8"H	Square Frosted Glass 5"L x 5"W x 4-5/8"H

					
GSG-606	G851904	RING-851904-PB	G851904-FR	RING-851904-WH	12302-G
Marbled Glass 6"D x 4-5/8"H	Clear Glass 6-1/2"D x 3-1/2"H	Polished Brass 7-5/8"D	Frosted Glass 6-1/2"D x 3-1/2"H	White 7-5/8"D	Frosted Glass 4-5/8"D x 4-5/8"H

Shade and holder

	
H-615200PB	GSG-161
Polished Brass 5"D x 3-5/8"H	White Glass 4-3/4"D x 5"H

REPLACEMENT PARTS

Holders

		
H-615122PB	C102-1-B	C102-1-W
Polished Chrome 5"D x 3-1/2"H	Black 4-5/8"W x 4-5/8"H x 5-1/4"E	White 4-5/8"W x 4-5/8"H x 5-1/4"E

		
61035-B	61035-W	635141-H-W
Black 4-7/8"D x 1-3/4"H	White 4-7/8"D x 1-3/4"H	White 11-1/4"D x 2-3/4"H

Shades fit above Holders

					
G12301	GHG-305	61035GAB	61035GCP	61035GW	61035GS
Clear Glass 3-3/4"D x 4-3/4"H	Floral Glass 6"D x 6"H	Amber Glass 6"D x 6"H	Champagne Glass 6"D x 6"H	White Glass 6"D x 6"H	Smoked Glass 6"D x 6"H

REPLACEMENT PARTS

		
61038-PB	61038-W	61038GW
Polished Brass 5-1/2"D x 1-1/2"	White 5-1/2"D x 1-1/2"	White Glass 8"D x 8-1/8"H

				
61008-CH	61008-B	61008-WH	61008CH/CORD	61008WH/CORD
Polished Chrome 5-1/8"D x 8-3/4"H	Polished Brass 5-1/8"D x 8-3/4"H	White 5-1/8"D x 8-3/4"H	Polished Chrome 5-1/8"D	White 5-1/8"D

	
61008G	61010G
White Glass (No Lip) 8"D x 8"H	White Glass (No Lip) 10"D x 9-1/2"H


		
810212PB-H	810212WH-H	810212-G
Polished Brass 11-7/8"D x 1-5/8"H	White 11-7/8"D x 1-5/8"H	White Glass 12"D x 5-1/8"H

REPLACEMENT PARTS

			
810208PTR-H	810208WH-H	810208ORB-H	810208PB-H
Pewter 6-3/4"D x 1-1/2"H	White 6-3/4"D x 1-1/2"H	Oil Rubbed Bronze 6-3/4"D x 1-1/2"H	Polished Brass 6-3/4"D x 1-1/2"H

		
810208-G	810308-GMB	810108-G
White Glass 7-3/4"D x 3-7/8"H	Marbled Glass 7-3/4"D x 3-7/8"H	Clear Glass 7-3/4"D x 3-7/8"H




					
810210PB-H	810210PT-H	810210WH-H	810210ORB-H	810210PTH-2X60W	810210WHH-2X60W
Polished Brass	Pewter	White	Oil Rubbed Bronze	Pewter	White
8-3/4"D x 1-1/2"H					

		
810110-G	810310-GMB	810210-G
Clear Glass 9-1/2"D x 4-1/4"H	Marbled Glass 9-3/4"D x 4"H	White Glass 9-3/4"D x 4"H

REPLACEMENT PARTS

			
31288-H	31288-13	31288-12 (634)	31288-14
White 4-5/8"D x 6-5/8"H	Round Glass 13"D	Square Glass 11-1/2"L x 11-1/2"W	Square Glass 13-1/4"L x 13-1/4"W

			
22411-H	22611-H	GL-800907	22611-G
White (with outlet) 4-3/4"W x 4-3/4"H x 5-3/8"E	White 4-3/4"W x 4-3/4"H x 5-3/8"E	Curve Glass 11-1/2"L x 4-1/2"W	U Channel Glass 14"L x 3-1/8"W x 3-7/8"H


		
24611-G	GOC-STAR/CL	GOC-STAR/SMK
U Channel Glass 24"L x 4"W x 3"H	Clear Glass 4-1/8"W x 8"H	Smoked Glass 4-1/8"W x 8"H

Minimum Chain & Wire Length


Fixtures	Chain	Integral Wire	External Wire
Chandeliers (D \geq 22")	6'		9' (108") from top of loop
Chandeliers (D<22")	3'		8' (96") from top of loop
Chandeliers with extension rods	N/A		6" from center of canopy
Pendants (D \geq 22")	6'		9' (108") from top of loop
Pendants (D<22")	3'		8' (96") from top of loop
Pendants with extension rods	N/A		6" from center of canopy
Semi-Flush Mount	N/A	6" from center of canopy	N/A
Flush Mount	N/A	6" from center of canopy	N/A
Walls or Vanities (1-L)	N/A	6" from center of canopy	N/A
Walls or Vanities (2 of more lights)	N/A		6" from center of canopy
Tracks (1-L)	N/A	6" from center of canopy	N/A
Tracks (2 or more lights)	N/A		6" from center of canopy
Portable	N/A		5'

LED Item NUMBER LEGEND

eg : **L320690BK024A1D**



eg : **L320690BK014AAC**



INDEX

<i>Item No.</i>	<i>Page</i>								
12302-G	227	305014	215	324270	196	61008G	229	624709	7;80
12302	117	305111	214	324280	196	61010	81	625021	102
200301	111	305112	214	324310	196	61010G	229	625031	102
201	163;167	305113	215	324320	196	61035-B	228	625263	89
202	163;167	305114	215	324820	194	61035GAB	228	625265	89
204	163;167	305561	217	324830	194	61035GCP	228	635022	102
207	163;167	305562	217	324833	194	61035GS	228	635032	102
208612	42;115	305611	204	324844	194	61035GW	228	635141-H-W	228
208616	42;115	306100	208	324980	193	61035-W	228	635278	101
211690	109	306101	208	324990	193	61035	106	650100	98
212140	113	306120	208	324993	193	61038	106;229	650102	98
212430	110	308	165;169	324994	193	610453	85	650300	99
212480	113	309	165;169	334020	202	610753	85	650302	99
212510	114	310796	203	334021	202	612063	33;101	652100	21;92
213040	21;108	310	165;169	401	164	612066	32;80	652102	21;92
213041	21;108	311370	203	402	164	612302	28;97	660335	82
213130	113	311373	203	407	164	612302	29;97	660480	45;82
213140	111	311374	203	416	164	612302	27;97	680112	43;103;104
213150	112	312010	204	420014	220	612308	28;82	680116	43;103;104
213151	112	312030	202	420021	220	612308	29;82	680120	43;103
215040	39;114	312031	202	420035	220	612308	27;82	680412	93
215580	110	312490	201	4200-CN-B	219;221	612310	96	680416	93
215640	109	312491	201	4200-CRD-6	219;221	612312	96	6-MONO	184
215661	116	312680	204	4200-CW-12	219;221	612314	96	700224	152
215670	116	312730	192	4200-CW-24	219;221	612392	96	700236	152
215680	111	312733	192	4200-CW-6	219;221	612394	96	700691	108
215681	111	31288-12 (634)	231	420106	221	612410	94	700923	137
216	163;167	31288-13	231	420121	221	612413	94	70113	183
224070	6;108;195	31288-14	231	420128	221	613048	20;81	70114	183
224080	6;108;195	31288-H	231	420135	221	613330	97	70118-1C	183
22411-H	231	313218	209	432	164	613333	97	70119	183
22611-G	231	314480	201	433	164	613335	97	70120	183
22611-H	231	316	165;169	437	164	613531	95	70123	181
244021	35;116	319730	200	502	166	613532	95	70135	183
244023	35;116	319740	200	505	166	614298	37;80	70220-HEAD	182
24611-G	231	320107	209	508	166	615043	38;84	70221-HEAD	182
250480	45;117	320111	209	508-1	166	615044	38;84	702606	143
260331	112	320389	200	508	166	615293	95	70315	181
260332	112	320440	200	509	166	615294	95	70317	181
301000	211	320490	199	509-1	166	615295	95	70318-1C	180
301001	211	320590	199	509	166	616050	84	70318-HEAD	181
301020	207	320690	199	510	166	616051	84	70318	181
301021	207	322823	191	510	166	619483	86	70320	180
301090	206	322923	191	514	166	619484	86	70325	180
301091	206	322950	198	516	166	619485	86	70326	180
301093	206	322970	198	519	166	620953	41;85	70329	180
301130	205	323041	213	522	166	620958	40;82	70335	181
301131	205	323042	213	600492	101	620968	10;81	70347	181
301401	210	323044	213	600493	101	621573	87	703606	143
301830	207	324010	198	600498	82	621574	87	70701	182
302023	207	324040	196	600634	106	621575	87	710152	142
302	165;169	324050	196	600655	106	622387	17;80	710153	142
303045	210	324180	197	600907	152	622778	9;81	710154	142
303218	210	324190	197	600	170	622	170	710232	138
305011	214	324200	197	601321	85	623531	92	710233	138
305012	214	324210	197	601322	82	623532	92	710234	138
305013	215	324250	198	61008	81;229	624086	6;81;195	710281	140

<i>Item No.</i>	<i>Page</i>								
710282.....	140	722277.....	129	754174.....	177	811331.....	70	916094.....	25;65
710283.....	140	722278.....	129	754181.....	176	811335.....	70	916095.....	25;65
710284.....	140	722279.....	129	754181.....	177	811480.....	45;64	917870.....	71
710524.....	149	722291.....	130	754182.....	176	811481.....	45;64	917880.....	71
710536.....	149	722292.....	130	754182.....	177	811706.....	81	919051.....	71
710651.....	144	722293.....	130	754183.....	176	811850-H.....	78	919052.....	71
710652.....	144	722294.....	130	754183.....	177	811851-H.....	78	919061.....	13;64
710653.....	144	722327.....	24;123	755592.....	173	811852.....	78	919064.....	13;74
710654.....	144	722328.....	24;123	755593.....	173	811862.....	78	919853.....	30;63
710691.....	135	722376.....	125	755594.....	173	811871.....	70	919853.....	31;63
710692.....	135	722377.....	125	755596.....	173	812061.....	32;51	919854.....	30;63;74
710693.....	135	722378.....	125	755597.....	173	812063.....	32;51	919854.....	31;63;74
712061.....	34;141	722379.....	125	755598.....	173	812781.....	76	919855.....	30;63
712062.....	34;141	723300.....	121	755599.....	173	813924.....	68	919855.....	31;63
712063.....	34;141	723307.....	121	783002.....	143	814018.....	66	919856.....	30;63
712064.....	34;141	723308.....	121	783003.....	143	814024.....	66	919856.....	31;63
712624.....	137	723309.....	121	790501.....	117;146	814030.....	66	919857.....	30;63
712636.....	137	723961.....	122	790502.....	117;146	814293.....	36;51	919857.....	31;63
713200.....	150	723962.....	122	790505.....	146	815116.....	42;65	920951.....	40;69
713318.....	151	723963.....	122	790506.....	146	815120.....	42;65	920954.....	41;75
713518.....	149	723964.....	122	790507.....	146	819565.....	46;50	920963.....	10;59
713618.....	149	724001.....	119	790508.....	146	819566.....	46;50	920965.....	10;59
714200.....	150	724002.....	119	790511.....	117;147	820953.....	40;53	921224-HPF.....	148
714291.....	36;141	724003.....	119	790512.....	117;147	822451.....	23;50	921236-HPF.....	148
714292.....	36;141	724004.....	119	790515.....	147	822455.....	23;50	921248-HPF.....	148
714293.....	36;141	724131.....	145	790516.....	147	822463.....	23;50	922323.....	24
714324.....	151	724132.....	145	790517.....	147	822465.....	23;50	922324.....	24;75
714624.....	149	724133.....	145	790518.....	147	822473.....	22;53	922381.....	17;62
716200.....	150	724134.....	145	790800.....	114	822783.....	11;48	922382.....	17;52;62
716336.....	151	724581.....	12;108	800161.....	76	860805.....	106	922383.....	17;52;62
716536.....	149	730224.....	150	800265.....	69	860809.....	106	922434.....	74
716636.....	149	730524.....	152	800393.....	52	860825.....	106	922471.....	22;64
718200.....	150	730536.....	152	800413.....	52	900421.....	69	922751.....	19;61
718348.....	151	730548.....	152	800421.....	53	900491.....	69	922752.....	19;61
718648.....	149	730624.....	151	800613.....	69	910391.....	44;62	922755.....	18;49;61
718732.....	134	730636.....	151	801321.....	74	910481.....	69	922756.....	18;49;61
718733.....	134	753232.....	178	805849.....	70	910754.....	77	922770.....	9;60
720951.....	41;127	753234.....	178	810108-G.....	230	910920.....	77	922771.....	9;60
720952.....	41;127	753237.....	178	810110-G.....	230	910924.....	77	922781.....	11;60
720953.....	41;127	753242.....	172	810208-G.....	230	911574.....	75	922784.....	11;76
720996.....	127	753243.....	172	810208.....	105	911584.....	75	924074.....	6;71;195
720997.....	127	753244.....	172	810208-H.....	230	911744.....	76	924084.....	6;71;195
720998.....	127	753601.....	174	810210-G.....	230	911964.....	77	924580.....	12;72
720999.....	127	753602.....	174	810210.....	105	912063.....	33;62	924581.....	12;72
721096.....	131	753603.....	174	810210-H.....	230	912064.....	33;76	924584.....	12;72
721097.....	131	753612.....	174	810210H.....	230	912065.....	33;62	924690.....	8;58;80
721098.....	131	753613.....	174	810212-G.....	229	912300.....	27;28;29;67	924691.....	8;48;58
721099.....	131	753614.....	174	810212PB-H.....	229	912301.....	27;28;29;67	924694.....	8;58;80
721262.....	128	753701.....	175	810212.....	106	912302.....	27;28;29;67	924721.....	7;49;59
721263.....	128	753702.....	175	810212-H.....	229	913024.....	76	924725.....	7;49;59
721264.....	128	753703.....	175	810308-GMB.....	230	913041.....	20;68	924744.....	4;55
721417.....	123	753712.....	175	810308.....	105	913044.....	20;74	924752.....	4;48;55
721418.....	123	753713.....	175	810310-GMB.....	230	913164.....	76	924754.....	4;55
721419.....	123	753714.....	175	810310.....	105	914291.....	37;68	924762.....	5;48;55
721426.....	124	754172.....	176	810391.....	44;51	914294.....	37;74	924764.....	5;55
721427.....	124	754172.....	177	810393.....	44;51	914295.....	37;68	944024.....	35;76
721428.....	124	754173.....	176	810396.....	44;51	915043.....	39;68	950064.....	99
721429.....	124	754173.....	177	810451.....	52	915370.....	77	951054.....	99
722276.....	129	754174.....	176	810453.....	52	916091.....	25;75	983202.....	77

<i>Item No.</i>	<i>Page</i>					
A-1	185	L223480-HSG 187;188	L612312	96	L680120	43;103
A-1	185	L223481	L612314	96	L680412	93
A-12	184	L225560	L612392	96	L680416	93
A-12	184	L225570	L612394	96	L710737	132
A-2	185	L260331	L612410	94	L710738	132
A-2	185	L260332	L612413	94	L719451-A	136
A-3	185	L303218	L613048	20;81	L719453-A	136
A-3	185	L305011	L613330	97	L719454-A	136
A-4	185	L305012	L613335	97	L719463	137
A-5	185	L305013	L613531	95	L719541	139
A-5	185	L305014	L613532	95	L719542	139
A-8	185	L305111	L614298	37;80	L719543	139
A-8	185	L305112	L615043	38;84	L721683	136
A-HOOK	184	L305113	L615044	38;84	L721684	136
C102-1-B	228	L305114	L615293	95	L722362	126
C102-1-W	228	L305561	L615294	95	L722364	126
DIM-SMARU	224	L305562	L615295	95	L722842	133
DIM-RIACA	224	L306100	L619483	86	L722843	133
DIM-RIACB	224	L306101	L619484	86	L722852	133
DIM-WIFISMARU	224	L306120	L619485	86	L722853	133
FCL-22CW	226	L312490	L621573	87	L722861	132
FCL-32CW	226	L312491	L621574	87	L722862	132
FCL-40CW	226	L312730	L621575	87	L722863	132
G12301	228	L320490	L622022	88	L722882	134
G851904	227	L320590	L622031	88	L722883	134
G9-20W	226	L320690	L622032	88	L723300	121
G9-40W	226	L322950	L622052	88	L723307	121
GHG-305	228	L322970	L622061	88	L723308	121
GL-800907	231	L323041	L622340	91	L723309032AAC	121
GC-STAR	231	L323042	L623531	92	L723309048AAC	121
GSG-019	227	L323044	L623532	92	L724596	120
GSG-126	227	L323311	L625021	102	L724597	120
GSG-127	227	L323312	L625031	102	L724598	120
GSG-161	227	L323313	L625680	89	L724599	120
GSG-495	227	L323331	L635022	102	L725551	189
GSG-606	227	L323332	L635032	102	L790501	117;146
GSG-81	227	L323333	L646030	90	L790505	146
GU10-S	226	L323383	L646130	90	L790507	146
H-615122	228	L323393	L648030	90	L790511	117;147
H-615200	227	L324643	L648030	90	L790515	147
JC-20W-XENN	226	L324663	L648130	90	L790517	147
L200301	111	L324673	L648130	90	L790800	114
L208612	42;115	L324863	L648230	90	L810210	105
L208616	42;115	L325521	L648330	90	L810212	106
L211690	109	L325522	L650100	98	L810310	105
L212140	113	L325531	L650102	98	L914291	37;68
L212430	110	L325532	L650200	98	L914295	37;68
L212480	113	L325541	L650202	98	L914703	26;60
L212510	114	L325542	L650300	99	L914704	26;75
L213130	113	L325622	L650302	99	L914705	26;60
L213140	111	L420809	L650600	91	L914706	26;60
L213150	112	L420812	L650602	91	L915043	39;68
L215040	39;114	L420824	L650900	94	L921224	148
L215580	110	L420836	L650901	94	L921236	148
L215640	109	L420848	L650902	94	L921248	148
L215680	111	L420860	L680112	104	L923061	15;75
L215681	111	L601321	L680112	43;103	L923062	14;75
L219460	137	L610453	L680116	104	L923063	15;56
L223480	187	L612310	L680116	43;103	L923064	14;57
					L923065	15;56
					L923066	14;57
					L923067	15;56
					L923068	14;57
					L923093	16;56
					L923094	16;57
					L923095	16;56
					L923096	16;57
					L925324	100
					L925348	100
					L950064	99
					L951054	99
					LED-A19	222
					LED-FA19	222
					LED-FB11	222
					LED-FS20	222
					LED-G9	223
					LED-GU10	223
					LED-PAR20	223
					LED-PAR30	223
					P-DIA-SHADE	91
					RH5000	170
					RING-851904	227
					RL-C200	159
					RL-C210	160
					RL-C4CL-21	162
					RL-C4P-21	162
					RL-C561	159
					RL-C6CL-28	161
					RL-C6P-28	161
					RL-R202	154;157
					RL-R562	155;157
					RL-RP209	160
					RL-RP509	160
					RL-R2000	154
					RL-R200	154;156
					RL-R3000	155
					RL-R419CW	154;158
					RL-R560	155;156
					RL-R569	155;158
					RS2000	167
					RS2000	163
					RS2000	164
					RS3000	165
					RS3000	168
					RS5000	166
					T5-13W	226
					T5-14W	226
					T5-21W	226
					T5-28W	226
					T5-35W	226
					T5-6W	226
					T5-8W	226
					TK2	184
					TK4	184
					TK6	184
					TK8	184
					YM2108	224

GALAXY LIGHTING

Head Office:

13611 Maycrest Way, Richmond, B.C. Canada V6V 2J4

Tel: 604-278-8881 or 604-278-1919 Fax: 604-278-2551 email: sales@galaxy-lighting.com

Ontario Office:

Unit A, 55 East Beaver Creek Road, Richmond Hill, Ont. Canada L4B 1E5

Tel: 905-889-8787 Fax: 905-763-8778 email: galaxy@galaxy-lighting.com

